


February 27, 2006

New Mexico Oil Conservation Division District I 1625 N. French Drive Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Final Drilling Pit Closure

North Hobbs Unit 31-632 Drilling Pit UL 'F', Sec. 31 T-18-S, R-38-E



This letter is being sent as final pit closure for the drilling pit at the above mentioned location. This pit was closed as follows:

- 1. All drill cuttings and liner were removed from pit area.
- 2. All cuttings were disposed of at Sundance Services, Parabo Facility near Eunice, New Mexico.
- 3. Native soils, stored on site, were used for backfill of the area.
- 4. NMOCD Pit and Below-Grade Tank Guidelines, dated 11-01-2004, were used for pit closure compliance.
- 5. Start date on drill cutting removal was 11/15/2005.
- 6. Work was completed on 01/26/2006.

STEVEN M. BISHOP

6. A final form C-144 is attached.

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Steven M. Bishop

HES Technician/Hobbs RMT Steven_Bishop@oxy.com (505) 397-8251

Attachments: Form C-144

Diagram of pit and well location

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505


State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144 March 12, 2004

Pit or Below-Grade Tank Registration or Closure

	k covered by a "general plan"? Yes No r below-grade tank Closure of a pit or below-gra	
Operator: _Occidental Permian, LTDTelephone: 505.397.8251_		
Address: 1017 w. Stanionid Rd, riotos, rivi 66240	27314 LUI E Soc 31 T 1	9 C D 20 E
Address: 1017 W. Stanolind Rd, Hobbs, NM 88240		
County: _Lea Latitude_32*42*08.31*N Longitude_10	15-10-59.26 W NAD: 1927 🔼 1983 🔲 Surface	e Owner rederal 🗀 State 🛅 Filivate 🔀 Ilidiali 🗀
<u>Pit</u>	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined ☑ Unlined □		
Liner type: Synthetic ☑ Thickness _12_mil Clay ☐ Volume		
_5,000_bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 10
	100 feet or more	(0 points)
W. W. C. and a conference of the control of the con	Yes	(20 points) 20
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) 0
	Ranking Score (Total Points)	30
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	ate disposal location:
onsite offsite If offsite, name of facility Sundance Services, Parabo		
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth		
diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ⊠, a Date:02/27/2006	general permit , or an (attached) alternative O	CD-approved plan .
Printed Name/Title_ Steven M. Bishop/HES SpecSignature 57eVoV M. S. SHay		
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations		
Approval: Date: 3206 Printed Name/Title GARY W. WINK STAFFMGK	2 Signature Lary W. Wir	b



Occidental Permian Ltd.

North Hobbs Unit 31-632

API #30-025-37214

Unit Letter 'E', Section 31, T-18-S, R-38-E

Long N 32°42'08.31" Lat W 103°10'59.26"

100' X 100' Pit 50' North of Wellhead