

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Amerada Hess Corporation</u> Telephone: <u>(432)758-6738</u> e-mail address: <u>cmoore@hess.com</u>		
Address: <u>P. O. Box 840 Seminole, TX 79360</u>		
Facility or well name: <u>STATE Q # 8</u> API #: <u>30-025-37267</u> U/L or Qtr/Qtr <u>P</u> Sec <u>16</u> T <u>20S</u> R <u>37E</u>		
County: <u>Lea</u> Latitude <u>N32°35.654'</u> Longitude <u>W103°15.834'</u> NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>		
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> <input checked="" type="checkbox"/> Private <input checked="" type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil (reinforced) Clay <input type="checkbox"/> Pit Volume <u>3300</u> bbl	Below-grade tank Volume: <u> </u> bbl Type of fluid: <u> </u> Construction material: <u> </u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. <u> </u>	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	<u>Less than 50 feet</u>	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	<u>No</u>	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	<u>1000 feet or more</u>	(0 points)
Ranking Score (Total Points)		20

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility Sundance Services, Inc. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 03/07/06



Printed Name/Title Randy Barnes / Production supervisor Signature Randy Barnes

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title GARY W. WINK / STAFF MGR Signature Gary W. Wink Date: MAR 09 2006

**AMERADA HESS CORPORATION
STATE Q #8 PIT DIAGRAM
UNIT P, SEC. 16, T-20S, R-37E, LEA COUNTY, NM**



**DRILLING PIT CLOSURE
STATE Q # 8**

- Pit contents were dried through fluid hauling and evaporation.
- From 2/15 – 02/17/06, a total of 1672 yards of drill cuttings and liner were excavated and trucked to a NMOCD approved site, Sundance Services, Inc. in Eunice, NM.
- Soil samples were taken including one from each corner of the pit and one from the center, for a total of five (noted on attached diagram). The center sample was analyzed for BTEX, TPH and chlorides. The four corner samples were analyzed for chlorides. The results are attached.
- Once levels were confirmed to be within NMOCD guidelines, the pit area was restored using clean material excavated during pit construction.
- Pit area was leveled, contoured and reseeded.



ARDINAL LABORATORIES

PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
AMERADA HESS CORP.
ATTN: RANDY BARNES
P.O. DRAWER D
MONUMENT, NM 88265
FAX TO: (505) 391-7815 &
(505) 393-1927


Receiving Date: 02/20/06
Reporting Date: 02/22/06
Project Number: NOT GIVEN
Project Name: STATE Q #8
Project Location: NOT GIVEN


Sampling Date: 02/20/06
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: HM
Analyzed By: BC/LB

LAB NUMBER	SAMPLE ID	GRO	DRO	CI*
		(C ₆ -C ₁₀) (mg/Kg)	(>C ₁₀ -C ₂₈) (mg/Kg)	(mg/Kg)
ANALYSIS DATE		02/21/06	02/21/06	07/22/06
H10772-1	N.W. CORNER	<10.0	<10.0	32
H10772-2	N.E. CORNER	<10.0	<10.0	16
H10772-3	CENTER	<10.0	<10.0	32
H10772-4	S.E. CORNER	<10.0	<10.0	32
H10772-5	S.W. CORNER	<10.0	<10.0	32
Quality Control		767	806	500
True Value QC		800	800	500
% Recovery		95.9	101	100
Relative Percent Difference		6.7	0.5	0.0

METHODS: TPH GRO & DRO: EPA SW-846 8015 M; CI*: Std. Methods 4500-CI*B

*Analyses performed on 1:4 w:v aqueous extracts.


Chemist


Date

H10772.XLS

PLEASE NOTE: **Liability and Damages.** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.



ARDINAL LABORATORIES

PHONE (325) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
AMERADA HESS CORP.
ATTN: RANDY BARNES
P.O. DRAWER D
MONUMENT, NM 88265
FAX TO: (505) 391-7815 &
(505) 393-1927

Receiving Date: 02/20/06
Reporting Date: 02/28/06
Project Number: NOT GIVEN
Project Name: STATE Q #8
Project Location: NOT GIVEN

Sampling Date: 02/20/06
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: HM
Analyzed By: BC

LAB NUMBER	SAMPLE ID	BENZENE (mg/Kg)	TOLUENE (mg/Kg)	ETHYL BENZENE (mg/Kg)	TOTAL XYLENES (mg/Kg)
ANALYSIS DATE		02/27/06	02/27/06	02/27/06	02/27/06
H10772-1	N.W. CORNER	<0.005	<0.005	<0.005	<0.015
H10772-2	N.E. CORNER	<0.005	<0.005	<0.005	<0.015
H10772-3	CENTER	<0.005	<0.005	<0.005	<0.015
H10772-4	S.E. CORNER	<0.005	<0.005	<0.005	<0.015
H10772-5	S.W. CORNER	<0.005	<0.005	<0.005	<0.015
Quality Control		0.099	0.099	0.094	0.284
True Value QC		0.100	0.100	0.100	0.300
% Recovery		99.4	98.9	94.4	94.5
Relative Percent Difference		1.7	0.8	1.5	2.7

METHOD: EPA SW-846 8260

Burgess & Rooh
Chemist

2/28/06
Date

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page ____ of ____

Terms and Conditions: Interest will be charged on all accounts more than 30 days past due at the rate of 24% per annum from the original date of invoice, and all costs of collections, including attorney's fees.

Sampler Relinquished: <i>Buddy J. Smith</i>		Date: Time: 		Received By: 		Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Relinquished By: 		Date: 02-20-06 Time: 9:10		Received By: (Lab Staff) <i>Hope S. Smith</i>		Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Delivered By: (Circle One) Sampler - UPS - Bus - Other:		Sample Condition Temp, °C <input checked="" type="checkbox"/> Intact? <input type="checkbox"/>		Checked By: (Initials)		REMARKS: Added BTEX per Randy Barnes 2/23/06	
		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					

† Cardinal cannot accept verbal changes. Please fax written changes to (325) 673-7020.