

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-09983
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator Vanguard Operating, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 5847 San Felipe St. Ste. 3000, Houston, TX 77057		7. Lease Name or Unit Agreement Name BRUNSON
4. Well Location Unit Letter <u>L</u> : <u>2310</u> feet from the <u>SOUTH</u> line and <u>990</u> feet from the <u>WEST</u> line Section <u>3</u> Township <u>22S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number <u>2</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3425' GL		9. OGRID Number 25835
		10. Pool name or Wildcat PENROSE-SKELLY-GRAYBURG

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		E-PERMITTING <SWD INJECTION> CONVERSION <u> </u> RBDMS <u> </u> RETURN TO <u> </u> TA <u> </u> CSNG <u> </u> ENVIRO <u> </u> CHG LOC <u> </u> INT TO PA <u> </u> P&A NR <u> </u> P&A R <u> </u>
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	
DOWNHOLE COMMINGLE ☐		
OTHER: ☐	OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to commencement of P & A procedure.
2. MIRU P&A equip POH LD rods & pump.
3. POH with tubing.
4. Set CIBP @ 3370"
5. Circ hole w/MLF MIN 9 lbs B.W. w/25 lbs salt gel P/BBL.
6. Spot 20 sacks cmt @ 3370" (CIBP)
7. Spot 30 sacks cmt @ 2300' - 2100', WOC & TAG (Bottom Salt)
8. Perf & Sqz 75 sks @ 1370" - 1070", WOC & TAG , (Top Salt & Shoe)
9. Perf @ 150' circ cmt to surf w/125 sacks of cmt.
10. Cut off well heads, install dry hole marker, clean location, A CLOSED LOOP SYSTEM WILL BE USED FOR ALL FLUIDS THAT ARE DISPOSED

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Agent

DATE 10/01/2015

Type or print name Robert Holden

E-mail address: sunsetwellservice@yahoo.com

PHONE: 432-561-8600

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

OCT 07 2015

CURRENT


LEASE/WELL:	BRUNSON #002	GR	3,425
LOCATION	2,310' FSL & 990' FWL L-03-22S-37E	SPUDDED	8/12/1937
		COMPLETED	10/15/1937
CO/ST:	LEA COUNTY, NEW MEXICO	LAT (83)	32.41999677
API NO.	30-025-09983	LONG(83)	-103.156189
FORMATION	PENROSE-SKELLY/GRAYBURG		

7" TOC @ 1,250' (CALC.)
5-1/2" TOC @ 1,065' (CALC)

8-5/8" 32#
SET W/ 450 SX. CIRC.

7" 24#
SET W/ 150 SX

5-1/2" 14#
SET W/ 150 SX



PENROSE-SKELLY PERFS 3,470-3,520' (100 HOLES)

3,625'

3,647-3,710 OPEN HOLE GRAYBURG

JUNK IN HOLE @ 3,710'

PBD 3,710'
TD 3,944'

KDZ 09/17/2015

NOTE: NO RECORDS OF HOLE SIZES. ASSUMED 6-1/4", 7-7/8", 12-1/4"

PROPOSED

LEASE/WELL:

BRUNSON #002

GR

3,425

LOCATION

2,310' FSL & 990' FWL
L-03-22S-37E

SPUDED 8/12/1937
COMPLETED 10/15/1937

CO/ST:
API NO.

LEA COUNTY, NEW MEXICO
30-025-09983

LAT (83) 32.41999677
LONG(83) -103.156189

FORMATION


PENROSE-SKELLY/GRAYBURG

7" TOC @ 1,250' (CALC.)
5-1/2" TOC @ 1,065' (CALC.)

8-5/8" 32#
SET W/ 450 SX. CIRC.

7" 24#
SET W/ 150 SX

5-1/2" 14#
SET W/ 150 SX



NOTE: NO RECORDS OF HOLE SIZES. ASSUMED 6-1/4", 7-7/8", 12-1/4"