

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to
appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 30-025-42881	2 Pool Code 22900	3 Pool Name Eunice, Bli-Tu-Dr, North
4 Property Code 37346	5 Property Name WEST BLINEBRY DRINKARD UNIT	6 Well Number #238D
7 OGRID No. 873	8 Operator Name APACHE CORPORATION	9 Elevation 3426.92

10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
9 I	21	21 S	37 E		2,315	SOUTH	580	EAST	LEA

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
8 H	21	21 S	37 E		2,300	NORTH	980	EAST	LEA

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

SECTION 21, TOWNSHIP 21 SOUTH, RANGE 37 EAST P.M.

FOUND 3/4 INCH IRON ROD, ALUMINUM CAPPED, DISTURBED LAT: 32.471389 N LONG: -103.175984 W NAD83 E: 856941.054 (N.A.D. 83)		SURFACE HOLE TO BOTTOM HOLE LOCATION DEVIATION LINE BEARING DISTANCE L1 N 31°28'35" W 771.43'		FOUND 3/8 INCH IRON ROD, CAPPED LAT: 32.471381 N LONG: -103.158861 W NAD83 E: 862277.692 (N.A.D. 83) LAT: 32.471502 N LONG: -103.158131 W NAD83 E: 862255.732 (N.A.D. 83)		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature <u>Sorina L Flores</u> Date <u>12/5/14</u> Printed Name <u>Sorina L. Flores</u> E-mail Address <u>Sorina.Flores@apachecorp.com</u>	
FOUND 1.5 INCH IRON PIPE, ALUMINUM CAPPED LAT: 32.456868 N LONG: -103.175988 W NAD83 E: 851857.618 NAD83 E: 857018.746 (N.A.D. 83) LAT: 32.456890 N LONG: -103.176368 W NAD83 E: 851917.822 NAD83 E: 898203.153 (N.A.D. 83)		BOTTOM HOLE LOCATION DD LAT: 32.465062 N DD LONG: -103.161893 W DMS LAT: 32°27'54.222" N DMS LONG: 103°09'42.814" W NAD83 E: 861306.264 (N.A.D. 83) DD LAT: 32.465183 N DD LONG: -103.162363 W DMS LAT: 32°27'54.658" N DMS LONG: 103°09'44.505" W NAD83 E: 861345.583 NAD83 E: 902490.576 (N.A.D. 83)		SURFACE LOCATION DD LAT: 32.463240 N DD LONG: -103.160811 W DMS LAT: 32°27'47.663" N DMS LONG: 103°09'38.200" W NAD83 E: 861227.006 NAD83 E: 861708.691 (N.A.D. 83) DD LAT: 32.463351 N DD LONG: -103.161081 W DMS LAT: 32°27'48.098" N DMS LONG: 103°09'39.891" W NAD83 E: 864286.935 NAD83 E: 902893.219 (N.A.D. 83)		18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 10-02-2014 Date of Survey Signature and Seal of Professional Surveyor Jeffery E. Hudson Certificate Number 20559	

OCT 19 2015

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Carlsbad Field Office
620 E. Greene Street
Carlsbad, NM 88220

STATEMENT ACCEPTING RESPONSIBILITY FOR OPERATIONS

Operator Name: APACHE CORPORATION
Street or Box: 303 VETERANS AIRPARK LANE, STE. 1000
City, State: Midland, TX
Zip Code: 79705

The undersigned accepts all applicable terms, conditions, stipulations, and restrictions concerning operations conducted on the leased land or portion thereof, as described below:

Lease No: NMLC-032591A / WEST BLINEBRY DRINKARD UNIT #238D

Legal Description of Land: 2315' FSL & 580' FEL
Section: 21 Township: 21S Range: 37E

County: LEA State: NM

Bond Coverage: \$150,000

Statewide Oil and Gas Surety Bond, APACHE CORPORATION.

BLM Bond File No.: BLM-CO-1463 NATIONWIDE / NMB000736

Signature: Bobby L Smith Printed Name: BOBBY L. SMITH

Title: DRILLING MANAGER, PERMIAN REGION

Date: 12/18/14

PRIVATE SURFACE OWNER AGREEMENT

OPERATOR: APACHE CORPORATION

WELL NAME: WEST BLINEBRY DRINKARD UNIT #238D

SECTION: 21 TOWNSHIP: 21S RANGE: 37E

LOCATION: 2315' FSL & 580' FEL COUNTY: LEA STATE: NM

LEASE NUMBER: NMLC-032591A


STATEMENT OF SURFACE USE

The surface to the subject land is owned by Mary E Wantz Estate
Joseph Gilbert, Co-executor
5706 Apalachicola Dr
Raleigh, NC 27616
919-850-9431 (h) 919-630-0286 (c)

The surface owner has been contacted regarding the drilling of the subject well, and an agreement for surface use has been negotiated.

CERTIFICATION: I hereby certify that the statements made in this statement are to the best of my knowledge, true and correct.

NAME: JOE PAYNE

SIGNATURE: 

DATE: 12/17/14


TITLE: DRILLING ENGINEER

To expedite your Application to Drill please fax the completed form to the
Bureau of Land Management (575) 234-5927 or (575) 885-9264
Attn: Legal Instruments Examiner
620 E. Green Street
Carlsbad, NM 88220


The original document with signature should be mailed as soon as possible.

LEA COUNTY, NEW MEXICO

SECTION TWENTY-ONE (21), TOWNSHIP TWENTY-ONE (21) SOUTH,
RANGE THIRTY-SEVEN (37) EAST OF THE PRINCIPAL MERIDIAN



COORDINATE TABLE				
WELL NAME	NORTHING (N.A.D. 27)	EASTING (N.A.D. 27)	NORTHING (N.A.D. 83)	EASTING (N.A.D. 83)
WBDU #238 SURFACE LOCATION & PENETRATION POINT	534227.006	861708.891	534286.975	902893.219
ELEVATION	LATITUDE (N.A.D. 27)	LONGITUDE (N.A.D. 27)	LATITUDE (N.A.D. 83)	LONGITUDE (N.A.D. 83)
3,426.92'	32.463240 N	-103.160611 W	32.463361 N	-103.161081 W



PREPARED FROM SURVEY
DATED: OCTOBER 2, 2014

NOTES:

1.) BEARINGS & COORDINATES SHOWN HEREON ARE REFERENCED TO THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, N.A.D. 27 & 83 DATUM (NEW MEXICO EAST ZONE) DERIVED FROM GPS OBSERVATIONS AND ARE BASED REFERENCE STATIONS - "E 148" - MALJAMAR NE (1985)

2.) LATITUDE & LONGITUDE ARE NAD 83 & 27 GEOGRAPHIC.

3.) THIS IS AN WELL PLAT AND DOES NOT REPRESENT A TRUE BOUNDARY SURVEY. THIS SURVEY IS BASED ON OWNERSHIP AND EASEMENT INFORMATION PROVIDED BY APACHE CORPORATION. SURVEYOR DID NOT ABSTRACT SUBJECT TRACT AND THERE MAY BE EASEMENTS OR OTHER ENCUMBRANCES THAT AFFECT THE SUBJECT TRACT THAT ARE NOT SHOWN HEREON.



8205 Camp Bowie West, Suite 204
Fort Worth, Texas 76116
(817) 386-0362 ~ Fax (882) 224-3377

THE WBDU 238 WELL LOCATION IS LOCATED
APPROXIMATELY 5.31 MILES SOUTH-SOUTHWEST OF
EUNICE, NEW MEXICO

Apache

Location of

WEST BLINEBRY DRINKARD UNIT #238

Surface Location & Penetration Point: 2315' FSL & 580' FEL


Section 21, Township 21 South, Range 37 East of P.M.

Lea County, New Mexico


DRAWN BY: MAC	DATE: 10-14-14	DWG. NO.	REV.
CHECKED BY:	DATE:	WBDU 238-1409077 WELL LOCATION	0
SCALE: 1" = 100'	APP:	PAGE 1 OF 1	

LEA COUNTY, NEW MEXICO

SECTION TWENTY-ONE (21), TOWNSHIP TWENTY-ONE (21) SOUTH,
RANGE THIRTY-SEVEN (37) EAST OF THE PRINCIPAL MERIDIAN



COORDINATE TABLE				
WELL NAME	NORTHING (N.A.D. 27)	EASTING (N.A.D. 27)	NORTHING (N.A.D. 83)	EASTING (N.A.D. 83)
WBDU #238 SURFACE LOCATION & PENETRATION POINT	534227.006	861708.891	534286.975	902893.219
ELEVATION	LATITUDE (N.A.D. 27)	LONGITUDE (N.A.D. 27)	LATITUDE (N.A.D. 83)	LONGITUDE (N.A.D. 83)
3,426.92'	32.463240 N	-103.160611 W	32.463361 N	-103.161081 W



THE WBDU 238 WELL LOCATION IS LOCATED
APPROXIMATELY 5.31 MILES SOUTH-SOUTHWEST OF
EUNICE, NEW MEXICO

PREPARED FROM SURVEY
DATED: OCTOBER 2, 2014

NOTES:

1.) BEARINGS & COORDINATES SHOWN HEREON ARE REFERENCED TO THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, N.A.D. 27 & 83 DATUM (NEW MEXICO EAST ZONE) DERIVED FROM GPS OBSERVATIONS AND ARE BASED REFERENCE STATIONS - "E 148" - MALJAMAR NE (1889)

2.) LATITUDE & LONGITUDE ARE NAD 83 & 27 GEOGRAPHIC.

3.) THIS IS AN WELL PLAY AND DOES NOT REPRESENT A TRUE BOUNDARY SURVEY. THIS SURVEY IS BASED ON OWNERSHIP AND EASEMENT INFORMATION PROVIDED BY APACHE CORPORATION. SURVEYOR DID NOT ABSTRACT SUBJECT TRACT AND THERE MAY BE EASEMENTS OR OTHER ENCUMBRANCES THAT AFFECT THE SUBJECT TRACT THAT ARE NOT SHOWN HEREON.



Apache

Location of

WEST BLINEBRY DRINKARD UNIT #238 D

Surface Location & Penetration Point: 2315' FSL & 580' FEL

Section 21, Township 21 South, Range 37 East of P.M.

Lea County, New Mexico




8205 Camp Bowie West, Suite 204
Fort Worth, Texas 76116
(817) 386-0362 ~ Fax (817) 224-3377

DRAWN BY: MAC	DATE: 10-14-14	DWG. NO.	REV.
CHECKED BY:	DATE:	WBDU 238-140577 WELL LOCATION	0
SCALE: 1" = 100'	APP.:	PAGE 1 OF 1	

LEA COUNTY, NEW MEXICO

SECTION TWENTY-ONE (21), TOWNSHIP TWENTY-ONE (21) SOUTH,
RANGE THIRTY-SEVEN (37) EAST OF THE PRINCIPAL MERIDIAN

Exhibit #1A



**TRANSGLOBAL
SERVICES LLC**
8205 Camp Bowie West, Suite 204
Fort Worth, Texas 76116
(817) 386-0362 ~ Fax (862) 224-3377

Apache

Location of
**PROPOSED FLOW LINE
WEST BLINEBRY DRINKARD UNIT #238 D**
Surface Location & Penetration Point: 2315' FSL & 580' FEL
Section 21, Township 21 South, Range 37 East of P.M.
Lea County, New Mexico

DRAWN BY: MAC	DATE: 10-13-14	DWG. NO.	REV.
CHECKED BY:	DATE:	WBDU 238-140977 WELL LOCATION	0
SCALE: 1" = 400'	APP:	PAGE 1 OF 1	



WEST BLINEBRY DRINKARD UNIT 238

2315' FSL, 580' FEL


SEC 21-21S-37E

LEA, NM




Exhibit #1

FROM EUNICE, NM TO WELL:
FROM HWY 8 / HWY 207
1. HEAD NORTH ON HWY 207 (1.43 MILES)
2. WELL LOCATED 540 FEET DIRECTLY WEST.



1 inch = 5,280 feet



Legend

- BLM
- Private
- State
- Routes
- Permit
- Gas
- Oil
- Injection Well
- Plugged and Abandoned
- Plugged
- Shut-in Gas
- Shut-in Oil
- Temporarily Abandoned



NAD 1927 StatePlane
New Mexico East FIPS 3001
Projection: Transverse Mercator
False Easting: 500000.000000
False Northing: 0.000000
Central Meridian: -104.333333
Scale Factor: 0.999909
Latitude Of Origin: 31.000000
Linear Unit: Foot US

GCS North American 1927
Datum: D North American 1927

Drawn By: Nicholas Tallant


Checked by:

Date: 12/9/2014

Sheet
1 of 1



WEST BLINEBRY DRINKARD UNIT 238
2315' FSL, 580' FEL
SEC 21-21S-37E
LEA, NM




1 inch = 2,000 feet



Legend

- Apache Well
- Permit
- Gas
- Oil
- Injection Well
- Plugged and Abandoned
- Plugged
- Shut-in Gas
- Shut-in Oil
- Temporarily Abandoned
- 1 mi. buffer
- BLM
- Private
- State



NAD 1927 StatePlane
New Mexico East FIPS 3001
Projection: Transverse Mercator
False Easting: 500000.000000
False Northing: 0.000000
Central Meridian: -104.333333
Scale Factor: 0.999909
Latitude Of Origin: 31.000000
Linear Unit: Foot US

GCS North American 1927
Datum: D North American 1927

Drawn By: Nicholas Tallant


Checked by:

Date: 10/17/2014


Sheet
1 of 1



WEST BLINEBRY DRINKARD UNIT 238
2315' FSL, 580' FEL
SEC 21-21S-37E
LEA, NM




1 inch = 3,000 feet



Legend

- 1mi Buffer
- Apache Well
- BLM
- Private
- State
- Ownership Boundary
- Permit
- Gas
- Oil
- Injection Well
- Plugged and Abandoned
- Plugged
- Shut-in Gas
- Shut-in Oil
- Temporarily Abandoned



NAD 1927 StatePlane
New Mexico East FIPS 3001
Projection: Transverse Mercator
False Easting: 500000.000000
False Northing: 0.000000
Central Meridian: -104.333333
Scale Factor: 0.999909
Latitude Of Origin: 31.000000
Linear Unit: Foot US

GCS North American 1927
Datum: D North American 1927

Drawn By: Nicholas Tallant


Checked by:

Date: 10/17/2014


Sheet
1 of 1



WEST BLINEBRY DRINKARD UNIT 238
 2315' FSL, 580' FEL
 SEC 21-21S-37E
 LEA, NM



1 inch = 3,000 feet



Legend

- 1mi Buffer
- Apache Well
- BLM
- Private
- State
- Ownership Boundary
- Permit
- Gas
- Oil
- Injection Well
- Plugged and Abandoned
- Plugged
- Shut-in Gas
- Shut-in Oil
- Temporarily Abandoned



NAD 1927 StatePlane
 New Mexico East FIPS 3001
 Projection: Transverse Mercator
 False Easting: 500000.000000
 False Northing: 0.000000
 Central Meridian: -104.333333
 Scale Factor: 0.999909
 Latitude Of Origin: 31.000000
 Linear Unit: Foot US
 GCS North American 1927
 Datum: D North American 1927

Drawn By: Nicholas Tallant

Checked by:

Date: 10/17/2014

Sheet
 1 of 1

Exhibit 1B




Exhibit #2

APACHE CORPORATION

WEST BLINEBRY DRINKARD UNIT #238D

SHL: 2315' FSL & 580' FEL SEC: 21

BHL: 2300' FSL & 980' FEL SEC: 21

1 MILE RADIUS



POSTED WELL DATA

Well Name
Well Number

WELL SYMBOLS

- Dry Hole, With Show of Gas
- Dry Hole, With Show of Oil
- Dry Hole
- Gas Well
- Active Injection
- Key Injection well
- Location
- New Location
- Oil & Gas Well
- Oil Well
- Plugged and Abandoned
- Active Gas Producer
- Plugged and Abandoned
- Active Producer
- T & A'D
- P&A Oil

December 9, 2014

