

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88203
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-09085
5. Indicate Type of Lease STATE FEE X
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name B.A. CHRISTMAS
8. Well Number 001
9. OGRID Number 162683
10. Pool name or Wildcat JALMAT; TANSILL-YATES-7-RIVERS
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,508' - GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR APPLICATIONS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well X Other

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO

3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location
Unit Letter L : 1650 feet from the SOUTH line and 330 feet from the WEST line
Section 28 Township 22S Range 36E NMPM LEA County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON X
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

RE
CO
CA

E-PERMITTING <SWD INJECTION>
CONVERSION RBDMS
RETURN TO TA
CSNG ENVIRO CHG LOC
INT TO P&A P&A NR P&A R

OTHER: ☐ OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ 3,100'; PUMP 55 SXS. CMT. @ 3,100'-2,700' (B/SALT, T/SALT); WOC X TAG CMT. PLUG.
- 2) CIRC. WELL W/ PXA FLUID; PRES. TEST 5-1/2" CSG. TO 500#.
- 3) PUMP 30 SXS. CMT. @ 1,485'-1,310' (DV TOOL, T/ANHY.); WOC X TAG CMT. PLUG.
- 4) MIX X CIRC. TO SURF. 45 SXS. CMT. @ 356'-3' (8-5/8" CSG.SHOE).
- 5) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM W/ A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date:

Rig Release Date:

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE: AGENT

DATE: 10/09/15

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM PHONE: 432.687.3033

For State Use Only

APPROVED BY: Mark Brown TITLE: Dist Supervisor DATE: 10/19/2015

Conditions of Approval (if any)

OCT 20 2015



Cimarex Energy Co. of Colorado

Christmas BA 1


SHL - 330" FWL & 1650' FSL

Sec. 28, T22S, R36E

Lea, NM

30-025-09085

2/3/2015



8 5/8" 24# csg @ 306'. CMT w/200 sx circ.

← (102) JTS 2-3/8" J55

DV tool at 1435' cmt w/ 250 sx

5 1/2" 23/15.5# csg @ 3136'. CMT w/ 200 sx

2 3/8 tbg @ 3266

TD 3383

CIMAREX

Cimarex Energy Co. of Colorado

Christmas BA 1

SHL - 330" FWL & 1650' FSL


Sec. 28, T22S, R36E

Lea, NM

30-025-09085

2/3/2015

T/ANHY. ~ 1360'
T/SALT ~ 2860'
B/SALT ~ 2970'
T/YATES ~ 3180'
T/7-R ~ 3320'



8 5/8" 24# csg @ 306'. CMT w/200 sx circ.

CIRC. 25 SXS. @ 356'-3'

DV tool at 1435' cmt w/ 250 sx

Pump 30 SXS. @ 1485'-1310'-TAG

Pump 55 SXS. @ 3100'-2700'-TAG

SET 5 1/2" CBP @ 3100'

5 1/2" 23/15.5# csg @ 3136'. CMT w/ 200 sx

TD 3383

DAE 10/09/15