

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-09884 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-1973
7. Lease Name or Unit Agreement Name East Eumont Unit /
8. Well Number 61 /
9. OGRID Number 192463
10. Pool name or Wildcat Eumont Yates TR QU
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3623'

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
OXY USA WTP Limited Partnership

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
 Unit Letter P : 330 feet from the South line and 990 feet from the east line
 Section 22 Township 19S Range 37E NMPM County Lea

HOBBS OGD
 OCT 16 2015

RECEIVED

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMI <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COM <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASI <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>		
CLOSED-LOOP SYSTEM <input type="checkbox"/>		
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>

E-PERMITTING <SWD _____ INJECTION>
 CONVERSION _____ RBDMS _____
 RETURN TO _____ TA _____
 CSNG _____ ENVIRO _____ CHG LOC _____
 INT TO PA PM P&A NR _____ P&A R _____

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19 15 7 14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3925' PBDT-3742' Perfs-3842-3888' CIBP-3742'

8-5/8" 24# csg @ 437' w/ 325sx, 12-1/4" hole, TOC-Surf-Circ
 5-1/2" 14# csg @ 3924' w/ 275sx, 7-7/8" hole, TOC-2336'-Calc

1. RIH & tag CIBP @ 3742', M&P 25sx cmt to 3565' **PRESSURE TEST CSG.**
2. M&P 25sx cmt @ 3050-2875' WOC-Tag
3. Perf @ 1500' sqz 50sx cmt to 1350' WOC-Tag
4. Perf @ 487' sqz 150sx cmt to surface
 10# MLF between plugs
 Above ground steel tanks will be utilized

**The Oil Conservation Division
 MUST BE NOTIFIED 24 Hours
 Prior to the beginning of operations**

Spud Date:

[Empty box for Spud Date]

Rig Release Date:

[Empty box for Rig Release Date]

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 10/12/15

Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mary Brown TITLE Dist Supervisor DATE 10/19/2015

Conditions of Approval (if any):

OCT 20 2015

Handwritten initials

OXY USA WTP LP - Proposed
East Eumont Unit #61
API No. 30-025-09886

150sx @ 487'-Surface

12-1/4" hole @ 437'
8-5/8" csg @ 437'
w/ 325sx-TOC-Surf-Circ



Perf @ 487'

50sx @ 1500-1350' WOC-Tag



Perf @ 1500'

25sx @ 3050-2875' WOC-Tag



25sx @ 3742-3565'

7-7/8" hole @ 3925'
5-1/2" csg @ 3924'
w/ 275sx-TOC-2336'-Calc

7/92-CIBP @ 3742'



Perfs @ 3842-3888'

TD-3925'

OXY USA WTP LP - Current
East Eumont Unit #61
API No. 30-025-09886

12-1/4" hole @ 437'
8-5/8" csg @ 437'
w/ 325sx-TOC-Surf-Circ

7/92-CIBP @ 3742'

7-7/8" hole @ 3925'
5-1/2" csg @ 3924'
w/ 275sx-TOC-2336'-Calc

Perfs @ 3842-3888'

TD-3925'

