

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-09887

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
East Eumont Unit

8. Well Number 58

9. OGRID Number
192463

10. Pool name or Wildcat
Eumont Yates 7R Qu

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3643'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Injection / TA

2. Name of Operator
OXY USA WTP Limited Partnership

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter M: 660 feet from the South line and 660 feet from the West line
Section 22 Township 19S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3643'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

DOWNHOLE COMMINGLE ☐

CLOSED-LOOP SYSTEM ☐

OTHER: ☐

E-PERMITTING <SWD INJECTION>
CONVERSION RBDMS
RETURN TO TA
CSNG ENVIRO CHG LOC
INT TO PA P&A NR P&A R

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19 15.7 14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3970' PBTD-3747' Perfs-3820-3968' CIBP-3747'

8-5/8" 24# csg @ 1478' w/ 800sx, 12-1/4" hole, TOC-Surf-Circ

6-5/8" 20-24# csg @ 3970' w/ 200sx, 7-7/8" hole, *TOC-2520'-CBL

*Perf @ 2500' sqz 400sx to 1560'-TS - Perf @ 1530' sqz 200sx to Surface-Circ

1. RIH & tag CIBP @ 3747', M&P 70sx cmt to 3375' WOC-Tag **PRESSURE TEST CSG.**
 2. M&P 60sx cmt @ 2775-2475' WOC-Tag
 3. M&P 30sx cmt @ 1575-1425' WOC-Tag
 4. M&P 40sx cmt @ 200' to surface
- 10# MLF between plugs
Above ground steel tanks will be utilized

Spud Date:

Rig Release Date:

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 10/12/15

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mary S Brown TITLE Dist. Supervisor DATE 10/19/2015

Conditions of Approval (if any)

OCT 20 2015

OXY USA WTP LP - Proposed
East Eumont Unit #58
API No. 30-025-09887

40sx @ 200'-Surface

12-1/4" hole @ 1478'
8-5/8" csg @ 1478'
w/ 800sx-TOC-Surf-Circ

30sx @ 1575-1425' WOC-Tag

9/81-perf @ 1530' sqz 200sx to surf

60sx @ 2775-2475' WOC-Tag

9/81-sqz perf @ 2500' sqz 400sx to 1560'-TS

70sx @ 3747-3375' WOC-Tag

2/86-sqz perfs 3403-3606' w/ 100sx cmt

7/92-CIBP @ 3747'

7-7/8" hole @ 3970'
6-5/8" csg @ 3970'
w/ 200sx-TOC-2520'-CBL

9/69-CIBP @ 3850' w/6'cmt

Perfs @ 3820-3835'
Perfs @ 3858-3968'

TD-3970'

OXY USA WTP LP - Current
East Eumont Unit #58
API No. 30-025-09887

12-1/4" hole @ 1478'
8-5/8" csg @ 1478'
w/ 800sx-TOC-Surf-Circ

9/81-perf @ 1530' sqz 200sx to surf

9/81-sqz perf @ 2500' sqz 400sx to 1560'-TS

2/86-sqz perfs 3403-3606' w/ 100sx cmt

7-7/8" hole @ 3970'
6-5/8" csg @ 3970'
w/ 200sx-TOC-2520'-CBL

7/92-CIBP @ 3747'

9/69-CIBP @ 3850' w/6'cmt

Perfs @ 3820-3835'
Perfs @ 3858-3968'

TD-3970'