

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-025-03772
5. Indicate Type of Lease	STATE ☒ FEE
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	LOVINGTON PADDOCK UNIT
8. Well Number	43
9. OGRID Number	4323
10. Pool name or Wildcat	LOVINGTON PADDOCK

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ WATER INJECTION ☐

2. Name of Operator
CHEVRON MIDCONTINENT, L. P.

3. Address of Operator
1500 SMITH RD. MIDLAND, TX. 79705

4. Well Location **DATUM Y-LAT X-LONG**
Unit Letter P : 660 feet from the SOUTH line and 460 feet from the EAST line
Section 35 Township 16-S Range 36-E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,854' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

REMI
COM
CASI

E-PERMITTING <SWD INJECTION>
CONVERSION RBDMS
RETURN TO TA
CSNG ENVIRO CHG LOC
INT TO PA PM P&A NR P&A R

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 8 5/8" 32, 36# @ 3,245' TOC SURFACE, 5 1/2" 14, 15.5# @ 6,093' TOC 3,613', OH 6,093'-6,285', TD 6,285'.

ATTEMPT TO SET CIRP @ 6000' CAP W/ 25 SX.

AS EARLY AS NOVEMBER 25, 2015 MOVE IN RIG & CMT EQUIPMENT, ND TREE, NU BOP & TEST. POOH W/ RODS, CIR W/ SALT GEL, MIX & SPOT 50 SX CL "C" CEMENT FROM 6,285'-5,800', WOC & TAG.

MIX & SPOT 25 SX CL "C" CEMENT FROM 4,705'-4,505'. (SAN ANDRES)

PERF & SQZ OR CIR 75 SX CL "C" CEMENT FROM 3,285'-3,085', WOC & TAG. (SHOE)

PERF & CIR 95 SX CL "C" CEMENT FROM 3,085'-2,750', WOC & TAG. (YATES, B. SALT)

PERF & CIR 75 SX CL "C" CEMENT FROM 2,200'-2,000' (T. SALT, ANHY)

PERF & CIR 30 SX CL "C" CEMENT FROM 100' BACK TO SURFACE ON BOTH STRINGS.
CUT ALL CASING & ANCHORS & REMOVED 3' BELOW GRADE. WELD ON DRY HOLE MARKER. CLEAN LOCATION.
ALL CEMENT PLUGS CLASS "C" W/ CLOSED LOOP SYSTEM USED.

Spud Date:

Rig Release Date:

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Monty L. McCarver TITLE Agent for Chevron U.S.A. DATE 10/23/15
Type or print name Monty L. McCarver E-mail address: monty.mccarver@cjes.com PHONE: 713-325-6288

For State Use Only
APPROVED BY: Malay Brown TITLE Dist. Supervisor DATE 10/27/2015
Conditions of Approval (if any):

OCT 27 2015

CURRENT

WELL NAME
FIELD
TY, STATE

LOVINGTON PADDOCK # 43
LOVINGTON
LEA COUNTY, NEW MEXICO

KB 3855'
DF 3854'
GL 3840'

SPUD. DATE 4-29-54

CASING SIZE 8 5/8"
CASING TYPE 24# & 32#
J-55

3245'

REMARKS: TOC - 3613'

TUBING DETAIL
SIZE 2 3/8" SN 6162'
TYPE 4.7#
#JTS/FT 199 /

HISTORY:
6-24-54 A. 1M
A. 5M
6-19-58 CLEAN OUT 20' FILL
FRAC. 32.7M/16.3
B4 27" AFT 60"
5- -83 SCL SQZ 3drms
A. .5M

PACKER TYPE
SET AT '

TUBING ANCHOR TYPE
SET AT

ROD DETAIL
SIZE GRADE # RODS
7/8" 87
3/4" 158

PUMP TYPE/SIZE 2 x 1.5 x 16
RWBC

IP 265 BOPD

CASING SIZE 5 1/2"
CASING TYPE 14# & 15.5#
J-55

6093'

TD 6285'
HOLE SIZE 4 3/4"

DATE PREPARED: 3-20-90 PK

P+A

WELL NAME
FIELD
TY, STATE

LOVINGTON PADDOCK # 43
LOVINGTON
LEA COUNTY, NEW MEXICO

KB 3855'
DF 3854'
GL 3840'

SPUD. DATE 4-29-54

CASING SIZE 8 5/8"
CASING TYPE 24# & 32#
J-55

P/C 30 SX 100'-SURFACE

P/C 75 SX 2,200'-2,000' TAG
P/C 95 SX 3,085'-2,750' TAG
3245'
P/C 75 SX 3,285'-3,085' TAG

REMARKS: TOC - 3613'

HISTORY:

6-24-54 A. 1M
A. 5M
6-19-58 CLEAN OUT 20' FILL
FRAC. 32.7M/16.3
B4 270 AFT 600
5- -83 SCL SQZ 3drms
A. .5M

IP 265 BOPD

CASING SIZE 5 1/2"
CASING TYPE 14# & 15.5#
J-55

25 SX 4,705'-4,505'

6093'

50 SX 6,285'-5,800' TAG

ATTEMPT TO
SET CIPD
@ 6000'
CAP w/ 25 SX
CMT.

TD 6285'
HOLE SIZE 4 3/4"

DATE PREPARED: 3-20-90 PK