

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

Revised August 1, 2011

HOBBS ODC

NOV 03 2015

RECEIVED

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-29412
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name South Hobbs (G/SA) Unit
8. Well Number: 205
9. OGRID Number: 157984
10. Pool name or Wildcat Hobbs (G/SA)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other: Temporarily Abandoned

2. Name of Operator  
Occidental Permian Ltd.

3. Address of Operator  
HCR 1 Box 90 Denver City, TX 79323

4. Well Location

Unit Letter N: 330 feet from the South line and 1650 feet from the West line

Section 5 Township 19S Range 38E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3612' (GL)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Ensure to circulate mud laden fluid between all cement plugs.  
Use closed-loop system per ODC rule 19.15.17

1. MIRU PU
2. Spot 25 sx on top of CIBP at 3803'. (San Andres/Grayburg)
3. PU to 2828' and spot 25 sx (Yates)
4. PU to 1738' and spot 25 sx (Salt) (SHOE) WOC & TAG
5. PU to 300' and spot 50 sx. Top off well as necessary.
6. Cut off wellhead and install dry hole marker with labeling
7. Clean up location, remove anchors

**The Oil Conservation Division  
MUST BE NOTIFIED 24 Hours  
Prior to the beginning of operations**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE \_\_\_\_\_ TITLE Production Engineer DATE 11/03/2015

Type or print name Jacob Cox E-mail address Jacob\_Cox@oxy.com PHONE: 713-497-2053

For State Use Only

APPROVED BY: Malay Brown TITLE Dist. Supervisor DATE 11/3/2015

Conditions of Approval (if any):


NOV 03 2015

# SHOU-205N05

API# 30-025-29412

TWN 19-S; RNG 38-E

TA'd



# Proposed Wellbore

## SHOU-205N05

API# 30-025-29412

TWN 19-S; RING 38-E

P&A'd Well

Spot 50 sxs from 300' to Surface

14" @ 40'  
cmt'd w/33 sxs

12-1/4" Bore Hole  
8-5/8" 24# @ 1613'  
cmt'd w/1075 sxs Circ to Surface

*WOC & TAG.*

Spot 25 sxs from 1539'-1639'

### TOPS

1589' - Rustler  
1688' - Salt  
2778' - Yates  
3834' - B. Grayburg  
4119' - San Andres

Spot 25 sxs from 2828'-2728'

Spot 25 sxs on top of CIBP @ 3803'  
WOC; Tag TOC to Verify.

CIBP @ 3803' (12/1997)  
Leak @ 3852'

CIBP @ 3904' (12/1997)

Perfs @ 4006'-4093'

5-1/2" K-55 15.50# @ 4095'  
cmt'd w/1000 sxs Circ to Surface