

Stevenson Oil Company

WELL CONFIGURATION

Spud Date: 11.7.1978

GL Elevation: 4173'

LITHOLOGY
APPROXIMATION
SALADO
TANSILL
YATES
QUEEN
GRAYBURG
SAN ANDRES

TOP OF Packer
3474'

Sun State No. 1

API No. 30-005-20558

Location: 660' FSL & 660' FWL

Section 36, Twp 7S, Rng 30E, NMPM

Latitude: 33.657845 Longitude: -103.838686

Chaves County, New Mexico

Cato; San Andres (Pool No.10540)

Formation: Salado (Anhydrite/Mix)

Surface: 8.625" 20# @ 339' (Borehole 11")

Cement: 139 Sacks Class C from 339' to 0' (Circulated)

Formation: Tansill (Top 1175' Dolomite/Anhydrite)

Formation: Yates (Top 1626')

Casing/Tubing Annulus loaded with Packer Fluid.

Formation: Queen (Top 2284')

Production: 4.5" 11.3# @ 3720' (Borehole 7.875")

Cement: 800 Sacks Class C from 3720' to 1830' (by CBL)

Tubing: 2.375" Plastic Coated @ 3430'

Packer: 4.5" FWP @ 3720'

Formation: San Andres (Top 2764')

Perforations Top: 3571' - 3574'

3576' - 3580'

3613' - 3615'

Bottom: 3617' - 3620'

PBTD: 3713'

HOBBS OCD

NOV 09 2015

RECEIVED

30-005-20558

BJS
11/16/2015

NOV 9 2015

dm