

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-08862
5. Indicate Type of Lease STATE FEE X
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name MATTIE, JAMES
8. Well Number 001
9. OGRID Number 162683
10. Pool name or Wildcat JALMAT; TANSILL-YATES-7-RIVERS

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well X Other

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO

3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location
Unit Letter G : 1980 feet from the NORTH line and 1980 feet from the EAST line
Section 10 Township 22S Range 36E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,508' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		E-PERMITTING <SWD INJECTION>	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON X	REM	CONVERSION
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COI	RBDMS
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CAS	RETURN TO TA
DOWNHOLE COMMINGLE ☐			CSNG ENVIRO CHG LOC
OTHER: ☐			INT TO P&A NR P&A R

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 7" CIBP @ 3,125'; PUMP 25 SXS. CMT. @ 3,125'-3,025'; CIRC. WELL W/ PXA MUD.
- 2) PUMP 60 SXS. CMT. @ 1,950'-1,740' (T/SALT, T/ANHY.); WOC X TAG CMT. PLUG.
- 3) PUMP 30 SXS. CMT. @ 350'-250' (13-3/8" CSG. SHOE); WOC X TAG CMT. PLUG. — PERF @ 350'
- 4) MIX X CIRC. TO SURF. 25 SXS. CMT. @ 100'-3'.
- 5) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

VERIFY CEMENT TO SURFACE ALL STRINGS OF CASING
AFTER CUT OFF.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM W/ A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE: AGENT

DATE: 11/16/15

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM PHONE: 432.687.3033

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

DEC 02 2015

CIMAREX


Original Operator:
Olsen Oils
Spudded: 3/12/1949

Cimarex Energy Co. of Colorado

James Mattie #1
330' FWL & 1650' FSL
Sec. 10, T22S, R36E
Lea County, NM
Lea, NM

8/21/2015

API #30-025-08862



13 3/8" 40# csg @ 300'. CMT w/310 sx circ.

7" 20# csg @ 3160'. CMT w/750 sx

2 3/8" tbg @ 3266

TD 3495'

CIMAREX

Original Operator:
Olsen Oils
Spudded: 3/12/1949

Cimarex Energy Co. of Colorado

James Mattie #1
330' FWL & 1650' FSL
Sec. 10, T22S, R36E
Lea County, NM
Lea, NM

8/21/2015

API #30-025-08862

CIRC. 25 SXS. @ 100'-3'

T/ANHH. ~1,790'
T/SALT. ~1,900'
B/SALT. ~3,180'
T/YATES ~3,180'

13 3/8" 40# csg @ 300'. CMT w/310 sx circ.

Pump 30 SXS. @ 350'-250'-TAG

Pump 60 SXS. @ 1950'-1740'-TAG

Pump 25 SXS. @ 3125'-3025'

SET 7" CDBP @ 3125'

7" 20# csg @ 3160'. CMT w/750 sx

TD 3495'

DAE 11/16/15