

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-40575
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. VB-2048-0001
7. Lease Name or Unit Agreement Name Kemnitz 17 State
8. Well Number 1
9. OGRID Number 015742
10. Pool name or Wildcat Sanmal North Upper Penn

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Nearburg Producing Co.

3. Address of Operator
3300 N. A Street, Bldg. 2 Ste. 120 Midland, TX 79705

4. Well Location
Unit Letter **J** : **2309** feet from the **South** line and **1700** feet from the **East** line
Section **17** Township **16S** Range **33E** NMPM County **Lea**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4254' RKB

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☐	E-PERMITTING <SWD INJECTION> CONVERSION ☐ RBDMS ☐ RETURN TO ☐ TA ☐ CSNG ☐ ENVIRO ☐ CHG LOC ☐ INT TO PA ☒ P&A NR ☐ P&A R ☐ OTHER: ☐
---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU. POOH Prod Equipment
 2. Set CIBP @ 10,469'. Circ hole w/ MLF. Cap w/ 25 sxs cmt @ 10,469'-10,369'
 3. Spot 25 sxs cmt @ 8115'-8015' - Tag. (DV TOOL)
 4. Spot 25 sxs cmt @ 4639'-4539' - Tag. (SHOE)
 5. Spot 25 sxs cmt @ 1346'-1246' - Tag.
 6. Spot 40 sxs cmt @ 350'-3'.
- TEST CSG.**
SPOT 25 SXS CMT @ 2762-2662.

**The Oil Conservation Division
MUST BE NOTIFIED 24 Hours**

Prior to the beginning of operations

Spud Date: **06/24/2012**

Rig Release Date: **08/05/2012**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE P&A Tech DATE 11/19/15

Type or print name Greg Bryant E-mail address: greg.bryant@basicenergyservices.com PHONE: (432) 563-3365

For State Use Only


APPROVED BY:  TITLE Dist. Supervisor DATE 11/24/2015

Conditions of Approval (if any):

DEC 02 2015

PROPOSED WELLBORE DIAGRAM

LEASE: <u>Kemnitz 17 State</u>	WELL: <u>1</u>	FIELD: <u>Sanmal North</u>	API: <u>30-025-40575</u>
LOC: <u>2309' FSL & 1700' FEL</u>	SEC: <u>17</u>	BLK: <u>T16S R33E</u>	Reservoir: <u>Seamen C (Cisco)</u>
SVY: _____	GL: <u>4238'</u>	CTY/ST: <u>Lea County, NM</u>	SPUD: <u>6/24/2012</u>
CURRENT STATUS: <u>Producing</u>	KB: <u>4254'</u>	DF: <u>4253'</u>	TD DATE: <u>8/1/2012</u>
			COMP. DATE: _____



OPEN HOLE:

LINER:

BY: TS
11/19/2015

PROPOSED WELLBORE DIAGRAM

LEASE: <u>Kemnitz 17 State</u>	WELL: <u>1</u>	FIELD: <u>Sanmal North</u>	API: <u>30-025-40575</u>
LOC: <u>2309' FSL & 1700' FEL</u>	SEC: <u>17</u>	BLK: <u>T16S R33E</u>	Reservoir: <u>Seamen C (Cisco)</u>
SVY: <u></u>	GL: <u>4238'</u>	CTY/ST: <u>Lea County, NM</u>	SPUD: <u>6/24/2012</u>
CURRENT STATUS: <u>Producing</u>	KB: <u>4254'</u>	DF: <u>4253'</u>	TD DATE: <u>8/1/2012</u>
			COMP. DATE: <u></u>

FRESH WATER
DEPTH:

Spot 40sx cmt @ 350'-3'

HOLE SIZE: 17-1/2"
SURF CSG & SIZE: 13-3/8" 54.5# J55
SET @: 1296'
SXS CMT: 1240
CIRC: 10 Bbls
TOC AT: Surf
TOC BY: Circ

COMMENTS:

Spot 25sx cmt @ 1346'-1246' - Tag

*****GEOLOGY*****

TOPS OF ALL ZONES
PRODUCTIVE OF HYDRO-
CARBONS:

TBG: 2-3/8" N-80 4.7#
JTS:
SN:
TAC:
ROD SIZE:

Spot 25sx cmt @ 4639'-4539' - Tag

HOLE SIZE: 12-1/4"
INT. CSG & SIZE: 8-5/8" 32# J55
SET @: 4589'
SXS CMT: 2090
CIRC: 443 sxs
TOC AT: Surf
TOC BY: Circ

CURRENT PERFS:

PKR:
TYPE:

DV tool @ 8,065

Spot 25sx cmt @ 8115'-8015' Tag

Spot 25sx cmt @ 10469'-10369'

Set CIBP @ 10469'

10,569-10,577

10,589-10,597

SQUEEZE JOBS:

OH ID:
COTD:
PBTd: 10,928'
TD: 11,639'

CIBP @ 11,304 w/34' cmt on top

CIBP @ 10,960 w/32' cmt on top

11,024-11,036

11,354-11,382

HOLE SIZE: 7-7/8"
PROD. CSG & SIZE: 5-1/2" 17# N80 & P110
SET @: 11639'
SXS CMT: 1400 1st stg, 1450 2nd stg.
CIRC: 384 sx 1st stg, 162 sx 2nd stg
TOC AT: Surf
TOC BY: Circ

OPEN HOLE:

LINER:

BY: TS
11/19/2015