


HALLIBURTON

3950 Interwood South Parkway • Houston, TX 77032

PHONE 281.986.4400 • FAX 281.986.4499

State of New Mexico, Lea County

I, Stephen Hatcher, certify that I am employed by Halliburton Energy Services, Inc. (AKA Sperry Drilling) and that on the dates of July 10, 2015 through September 02, 2015, I did conduct or supervise the taking of MWD Directional surveys for the well Coronado 35 Federal #1H ST02 from 11559' MD to 16873' MD. This data is true, correct, complete and within the limitations of the tools as set forth by Halliburton Energy Services, Inc. (AKA Sperry Drilling). I am authorized and qualified to make this report and this survey was conducted at the request of Endurance Resources LLC. for the Coronado 35 Federal #1H ST02 well, API No. 30-025-42575-0200 in Lea County, New Mexico. I have reviewed this report and find that it conforms to the principles and procedures as set forth by Halliburton Energy Services, Inc. (AKA Sperry Drilling).



Stephen Hatcher
MWD Field Engineer

DEC 03 2015

Endurance Resources, LLC.

Coronado 35 Federal #1H ST02

Lea County, New Mexico

H&P 490

API# 30-025-42575-0200

July 10, 2015 – September 02, 2015

MO-XX-0902542471

Sperry Drilling

MWD Survey Report

Submitted by Stephen Hatcher

3950 Interwood South Parkway

Houston, TX 77032

Ph: 281.986.4400

HALLIBURTON

**Drilling and Formation
Evaluation**

[REDACTED]

Survey Report for Endurance Resources

Rig	:	H&P 490
Well Name	:	Coronado 35 Federal #1H ST02
Field Name	:	Bone Spring
Country	:	USA
Job Number	:	MO-XX-0902542471
Job Start Date	:	10-Jul-15
API Number	:	30-025-42575-0000/0100/0200

DIRECTIONAL SURVEY DATA

Tie-In

0.00 0.00 0.00 0.00 0.00 N 0.00 E

Measured Depth (ft)	Inclination (deg)	Direction (deg)	Vertical Depth (ft)	Latitude (ft)	Departure (ft)	Vertical Section (ft)	Dogleg (in 100)
100.00	0.87	351.41	100.00	0.75 N	0.11 W	-0.75	0.87
200.00	0.87	345.70	199.98	2.24 N	0.41 W	-2.24	0.09
300.00	0.86	343.26	299.97	3.69 N	0.82 W	-3.69	0.04
400.00	1.02	350.79	399.96	5.29 N	1.18 W	-5.29	0.20
500.00	0.78	3.25	499.95	6.85 N	1.28 W	-6.84	0.31
600.00	0.65	355.22	599.94	8.09 N	1.29 W	-8.09	0.16
700.00	0.52	332.87	699.93	9.06 N	1.54 W	-9.06	0.26
800.00	0.57	323.69	799.93	9.87 N	2.04 W	-9.86	0.10
900.00	0.52	317.55	899.93	10.60 N	2.65 W	-10.60	0.08
1000.00	0.80	305.31	999.92	11.34 N	3.52 W	-11.33	0.31
1100.00	1.18	292.23	1,099.90	12.13 N	5.04 W	-12.12	0.44
1200.00	0.85	312.29	1,199.89	13.02 N	6.55 W	-13.01	0.48
1300.00	0.54	294.86	1,299.88	13.72 N	7.52 W	-13.71	0.37
1400.00	0.27	287.08	1,399.88	13.99 N	8.18 W	-13.97	0.27
1500.00	0.46	278.96	1,499.88	14.12 N	8.80 W	-14.10	0.20
1600.00	0.37	274.00	1,599.87	14.20 N	9.52 W	-14.19	0.10
1700.00	0.24	322.80	1,699.87	14.39 N	9.96 W	-14.37	0.28
1800.00	0.58	63.49	1,799.87	14.78 N	9.64 W	-14.77	0.67
1900.00	0.88	94.42	1,899.86	14.95 N	8.42 W	-14.94	0.48
2000.00	0.52	90.65	1,999.86	14.89 N	7.20 W	-14.87	0.36
2100.00	1.13	80.15	2,099.84	15.05 N	5.77 W	-15.04	0.63
2200.00	1.17	73.38	2,199.82	15.51 N	3.83 W	-15.50	0.14
2300.00	1.17	82.02	2,299.80	15.94 N	1.84 W	-15.94	0.18
2400.00	1.75	79.38	2,399.77	16.37 N	0.68 E	-16.37	0.58
2500.00	1.68	77.23	2,499.73	16.97 N	3.61 E	-16.98	0.10
2600.00	1.75	91.50	2,599.68	17.26 N	6.56 E	-17.27	0.43
2700.00	2.04	80.78	2,699.63	17.50 N	9.85 E	-17.52	0.46
2800.00	2.24	88.00	2,799.56	17.86 N	13.56 E	-17.88	0.34
2900.00	2.19	84.13	2,899.48	18.12 N	17.41 E	-18.15	0.16
3000.00	1.27	86.42	2,999.44	18.38 N	20.42 E	-18.42	0.92
3100.00	0.28	86.39	3,099.43	18.47 N	21.77 E	-18.51	0.99
3200.00	0.69	58.70	3,199.42	18.80 N	22.52 E	-18.84	0.46
3300.00	0.62	62.74	3,299.42	19.36 N	23.52 E	-19.40	0.08
3400.00	0.64	53.31	3,399.41	19.94 N	24.45 E	-19.98	0.11
3500.00	0.67	50.61	3,499.40	20.64 N	25.35 E	-20.69	0.04
3600.00	0.86	35.73	3,599.39	21.62 N	26.24 E	-21.67	0.27
3700.00	0.72	44.09	3,699.38	22.68 N	27.11 E	-22.73	0.18
3800.00	0.31	67.14	3,799.38	23.24 N	27.80 E	-23.29	0.45
3900.00	0.98	83.73	3,899.37	23.44 N	28.90 E	-23.49	0.69
4000.00	3.39	81.79	3,999.29	23.96 N	32.68 E	-24.01	2.41
4100.00	3.37	71.38	4,099.12	25.32 N	38.39 E	-25.38	0.61

DIRECTIONAL SURVEY DATA

Measured Depth (ft)	Inclination (deg)	Direction (deg)	Vertical Depth (ft)	Latitude (ft)	Departure (ft)	Vertical Section (ft)	Dogleg (°/100')
4200.00	2.22	78.12	4,199.00	26.65 N	43.07 E	-26.73	1.19
4300.00	1.38	77.30	4,298.95	27.32 N	46.14 E	-27.40	0.84
4400.00	1.78	74.96	4,398.91	27.98 N	48.81 E	-28.07	0.41
4500.00	3.81	74.32	4,498.79	29.29 N	53.51 E	-29.38	2.03
4600.00	4.44	65.95	4,598.53	31.76 N	60.25 E	-31.87	0.87
4700.00	4.09	62.84	4,698.25	34.97 N	66.95 E	-35.08	0.42
4800.00	2.76	50.25	4,798.07	38.13 N	71.98 E	-38.26	1.52
4900.00	1.09	38.50	4,898.01	40.42 N	74.42 E	-40.55	1.71
5000.00	0.80	44.29	4,998.00	41.66 N	75.50 E	-41.79	0.30
5100.00	0.87	38.12	5,097.99	42.76 N	76.46 E	-42.89	0.11
5200.00	1.11	49.70	5,197.97	43.98 N	77.67 E	-44.12	0.31
5300.00	0.95	38.97	5,297.96	45.25 N	78.93 E	-45.39	0.25
5400.00	0.45	56.81	5,397.95	46.11 N	79.78 E	-46.25	0.54
5500.00	0.25	319.16	5,497.95	46.49 N	79.96 E	-46.63	0.54
5600.00	0.33	319.68	5,597.95	46.88 N	79.63 E	-47.02	0.08
5700.00	0.34	301.31	5,697.95	47.25 N	79.19 E	-47.39	0.11
5800.00	0.24	302.83	5,797.94	47.52 N	78.76 E	-47.66	0.10
5900.00	0.42	320.90	5,897.94	47.92 N	78.36 E	-48.05	0.21
6000.00	0.04	332.02	5,997.94	48.23 N	78.11 E	-48.37	0.38
6100.00	0.12	19.02	6,097.94	48.36 N	78.13 E	-48.50	0.10
6200.00	0.09	53.49	6,197.94	48.51 N	78.22 E	-48.64	0.07
6300.00	0.17	98.04	6,297.94	48.53 N	78.43 E	-48.67	0.12
6400.00	0.09	140.99	6,397.94	48.45 N	78.63 E	-48.59	0.12
6500.00	0.08	197.98	6,497.94	48.32 N	78.66 E	-48.46	0.08
6600.00	0.20	163.16	6,597.94	48.09 N	78.69 E	-48.23	0.14
6700.00	0.22	149.85	6,697.94	47.76 N	78.83 E	-47.90	0.05
6800.00	0.17	60.32	6,797.94	47.67 N	79.06 E	-47.80	0.28
6900.00	0.20	59.78	6,897.94	47.83 N	79.34 E	-47.97	0.03
7000.00	0.25	357.61	6,997.94	48.13 N	79.48 E	-48.27	0.24
7100.00	0.30	330.86	7,097.94	48.58 N	79.34 E	-48.72	0.14
7200.00	0.23	234.46	7,197.94	48.69 N	79.05 E	-48.83	0.40
7300.00	0.23	182.70	7,297.94	48.37 N	78.88 E	-48.51	0.20
7400.00	0.24	126.89	7,397.94	48.05 N	79.04 E	-48.19	0.22
7500.00	0.26	114.50	7,497.93	47.83 N	79.41 E	-47.97	0.06
7600.00	0.28	107.03	7,597.93	47.66 N	79.85 E	-47.80	0.04
7700.00	0.30	97.91	7,697.93	47.56 N	80.35 E	-47.70	0.05
7800.00	0.46	81.63	7,797.93	47.58 N	81.00 E	-47.72	0.19
7900.00	0.44	97.14	7,897.93	47.59 N	81.78 E	-47.73	0.12
8000.00	0.32	90.46	7,997.92	47.54 N	82.44 E	-47.68	0.13
8100.00	0.55	101.08	8,097.92	47.44 N	83.19 E	-47.59	0.24
8200.00	0.38	100.74	8,197.92	47.29 N	83.99 E	-47.44	0.17
8300.00	0.31	129.52	8,297.92	47.06 N	84.52 E	-47.20	0.18
8400.00	0.35	148.64	8,397.91	46.62 N	84.89 E	-46.77	0.12
8500.00	0.36	149.19	8,497.91	46.09 N	85.21 E	-46.24	0.01
8600.00	0.38	146.36	8,597.91	45.55 N	85.55 E	-45.70	0.03

DIRECTIONAL SURVEY DATA

Measured Depth (ft)	Inclination (deg)	Direction (deg)	Vertical Depth (ft)	Latitude (ft)	Departure (ft)	Vertical Section (ft)	Dogleg (°/100)
8700.00	0.49	158.60	8,697.91	44.87 N	85.89 E	-45.02	0.14
8800.00	0.57	148.75	8,797.90	44.05 N	86.31 E	-44.20	0.12
8900.00	0.20	131.70	8,897.90	43.51 N	86.70 E	-43.66	0.38
9000.00	0.42	101.71	8,997.90	43.32 N	87.18 E	-43.47	0.27
9100.00	0.79	110.79	9,097.89	43.00 N	88.19 E	-43.15	0.38
9200.00	1.01	116.36	9,197.88	42.36 N	89.62 E	-42.52	0.24
9300.00	0.68	125.09	9,297.87	41.63 N	90.90 E	-41.79	0.35
9400.00	0.43	124.47	9,397.87	41.08 N	91.69 E	-41.24	0.25
9500.00	0.44	125.24	9,497.86	40.64 N	92.32 E	-40.80	0.01
9600.00	0.39	224.69	9,597.86	40.18 N	92.39 E	-40.34	0.63
9700.00	0.66	284.58	9,697.86	40.08 N	91.59 E	-40.24	0.57
9800.00	3.07	313.03	9,797.80	42.05 N	89.08 E	-42.21	2.51
9900.00	2.55	295.59	9,897.68	44.84 N	85.11 E	-44.99	0.99
10000.00	1.87	291.54	9,997.60	46.40 N	81.59 E	-46.54	0.70
10100.00	1.41	303.89	10,097.56	47.69 N	79.05 E	-47.83	0.58
10200.00	0.84	356.82	10,197.55	49.11 N	77.99 E	-49.24	1.13
10300.00	2.90	24.20	10,297.49	52.14 N	78.99 E	-52.28	2.19
10400.00	2.03	24.14	10,397.40	56.07 N	80.75 E	-56.21	0.87
10500.00	0.96	66.81	10,497.36	58.01 N	82.24 E	-58.16	1.48
10600.00	0.29	70.02	10,597.36	58.43 N	83.25 E	-58.58	0.67
10700.00	0.42	203.33	10,697.36	58.18 N	83.34 E	-58.33	0.65
10800.00	1.21	220.40	10,797.34	57.04 N	82.51 E	-57.18	0.82
10900.00	1.64	245.71	10,897.31	55.65 N	80.52 E	-55.79	0.75
11000.00	1.35	271.50	10,997.28	55.09 N	78.04 E	-55.23	0.72
11100.00	0.95	266.96	11,097.26	55.08 N	76.04 E	-55.21	0.41
11200.00	1.05	300.32	11,197.25	55.50 N	74.42 E	-55.63	0.58
11300.00	2.71	310.99	11,297.19	57.51 N	71.84 E	-57.63	1.69
11400.00	2.17	311.02	11,397.10	60.30 N	68.63 E	-60.42	0.54
11500.00	1.12	283.34	11,497.06	61.77 N	66.25 E	-61.89	1.29
11559.00	1.28	166.54	11,556.05	61.26 N	65.84 E	-61.38	3.47
11682.00	14.76	192.53	11,677.58	44.55 N	62.75 E	-44.66	11.07
11713.00	17.51	191.92	11,707.36	38.13 N	60.93 E	-36.24	8.89
11744.00	19.92	191.27	11,736.71	26.39 N	58.93 E	-26.49	7.81
11776.00	21.90	190.98	11,766.61	15.18 N	56.73 E	-15.28	6.19
11806.00	24.36	190.02	11,794.19	3.60 N	54.59 E	-3.69	8.30
11838.00	27.29	191.37	11,822.99	10.10 S	51.99 E	10.00	9.33
11870.00	30.64	192.28	11,850.99	25.26 S	48.81 E	25.17	10.56
11901.00	34.51	193.76	11,877.11	41.51 S	45.04 E	41.43	12.75
11932.00	37.26	195.23	11,902.22	59.10 S	40.48 E	59.03	9.30
11964.00	39.24	197.77	11,927.35	78.09 S	34.85 E	78.03	7.89
11995.00	41.37	200.12	11,950.99	97.04 S	28.33 E	97.00	8.45
12027.00	43.76	202.80	11,974.56	117.18 S	20.40 E	117.14	9.39
12058.00	45.93	203.94	11,996.54	137.24 S	11.73 E	137.22	7.44
12089.00	47.86	203.44	12,017.72	157.97 S	2.64 E	157.96	6.35
12120.00	51.29	201.30	12,037.83	179.79 S	6.33 W	179.80	12.26

DIRECTIONAL SURVEY DATA

Measured Depth (ft)	Inclination (deg)	Direction (deg)	Vertical Depth (ft)	Latitude (ft)	Departure (ft)	Vertical Section (ft)	Dogleg (in/100)
12152.00	54.50	202.16	12,057.13	203.49 S	15.78 W	203.52	10.24
12183.00	57.65	201.55	12,074.43	227.37 S	25.35 W	227.41	10.30
12215.00	60.94	200.36	12,090.77	253.06 S	35.19 W	253.12	10.76
12246.00	64.86	199.26	12,104.88	279.02 S	44.53 W	279.09	13.04
12278.00	68.90	198.83	12,117.45	306.83 S	54.14 W	306.92	12.69
12309.00	73.10	199.48	12,127.54	334.51 S	63.75 W	334.62	13.66
12340.00	75.84	199.69	12,135.84	362.65 S	73.76 W	362.78	8.88
12372.00	78.09	200.05	12,143.05	391.97 S	84.36 W	392.11	7.13
12403.00	80.87	200.15	12,148.71	420.59 S	94.83 W	420.75	8.96
12435.00	84.35	200.46	12,152.83	450.34 S	105.84 W	450.53	10.92
12450.00	78.96	201.86	12,155.00	464.18 S	111.20 W	464.37	37.07
12471.00	79.19	202.09	12,158.98	483.30 S	118.91 W	483.51	1.52
12516.00	81.61	201.02	12,166.48	524.56 S	135.21 W	524.80	5.87
12561.00	85.74	198.50	12,171.44	566.65 S	150.33 W	566.91	10.72
12606.00	87.69	194.71	12,174.01	609.69 S	163.16 W	609.97	9.46
12651.00	88.65	192.80	12,175.45	653.37 S	173.85 W	653.68	4.75
12695.00	89.17	192.42	12,176.29	696.30 S	183.46 W	696.62	1.47
12740.00	89.72	191.84	12,176.73	740.30 S	192.91 W	740.63	1.77
12785.00	88.86	192.35	12,177.29	784.29 S	202.34 W	784.65	2.22
12830.00	89.17	192.12	12,178.06	828.27 S	211.87 W	828.63	0.84
12875.00	89.48	192.61	12,178.59	872.22 S	221.51 W	872.60	1.26
12920.00	89.82	192.37	12,178.87	916.15 S	231.24 W	916.55	0.91
12965.00	89.88	191.66	12,178.99	960.17 S	240.61 W	960.58	1.59
13010.00	89.11	190.19	12,179.39	1,004.35 S	249.14 W	1004.78	3.69
13055.00	87.81	189.46	12,180.60	1,048.67 S	256.82 W	1049.12	3.31
13099.00	88.46	189.16	12,182.04	1,092.07 S	263.93 W	1092.53	1.61
13144.00	88.27	188.22	12,183.32	1,136.53 S	270.73 W	1137.00	2.13
13189.00	88.55	186.77	12,184.57	1,181.13 S	276.60 W	1181.61	3.28
13234.00	88.95	185.86	12,185.55	1,225.84 S	281.54 W	1226.33	2.21
13279.00	88.92	184.69	12,186.38	1,270.64 S	285.68 W	1271.14	2.59
13324.00	88.64	183.43	12,187.34	1,315.52 S	288.87 W	1316.02	2.87
13369.00	88.49	181.74	12,188.46	1,360.46 S	290.89 W	1360.96	3.77
13459.00	89.14	181.31	12,190.33	1,450.41 S	293.29 W	1450.92	0.86
13549.00	87.29	180.61	12,193.14	1,540.35 S	294.79 W	1540.86	2.20
13638.00	88.21	180.83	12,196.63	1,629.27 S	295.91 W	1629.78	1.07
13729.00	88.89	180.82	12,198.94	1,720.23 S	297.21 W	1720.75	0.74
13819.00	89.44	181.52	12,200.25	1,810.20 S	299.04 W	1810.72	1.00
13909.00	89.69	181.43	12,200.92	1,900.17 S	301.36 W	1900.69	0.29
14000.00	89.41	180.36	12,201.63	1,991.15 S	302.78 W	1991.68	1.21
14090.00	88.49	181.53	12,203.28	2,081.12 S	304.27 W	2081.65	1.66
14180.00	88.77	181.18	12,205.43	2,171.07 S	306.40 W	2171.60	0.49
14270.00	88.65	180.91	12,207.46	2,261.03 S	308.05 W	2261.57	0.33
14360.00	89.41	180.12	12,208.98	2,351.02 S	308.86 W	2351.55	1.22
14450.00	89.85	179.99	12,209.57	2,441.01 S	308.95 W	2441.55	0.50
14540.00	89.48	179.35	12,210.10	2,531.01 S	308.44 W	2531.55	0.82

DIRECTIONAL SURVEY DATA

Measured Depth (ft)	Inclination (deg)	Direction (deg)	Vertical Depth (ft)	Latitude (ft)	Departure (ft)	Vertical Section (ft)	Dogleg (%/100')
14629.00	89.20	178.57	12,211.13	2,619.99 S	306.82 W	2620.52	0.93
14719.00	88.80	179.35	12,212.70	2,709.96 S	305.18 W	2710.49	0.98
14809.00	89.41	179.58	12,214.10	2,799.94 S	304.35 W	2800.47	0.73
14899.00	88.68	179.54	12,215.60	2,889.93 S	303.66 W	2890.45	0.82
14989.00	88.40	179.47	12,217.90	2,979.90 S	302.88 W	2980.42	0.32
15079.00	87.72	179.62	12,220.95	3,069.84 S	302.16 W	3070.36	0.78
15169.00	88.64	179.73	12,223.81	3,159.79 S	301.65 W	3160.31	1.04
15259.00	87.35	179.83	12,226.96	3,249.74 S	301.31 W	3250.26	1.45
15349.00	88.34	180.15	12,230.35	3,339.67 S	301.29 W	3340.19	1.16
15439.00	88.46	181.28	12,232.87	3,429.63 S	302.41 W	3430.15	1.26
15529.00	89.08	181.48	12,234.80	3,519.58 S	304.58 W	3520.11	0.72
15618.00	87.87	180.62	12,237.17	3,608.53 S	306.21 W	3609.06	1.66
15708.00	88.61	180.54	12,239.93	3,698.48 S	307.12 W	3699.01	0.83
15798.00	87.97	180.39	12,242.62	3,788.44 S	307.85 W	3788.97	0.74
15887.00	88.74	180.40	12,245.18	3,877.40 S	308.46 W	3877.93	0.87
15977.00	88.30	180.28	12,247.50	3,967.37 S	308.99 W	3967.90	0.50
16066.00	88.83	180.09	12,249.73	4,056.34 S	309.28 W	4056.87	0.62
16156.00	88.92	179.96	12,251.50	4,146.32 S	309.32 W	4146.85	0.19
16246.00	88.58	180.36	12,253.46	4,236.30 S	309.57 W	4236.83	0.58
16335.00	88.68	179.61	12,255.58	4,325.27 S	309.54 W	4325.81	0.85
16425.00	87.53	179.81	12,258.56	4,415.22 S	309.09 W	4415.75	1.29
16514.00	88.21	179.46	12,261.87	4,504.16 S	308.52 W	4504.69	0.86
16604.00	88.61	179.16	12,264.36	4,594.12 S	307.44 W	4594.65	0.56
16694.00	88.18	178.87	12,266.88	4,684.07 S	305.89 W	4684.59	0.57
16784.00	88.49	179.50	12,269.49	4,774.02 S	304.61 W	4774.54	0.77
16873.00	88.02	179.64	12,272.20	4,862.98 S	303.94 W	4863.50	0.55
16935.00	88.02	179.64	12,274.34	4,924.94 S	303.55 W	4925.46	0.01

SURVEY FOOTER

SURVEYS CALCULATED USING THE SHORT COLLAR METHOD.

WELL ASSUMED VERTICAL AT SURFACE.

SURVEYS FROM 100' MD TO 11500' MD PROVIDED BY VAUGHN ENERGY SERVICES.

SURVEYS FROM 11559' MD TO 16873' MD PROVIDED BY SPERRY DRILLING SERVICES.

SURVEY AT 16873' MD IS PROJECTED TO TD AT 16935' MD.

SPERRY DRILLING ENGINEERS: STEPHEN HATCHER, YISA AJANAKU

DIRECTIONAL SURVEY DATA NOTES

- Calculation based on minimum curvature method.
- Survey coordinates relative to well system reference point.
- TVD values given relative to drilling measurement point.
- Vertical section relative to well head.
- Vertical section is computed along a direction of 180.10 degrees (Grid)
- A total correction of 6.61 deg from Magnetic north to Grid north has been applied
- Horizontal displacement is relative to the well head.
- Horizontal displacement (closure) at 16,935.00 feet is 4,934.28 feet along 183.53 degrees (Grid)

WARRANTY

HALLIBURTON ENERGY SERVICES, INC. WILL USE ITS BEST EFFORTS TO FURNISH CUSTOMERS WITH ACCURATE INFORMATION AND INTERPRETATIONS THAT ARE PART OF, AND INCIDENT TO, THE SERVICES PROVIDED. HOWEVER, HALLIBURTON ENERGY SERVICES, INC. CANNOT AND DOES NOT WARRANT THE ACCURACY OR CORRECTNESS OF SUCH INFORMATION AND INTERPRETATIONS. UNDER NO CIRCUMSTANCES SHOULD ANY SUCH INFORMATION OR INTERPRETATION BE RELIED UPON AS THE SOLE BASIS FOR ANY DRILLING, COMPLETION, PRODUCTION, OR FINANCIAL DECISION OR ANY PROCEDURE INVOLVING ANY RISK TO THE SAFETY OF ANY DRILLING VENTURE, DRILLING RIG OR ITS CREW OR ANY THIRD PARTY. THE CUSTOMER HAS FULL RESPONSIBILITY FOR ALL DRILLING, COMPLETION, AND PRODUCTION OPERATION. HALLIBURTON ENERGY SERVICES, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE SERVICES RENDERED. IN NO EVENT WILL HALLIBURTON ENERGY SERVICES, INC. SERVICES BE LIABLE FOR FAILURE TO OBTAIN ANY PARTICULAR RESULTS OR FOR ANY DAMAGES, INCLUDING, BUT NOT LIMITED TO, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES, RESULTING FROM THE USE OF ANY INFORMATION OR INTERPRETATION PROVIDED BY HALLIBURTON ENERGY SERVICES, INC.