	BUR	ARTMENT OF THE IN EAU OF LAND MANAG	obs	OMB NO. 1004-0135 Expires: July 31, 2010 5. Lease Serial No.		
		OTICES AND REPOR			NMNM02965A 6. If Indian, Allottee	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						e or Tribe Name
	I IN TRIPL	ICATE - Other instruc			No	Latter in the
Type of Well     Oil Well     Gas We     Gas We	ell 🖸 Other		NOV 30 2	015		o. DM FED COM 3H
2. Name of Operator MEWBOURNE OIL C	OMPANY	Contact: E-Mail: jlathan@me	ewbourne.com	0	<ol> <li>API Well No. 30-025-42774-</li> </ol>	-00-X1
3a. Address HOBBS, NM 88241			3b. Phone No. (incluite med code Ph: 575-393-5905	2)	10. Field and Pool, o WC-025 G09 S	or Exploratory S263327G
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish	, and State
Sec 21 T26S R33E NWNW 200FNL 660FWL					LEA COUNTY,	, NM
12. CHEC	CK APPRO	PRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, RE	EPORT, OR OTHE	ER DATA
TYPE OF SUBMISSIO	ON		ТҮРЕ О	OF ACTION		S. C.
□ Notice of Intent		Acidize	Deepen	Producti	ion (Start/Resume)	Water Shut-O
		Alter Casing	Fracture Treat	Reclama		Well Integrity
Subsequent Report		Casing Repair	New Construction	Recomp		Other Drilling Operation
Final Abandonment N	Notice	Change Plans	Plug and Abandon Plug Back	Tempora Water D	arily Abandon	Soperation operation
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 Sks Class C (35)	n directionally ich the work w he involved ope d. Final Aband ready for final hole @ 482 5:65:6) w/add	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest fonment Notices shall be file inspection.) 20'. Ran 4820' of 9 5/8" diffives. Mixed @ 12.5#/	t details, including estimated startin give subsurface locations and meass the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, includ 40# & 36# J55 & N80 LT&C /g w/2.11 yd. Tail w/200 sks 1:00 A.M. 09/26/2015. Circ 10	A. Required sub completion in a n ding reclamation	rtical depths of all perti sequent reports shall be new interval, a Form 316 h, have been completed, nted with 2%	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 Sks Class C (35)	n directionally ich the work w he involved opp d. Final Aband ready for final hole @ 482 5:65:6) w/add 4.8#/g w/ 1.3 PE to 5000#	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 <u>5/8"</u> ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A	give subsurface locations and measurface locations and measurface Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C	A. Required sub completion in a n ding reclamation	rtical depths of all perti sequent reports shall be new interval, a Form 316 h, have been completed, nted with 2%	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 Sks Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF	n directionally tich the work w he involved oped. Final Aband ready for final hole @ 482 5:65:6) w/add 4.8#/g w/ 1.3 PE to 50004 led out w/8 3	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 <u>5/8"</u> ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A	give subsurface locations and measure the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C (o w/2, 11 vd. Tail w/200 sks	A. Required sub completion in a n ding reclamation	rtical depths of all perti sequent reports shall be new interval, a Form 316 h, have been completed, nted with 2%	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 sks Class C (35) Retarder. Mixed @ 14 pit. WOC. Tested BOR 30 min, held OK. Drille	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 5:65:6) w/add 4.8#/g w/ 1.3 PE to 50004 led out w/8 3 c attached.	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 <u>5/8"</u> ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A	give subsurface locations and measure the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C (o w/2, 11 vd. Tail w/200 sks	A. Required sub completion in a n ding reclamation	rtical depths of all perti sequent reports shall be new interval, a Form 316 h, have been completed, nted with 2%	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 Sks Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic	n directionally ich the work w he involved opd d. Final Aband ready for final ' <u>hole @ 482</u> (565:6) w/ad (565:6) w/ad (565:6) w/ad (4.8#/g w/ 1.3 PE to 50007 led out w/8 3 c attached.	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 <u>5/8"</u> ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit.	give subsurface locations and measure the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C (o w/2, 11 vd. Tail w/200 sks	A. Required sub completion in a n ding reclamation	rtical depths of all perti sequent reports shall be new interval, a Form 316 h, have been completed, nted with 2%	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 SKs Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 ic65:6) w/ad PE to 50007 led out w/8 ich c attached. ched. B nationwide	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest inspection.) 20'. Ran 4820' of 9 <u>5/8"</u> ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit.	give subsurface locations and measure the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C /g w/2.11 yd. Tail w/200 sks :00 A.M. 09/26/2015. Circ 10 At 11:15 p.m. 9/26/15, tested	ured and true ver A. Required sub completion in a n ding reclamation C Csg. Cemer Class C w/0, 05 sks of critt csg to 1500#	rtical depths of all perti- sequent reports shall be new interval, a Form 310 n, have been completed, nted with 2% to the # for	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 Sks Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack Bond on file: NM1693	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 ic65:6) w/ad 4.8#/g w/ 1.1 PE to 50004 led out w/8 ich c attached. ched. B nationwide	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 5/8" ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit. e & NMB000919 e and correct. lectronic Submission #3 For MEWBOU	give subsurface locations and measure the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C (o w/2, 11 vd. Tail w/200 sks	arred and true ver A. Required sub- completion in a n ding reclamation C Csg. Cemer Class C w/0, 05 sks of crnt csg to 1500#	rtical depths of all perti- sequent reports shall be new interval, a Form 310 h, have been completed, nted with 2% t to the # for	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 Sks Class C (35) Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack Bond on file: NM1693	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 ic65:6) w/ad 4.8#/g w/ 1.1 PE to 50004 led out w/8 ich c attached. ched. B nationwide	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 5/8" ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit. e & NMB000919 e and correct. lectronic Submission #3 For MEWBOU ed to AFMSS for process	give subsurface locations and measure the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C /g w/2.11 yd. Tail w/200 sks ::00 A.M. 09/26/2015. Circ 10 At 11:15 p.m. 9/26/15, tested 19810 verified by the BLM We RNE OIL COMPANY, sent to t sing by JENNIFER SANCHEZ of	A. Required sub completion in a n ding reclamation C Csg. Cemer Class C.w/0, 05 sks of cmt csg to 1500#	rtical depths of all perti- sequent reports shall be new interval, a Form 310 h, have been completed, nted with 2% t to the # for	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 Sks Class C (35) Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack Bond on file: NM1693	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 5:65:6) w/add 4.8#/g w/ 1.3 PE to 5000# led out w/8 3 c attached. ched. B nationwide	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 5/8" ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit. e & NMB000919 e and correct. lectronic Submission #3 For MEWBOU ed to AFMSS for process	give subsurface locations and measure the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C /g w/2.11 yd. Tail w/200 sks ::00 A.M. 09/26/2015. Circ 10 At 11:15 p.m. 9/26/15, tested 19810 verified by the BLM We RNE OIL COMPANY, sent to t sing by JENNIFER SANCHEZ of	A. Required sub completion in a n ding reclamation C Csg. Cemer Class C.w/0, 05 sks of cmt csg to 1500#	rtical depths of all perti- sequent reports shall be new interval, a Form 316 h, have been completed, need with 2% t to the # for system (16JAS0072SE)	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 Sks Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack Bond on file: NM1693 14. Thereby certify that the for Name (Printed/Typed) JA	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 5:65:6) w/add 4.8#/g w/ 1.3 PE to 5000# led out w/8 3 c attached. ched. B nationwide	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 5/8" ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit. e & NMB000919 e and correct. lectronic Submission #3: For MEWBOU ed to AFMSS for process HAN	give subsurface locations and measurfue Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C /g w/2.11 yd. Tail w/200 sks ::00 A.M. 09/26/2015. Circ 10 At 11:15 p.m. 9/26/15, tested 19810 verified by the BLM We RNE OIL COMPANY, sent to t sing by JENNIFER SANCHEZ of Title AUTHO Date 10/14/2	A Required sub- completion in a n ding reclamation C Csg. Cemer Class C w/0, 05 sks of cmt csg to 1500#	rtical depths of all perti- sequent reports shall be new interval, a Form 31th , have been completed, need with 2% to the # for system (16JAS0072SE/ RESENTATIVE DFOR/ECC	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 SKs Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack Bond on file: NM1693 14. Thereby certify that the for Name (Printed/Typed) JA	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 ic65:6) w/add 4.8#/g w/ 1.3 PE to 50004 led out w/8 ich c attached. ched. B nationwide foregoing is true El Committe ACKIE LATH	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 5/8" ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit. e & NMB000919 e and correct. lectronic Submission #3: For MEWBOU ed to AFMSS for process HAN	give subsurface locations and measure the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C /g w/2.11 yd. Tail w/200 sks ::00 A.M. 09/26/2015. Circ 10 At 11:15 p.m. 9/26/15, tested 19810 verified by the BLM We RNE OIL COMPANY, sent to the sing by JENNIFER SANCHEZ of Title AUTHO	A Required sub completion in a n ding reclamation C Csg. Cemer Class C w/0, 05 sks of cmt csg to 1500#	rtical depths of all perti- sequent reports shall be new interval, a Form 31th , have been completed, need with 2% to the # for system (16JAS0072SE/ RESENTATIVE DFOR/ECC	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 SKS Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack Bond on file: NM1693 14. I hereby certify that the for Name (Printed/Typed) JA Signature (El	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 ic65:6) w/add 4.8#/g w/ 1.3 PE to 50004 led out w/8 ich c attached. ched. B nationwide foregoing is true El Committe ACKIE LATH	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 5/8" ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit. e & NMB000919 e and correct. lectronic Submission #3: For MEWBOU ed to AFMSS for process HAN	give subsurface locations and measure the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C /g w/2.11 yd. Tail w/200 sks :00 A.M. 09/26/2015. Circ 10 At 11:15 p.m. 9/26/15, tested 19810 verified by the BLM We RNE OIL COMPANY, sent to t sing by JENNIFER SANCHEZ of Title AUTHO Date 10/14/2 R FEDERAL OR STATE	A Required sub completion in a n ding reclamation C Csg. Cemer Class C w/0, 05 sks of cmt csg to 1500#	rtical depths of all perti- sequent reports shall be new interval, a Form 31th , have been completed, need with 2% to the # for system (16JAS0072SE/ RESENTATIVE DFOR/ECC	inent markers and zones e filed within 30 days 60-4 shall be filed once , and the operator has
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 Sks Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack Bond on file: NM1693 14. Thereby certify that the fo Name (Printed/Typed) JA Signature (El Approved By	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 5:65:6) w/add 4.8#/g w/ 1.3 PE to 50007 led out w/8 3 c attached. ched. B nationwide oregoing is true Electronic Subn clectronic Subn	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest ionment Notices shall be file inspection.) 20'. Ran 4820' of 9 5/8" ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit. e & NMB000919 e and correct. lectronic Submission #3: For MEWBOU ed to AFMSS for process HAN nission) THIS SPACE FOI	give subsurface locations and measure the Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 4.40# & 36# J55 & N80 LT&C /g w/2.11 yd. Tail w/200 sks :00 A.M. 09/26/2015. Circ 10 At 11:15 p.m. 9/26/15, tested 19810 verified by the BLM We RNE OIL COMPANY, sent to t sing by JENNIFER SANCHEZ of Title AUTHO Date 10/14/2 R FEDERAL OR STATE	A Required sub completion in a n ding reclamation C Csg. Cemer Class C w/0, 05 sks of cmt csg to 1500#	rtical depths of all perti- sequent reports shall be new interval, a Form 316 h, have been completed, need with 2% to the # for system (16JAS0072SE) RESENTATIVE DFORTECT E 2015	inent markers and zones e filed within 30 days 60-4 shall be filed once
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 SKs Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack Bond on file: NM1693 14. I hereby certify that the fo Name (Printed/Typed) JA Signature (El Approved By Conditions of approval, if any, a certify that the applicant holds le which would entitle the applicant	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 ic55:6) w/add 4.8#/g w/ 1.: PE to 50004 led out w/8 ich c attached. c attached. ched. B nationwide oregoing is true Electronic Subn are attached. A egal or equitab nt to conduct o	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest inspection.) 20'. Ran 4820' of 9 5/8" ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit. e & NMB000919 e and correct. lectronic Submission #3 For MEWBOU ed to AFMSS for process HAN nission) THIS SPACE FOI	give subsurface locations and measurface locations and measurements, included only after all requirements, included on the state of	A. Required sub completion in a n ding reclamation C Csg. Cemer Class C w/0, 05 sks of cmt csg to 1500#	rtical depths of all perti- sequent reports shall be new interval, a Form 314 n, have been completed, nted with 2% to the # for (16JAS0072SE RESENTATIVE DFUR/ECC E 2015	inent markers and zones e filed within 30 days 60-4 shall be filed once , and the operator has
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 SKs Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack Bond on file: NM1693 14. I hereby certify that the fo Name (Printed/Typed) JA Signature (El Approved By Conditions of approval, if any, a certify that the applicant holds le which would entitle the applicant	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 ic55:6) w/add 4.8#/g w/ 1.3 PE to 50007 led out w/8 3 c attached. c attached. anationwide oregoing is true Committe ACKIE LATH Electronic Subn are attached. A egal or equitab nt to conduct or d Title 43 U.S.	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest inspection.) 20'. Ran 4820' of 9 5/8" ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit. e and correct. lectronic Submission #3 For MEWBOU ed to AFMSS for process HAN mission) THIS SPACE FOI Approval of this notice does n ble title to those rights in the s perations thereon. C. Section 1212, make it a c	give subsurface locations and measure the Bond No. on file with BLM/BL//BL//BL//BL//BL//BL//BL//BL//BL//	ared and true ver A. Required sub- completion in a n ding reclamation C Csg. Cemer Class C. w/0, 05 sks of crit csg to 1500# I Information the Hobbs on 10/30/2015 OFFICENES OFFICENES VII CARLSE willfully to male	rtical depths of all perti- sequent reports shall be new interval, a Form 314 n, have been completed, nted with 2% to the # for (16JAS0072SE RESENTATIVE DFUR/ECC E 2015	inent markers and zones e filed within 30 days 60-4 shall be filed once , and the operator has
If the proposal is to deepen Attach the Bond under whi following completion of the testing has been completed determined that the site is r 9/25/2015 TD 12 1/4" 1100 SKs Class C (35: Retarder. Mixed @ 14 pit. WOC. Tested BOF 30 min, held OK. Drille Charts and schematic Pump rate chart attack Bond on file: NM1693 14. I hereby certify that the for Name (Printed/Typed) JA Signature (El Approved By Conditions of approval, if any, a certify that the applicant holds le which would entitle the applicant Title 18 U.S.C. Section 1001 and States any false, fictitious or fin	n directionally ich the work w he involved opd d. Final Aband ready for final hole @ 482 ic65:6) w/add 4.8#/g w/ 1.: PE to 50004 led out w/8 ich c attached. c att	or recomplete horizontally, g vill be performed or provide t erations. If the operation rest forment Notices shall be file inspection.) 20'. Ran 4820' of 9 5/8" ditives. Mixed @ 12.5#/ 32 yd. Plug down @ 12 # & Annular to 2500#. A 3/4" bit. e & NMB000919 e and correct. lectronic Submission #3 For MEWBOU ed to AFMSS for process HAN nission) THIS SPACE FOI Approval of this notice does n ble title to those rights in the s perations thereon. .C. Section 1212, make it a ci ments or representations as to	give subsurface locations and measurfue Bond No. on file with BLM/BL/ ults in a multiple completion or rec d only after all requirements, include 40# & 36# J55 & N80 LT&C /g w/2.11 yd. Tail w/200 sks :00 A.M. 09/26/2015. Circ 10 At 11:15 p.m. 9/26/15, tested 19810 verified by the BLM We RNE OIL COMPANY, sent to t sing by JENNIFER SANCHEZ of Title AUTHOR Date 10/14/2 R FEDERAL OR STATE	ared and true ver A. Required sub- completion in a n ding reclamation C Csg. Cemer Class C.w/0, 05 sks of critit csg to 1500# CSg to 1500# CCLP/E 2015 OF FIC 5.WS DOF FIC 5.WS DOT FIC 5	rtical depths of all perti- sequent reports shall be new interval, a Form 31th n, have been completed, nted with 2% to the # for system (16JAS0072SE RESENTATIVE DFUR/ECC E 2015 E 2015	inent markers and zones e filed within 30 days 60-4 shall be filed once , and the operator has

.



PO 8ox 7 Lovington, NM 88260 (575) 942-9472

Invoice B 6807

Date 9 26 2015	Start Time	🗖 am 🖬 pm	1
Company Mr. Dourse	State MM	County Ira	BOP:
Lease Elimin 21 WI DIM FED COM H311			Annular: 7500
Company Man Tester	r Unker	Truck # _//	
Tool Pusher		_ Plug Size _//	Casing:
Drilling Contractor B Paffellon	_ Rig # 243	Pipe Thread Size 4/2 Li-	Pumps:

Test # Items tested	Low Test		High Test			
	PSI	Min.	PSI	Min.	Remarks	
Truck	750	10	10 E	10	no rasing as par rampinan	
1,2,6,10,13	750	10	5000	10		
	750	10	5000	10		
3,4,5,10,15	750	10	5000	10		
the second	80	10	5000	10		
8 9,12	750	10	5000	0		
	1250	10	5000	10		
	250	10	7500	10		
16	750	10	5000	10		
17	750	10	5000	10		
10	250	10	5000	10		
19	250	10	5000	10		
20,21,72,23	750		5000	Sec. 3		
74	150	10	5000	10		
REMORE KILL UNE	250	10	900	10		
			100			
	Truck 1,2,6,10,13 6,10,13,25,26 3,4,5,10,15 3,4,5,86,9,12 8,9,12 7,11,12 7,11,12 7,11,18 16 17 10 19 20,21,22,23 74	Items tested         PSI           7ruck         750           1, 2, L, 10, 13         750           6, 10, 13, 25, 7L         750           3, 4, 5, 10, 15         750           3, 4, 5, 10, 15         750           3, 4, 5, 10, 15         750           3, 4, 5, 8b, 9, 12         750           7, 11, 12         750           7, 11, 15         750           7, 11, 15         750           7, 11, 15         750           7, 11, 15         750           7, 11, 15         750           7, 11, 15         750           7, 11, 15         750           7, 10, 15         750           7, 11, 15         750           7, 10, 15         750           7, 11, 15         750           70, 21, 72, 23         750           74         750	Items tested         PSI         Min.           Truck         750         10           1, 2, L, 10, 13         750         10           1, 2, L, 10, 13         750         10           3, 4, 5, 10, 15         750         10           3, 4, 5, 10, 15         750         10           3, 4, 5, 8 b, 9, 12         750         10           7, 11, 12         750         10           1, 11, 12         750         10           1, 11, 12         750         10           1, 11, 12         750         10           1, 11, 12         750         10           14         750         10           15         750         10           16         750         10           17         750         10           18         750         10           74         750         10	Items tested         PSI         Min.         PSI           7ruch         750         10         10 k           1, 2, L, 10, 13         750         10         5000           6, 10, 13, 25, 7L         750         10         5000           3, 4, 5, 10, 15         750         10         5000           3, 4, 5, 8b, 9, 12         750         10         5000           8, 9, 12         750         10         5000           8, 9, 12         750         10         5000           7, 11, 12         750         10         5000           7, 11, 15         750         10         5000           7, 11, 15         750         10         5000           7, 11, 15         750         10         5000           7, 11, 15         750         10         5000           14         750         10         5000           15         750         10         5000           16         750         10         5000           17         750         10         5000           74         750         10         5000           74         750         10         5000 <td>Items tested         PSI         Min.         PSI         Min.           <math>7rack</math> <math>7co</math> <math>10</math> <math>10k</math> <math>10</math> <math>1, 2, L, 10, 13</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>1, 2, L, 10, 13</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>1, 0, 13, 25, 7L</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>3, 4, 5, 10, 15</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>3, 4, 5, 8b, 9, 12</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>3, 4, 5, 8b, 9, 12</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>3, 4, 15, 8b, 9, 12</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>3, 4, 15, 8b, 9, 12</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>3, 11, 12</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>7, 11, 12</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>11L</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>16</math> <math>7co</math> <math>10</math> <math>5000</math> <math>10</math> <math>7d</math> <math>7co</math></td>	Items tested         PSI         Min.         PSI         Min. $7rack$ $7co$ $10$ $10k$ $10$ $1, 2, L, 10, 13$ $7co$ $10$ $5000$ $10$ $1, 2, L, 10, 13$ $7co$ $10$ $5000$ $10$ $1, 0, 13, 25, 7L$ $7co$ $10$ $5000$ $10$ $3, 4, 5, 10, 15$ $7co$ $10$ $5000$ $10$ $3, 4, 5, 8b, 9, 12$ $7co$ $10$ $5000$ $10$ $3, 4, 5, 8b, 9, 12$ $7co$ $10$ $5000$ $10$ $3, 4, 15, 8b, 9, 12$ $7co$ $10$ $5000$ $10$ $3, 4, 15, 8b, 9, 12$ $7co$ $10$ $5000$ $10$ $3, 11, 12$ $7co$ $10$ $5000$ $10$ $7, 11, 12$ $7co$ $10$ $5000$ $10$ $11L$ $7co$ $10$ $5000$ $10$ $16$ $7co$ $10$ $5000$ $10$ $7d$ $7co$	

Test accepted by:

-0602 Mileage 706 @ 192 /mile =\_ Methanol Cup Test HR@ /100 8 1100 46 110-00 110 0 1416 Subtotal = Tax = 119300 TOTAL =

© 2012 Battle Energy Services





