

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-27978
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-2148
7. Lease Name or Unit Agreement Name Leamex
8. Well Number 34
9. OGRID Number 217817
10. Pool name or Wildcat Maljamar (GB/SA)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
ConocoPhillips Company

3. Address of Operator
P.O. Box 51810 Midland, TX 79710

4. Well Location
Unit Letter **L** : **1980** feet from the **South** line and **990** feet from the **West** line
Section **22** Township **17-S** Range **33-E** NMPM County **Lea**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4168' RKB

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☐	E-PERMITTING <SWD INJECTION> RE ☐ CONVERSION ☐ RBDMS ☐ CC ☐ RETURN TO ☐ TA ☐ CA ☐ CSNG ☐ ENVIRO ☐ CHG LOC ☐ INT TO PA ☒ P&A NR ☐ P&A R ☐ OTHER: ☐
---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


--MIRU. ND WH, NU BOP. POOH w/ Prod Equip
--RIH Tbg 6,000' - Spot 25sx cmt to 5,800'. POOH Tbg **Spot MLF from 5800' to 4081'**
--RIH WL - Set CIBP @ 4,081'
--RIH Tbg - Tag CIBP @ 4,081'. Circ hole w/ MLF. Spot 40sx cmt to 3,500'. WOC-Tag **Tes + Csg**
--Spot 25sx cmt @ 2,800' - 2,600'. WOC-Tag
--Spot 25sx cmt @ 1,506' - 1,300'. WOC-Tag
--Spot 25sx cmt @ ~~250'~~ **400'** to surface.
25 --POOH. Fill wellbore. Verify cmt @ surface in all annuli

**The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations**

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17


Spud Date: **1/19/83** Rig Release Date: **2/4/83**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **P&A Tech - Basic Energy Services** DATE **12/11/15**

Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**

For State Use Only

APPROVED BY:  TITLE **Compliance Officer** DATE **12/16/2015**

Conditions of Approval (if any):

DEC 21 2015

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: November 30, 2015


RKB @ 4168'
 DF @ 4166'
 GL @ 4156'

Subarea : Buckeye
 Lease & Well No. : Leamex 34
 Legal Description : 1980 FSL & 990 FWL, Sec. 22, T-17-S, R-33-E,
 County : Lea State : New Mexico
 Field : Maljamar (Grayburg San Andres)
 Date Spudded : 1/19/1983 Rig Released: 2/4/1983
 API Number : 30-025-27978
 Status: Producing

State Lse No. B-2148
 OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	4/26/1983	Perf 4181-4184, 4320-4325, 4375-4379, 4404-4406, 4410-4414, 4416-4418, 4424-4426, 4435-4440, 4442-4450, 4463-4469, 4509-4511 w/ 2 SPF						
4181-4511	4/28/1983	15% HCL	3000					
4181-4511	5/2/1983	RO	32,000	54,000				
4181-4511	5/15/1997	15% HCL	3000					



12 1/4" Hole

8 5/8" 24# K-55 @ 1456'
 Cmt'd w/ 550 sx, circ 30 sxs
 TOC @ Surface

Top of Salt @

Base of Salt @

4181-4184'

4320-4379'

4404-4469'

4509-4511'

7-7/8" Hole
 4 1/2" 11.6# N-80 @ 6400'
 Cmt'd w/ 1500 sx; Circ 75 sxs
 TOC @ Surface

PBTD: 6362'
 TD: 6400'

Formation Tops:

Santa Rosa Base
 Rustler
 Salado
 Yates
 Queen
 Pemrose
 Grayburg
 San Andres
 Glorieta
 Paddock
 Wolfcamp

WELLSKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: November 30, 2015


RKB @ 4168'
 DF @ 4166'
 GL @ 4156'

Subarea: Buckeye
 Lease & Well No.: Leamex 34
 Legal Description: 1980 FSL & 990 FWL, Sec. 22, T-17-S, R-33-E,
 County: Lea State: New Mexico
 Field: Maljamar (Grayburg San Andres)
 Date Spudded: 1/19/1983 Rig Released: 2/4/1983
 API Number: 30-025-27978
 Status: Producing

State Use No. B-2148
 OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	4/26/1983	Perf 4181-4184, 4320-4325, 4375-4379, 4404-4406, 4410-4414, 4416-4418, 4424-4426, 4435-4440, 4442-4450, 4463-4469, 4509-4511 w/ 2 SPF						
4181-4511	4/28/1983	15% HCL	3000					
4181-4511	5/2/1983	RO	32,000	54,000				
4181-4511	5/15/1997	15% HCL	3000					



12 1/4" Hole
 Spot 20sx cmt @ 250'-3'

 8 5/8" 24# K-55 @ 1456'
 Cmt'd w/ 550 sx, circ 30 sxs
 TOC @ Surface
 Spot 25sx cmt @ 1506'-1300' - Tag

 Top of Salt @

 Base of Salt @

 Spot 25sx cmt @ 2800'-2600' - Tag

 Spot 40sx cmt @ 4081'-3500' - Tag
 Set CIBP @ 4081'
 4181-4184'

 4320-4379'

 4404-4469'

 4509-4511'

 Spot 25sx cmt @ 6000'-5800'

 7-7/8" Hole
 4 1/2" 11.6# N-80 @ 6400'
 Cmt'd w/ 1500 sx; Circ 75 sxs
 TOC @ Surface

PBTD: 6362'
 TD: 6400'

Formation Tops:

Santa Rosa Base
 Rustler
 Salado
 Yates
 Queen
 Pemrose
 Grayburg
 San Andres
 Glorieta
 Paddock
 Wolfcamp