

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-03062
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-1502
7. Lease Name or Unit Agreement Name Vacuum Abo Unit 006
8. Well Number 063
9. OGRID Number 217817
10. Pool name or Wildcat Vacuum; Abo Reef

4. Well Location Unit Letter E : 2310 feet from the North line and 990 feet from the West line Section 5 Township 18-S Range 35-E NMPM County Lea	11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3966' GL
--	---

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

INT TO PA **PM**
P&A NR _____ P&A R _____
RBDMS _____ TA _____

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS

--MIRU. ND WH, NU BOP. POOH w/ Prod. Equip
--Set 5 1/2" CIBP @ 8,133'. Circ hole w/ MLF. Spot 25sx cmt to 8,033'
--Spot 25sx cmt @ 6,250' - 6,050'
--Spot 25sx cmt @ 4,550' - 4,400'. WOC-Tag
--Spot 40sx cmt @ 4,150' - 3,800'
--Spot 60sx cmt @ 3,290' - 2,762'. WOC-Tag
--Perf @ 1,560' - Sqz 60sx cmt to 1,460'. WOC-Tag
--Perf @ 368' - Circ 120sx cmt to surface **out all annulus**
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17


Spud Date:

11/1/61

Rig Release Date:

12/10/61

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **P&A Tech - Basic Energy Services** DATE **1/29/16**

Type or print name **Greg Bryant** E-mail address: **greg.bryant@basicenergyservices.com** PHONE: **432-563-3355**

For State Use Only

APPROVED BY:  TITLE **Petroleum Engr. Specialist** DATE **02/02/2016**

Conditions of Approval (if any):

FEB 02 2016

WELLBORE SKETCH
ConocoPhillips Company -- Lower 48 Mid-Continent BU Permian Operations

Date: January 21, 2016

RKB @ 3979'
DF @ 3978'
GL @ 3966'

17-1/4" Hole
13-3/8" 48# H-40 @ 318'
Cmt'd w/ 350 sx, circ.
TOC @ Surface

TOC 8-5/8" Csg @ 2000' (T.S.)

TOC 5-1/2" Csg @ 2300' (T.S.)

Top of Salt @ 2812'

Base

Base Salt @

12 1/4" Hole
8-5/8" 24# J-55 @ 3240'
Cmt'd w/ 400 sx
TOC @ 2000' (TS)

Tbg @ 8210'
8233-8294'

8304-8383'

8389-8488'

Tbg @ 8450'
8495-8497'

8504-8570'

8580-8685'

8706-8797'

8805-8813'

7-7/8" Hole
5-1/2" 17# J-55 @ 8999'
Cmt'd w/ 555 sx
TOC @ 2300' (TS)

PBTD: 8961'
TD: 9000'

Subarea : Buckeye
Lease & Well No. : Vacuum Abo Unit Tract 6F, Well No. 63
Legal Description : 2310' FNL & 990' FWL, Sec. 5, T-18-S, R-35-E
County : Lea State : New Mexico
Field : Vacuum (Abo Reef)
Date Spudded : 11/1/1961 Rig Rel: 12/10/1961
API Number : 30-025-03062
Status: Producing
Drilled as Santa Fe 63 State Lease B-1502

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	12/9/1961	Perf 8495-8497, 8504-8514, 8532-8536, 8564-8570, 8580-8644, 8656-8685, 8706-8709, 8721-8744, 8754-8774, 8790-8797, 8805-8813 w/ 2 JHPF						
8495-8813	12/13/1961	15% NEA	1000					
8495-8813	10/6/1970	28% NEA	6000					
	12/13/1973	Set RBP @ 8490'						
	12/13/1973	Perf 8233-8244, 8264-8275, 8288-8294, 8304-8326, 8332-8340, 8349-8358, 8364-8369, 8375-8383, 8389-8403, 8413-8439, 8443-8464, 8480-8488 w/ 1 JHPF						
8233-8488	12/15/1973	15% NEA	3000					
	10/10/1980	Remove RBP						
8233-8813	10/10/1980	15% HCL	15,500					
	6/13/2012	Left tbg in the hole @ 8450'						
	11/23/2015	Tbg Anchor stuck @ 8219'						
	11/23/2015	Cut tbg @ 8210'						


Formation Tops:

Rustler	1510'
Yates	2873'
Queen	3844'
Grayburg	4135'
San Andres	4486'
Glorieta	6122'
Clearfork	6195'
Abo	8216'

WELLBORE SKETCH
ConocoPhillips Company -- Lower 48 Mid-Continent BU Permian Operations

Date: January 21, 2016

RKB @ 3979'
DF @ 3978'
GL @ 3966'



PBTD: 8961'
TD: 9000'

Subarea : Buckeye
Lease & Well No. : Vacuum Abo Unit Tract 6F, Well No. 63
Legal Description : 2310' FNL & 990' FWL, Sec. 5, T-18-S, R-35-E
County : Lea State : New Mexico
Field : Vacuum (Abo Reef)
Date Spudded : 11/1/1961 Rig Rel: 12/10/1961
API Number : 30-025-03062
Status: Producing
Drilled as Santa Fe 63 State Lease B-1502

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
	12/9/1961	Perf 8495-8497, 8504-8514, 8532-8536, 8564-8570, 8580-8644, 8656-8685, 8706-8709, 8721-8744, 8754-8774, 8790-8797, 8805-8813 w/ 2 JHPF						
8495-8813	12/13/1961	15% NEA	1000					
8495-8813	10/6/1970	28% NEA	6000					
	12/13/1973	Set RBP @ 8490'						
	12/13/1973	Perf 8233-8244, 8264-8275, 8288-8294, 8304-8326, 8332-8340, 8349-8358, 8364-8369, 8375-8383, 8389-8403, 8413-8439, 8443-8464, 8480-8488 w/ 1 JHPF						
8233-8488	12/15/1973	15% NEA	3000					
	10/10/1980	Remove RBP						
8233-8813	10/10/1980	15% HCL	15,500					
	6/13/2012	Left tbg in the hole @ 8450'						
	11/23/2015	Tbg Anchor stuck @ 8219'						
	11/23/2015	Cut tbg @ 8210'						

Formation Tops:

Rustler	1510'
Yates	2873'
Queen	3844'
Grayburg	4135'
San Andres	4486'
Glorieta	6122'
Clearfork	6195'
Abo	8216'