

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-025-26860
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil & Gas Lease No.	B-2284-2
7. Lease Name or Unit Agreement Name	East Vacuum GB/SA Unit 1-2957
8. Well Number	002
9. OGRID Number	217817
10. Pool name or Wildcat	Vacuum; GB/SA
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	3971' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-104) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other - INJECTION ☐

2. Name of Operator
ConocoPhillips Company

3. Address of Operator
600 N. Dairy Ashford Rd. Houston, TX 77079-1175

4. Well Location
Unit Letter L : 2540 feet from the South line and 40 feet from the West line
Section 29 Township 17-S Range 35-E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3971' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

INT TO PA DMC
P&A NR P&A R
RBDMS TA

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP.
--RIH Tbg - Tag TOC @ 3,988'. Circ hole w/ MLF.
--Spot 25sx cmt @ 3,800' - 3,650'
--Spot 25sx cmt @ 2,905' - 2,700'. WOC-Tag
--Spot 25sx cmt @ 1,800' - 1,500'. WOC-Tag
--Spot 30sx cmt @ 407' to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

NOTIFY OCD 24 HOURS PRIOR TO BEGINNING
PLUGGING OPERATIONS

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17

Spud Date:

8/15/80

Rig Release Date:

8/30/80

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Greg Bryant TITLE P&A Tech - Basic Energy Services DATE 1/29/16

Type or print name Greg Bryant E-mail address: greg.bryant@basicenergyservices.com PHONE: 432-563-3355

For State Use Only

APPROVED BY: Mark Whitaker TITLE Petroleum Engr. Specialist DATE 02/02/2016

Conditions of Approval (if any):

FEB 02 2016

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: January 28, 2016

RKB @ 3982'
 DF @
 GF @ 3971'

12 1/4" Hole

8 5/8" 24# K-55 @ 357'
 Cmt'd w/ 400 sxs, circ 49 sxs
 TOC @ Surface

Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2957 002W
 Legal Description : 2540 FSL & 40 FWL, Sec. 29, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 8/15/1980 Rig Released: 8/30/1980
 API Number : 30-025-26860
 Status: Producing
 Drilled as: State Lease No. B-2284-2
 OGRID No. 217817

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	1/13/1981	Perf 4459-4462, 4468-4472, 4503-4520, 4523-4527, 4530-4542, 4552-4555, 4575-4585, 4590-4600, w/ 1 SPF						
4459-4600	1/13/1981	15% HCL	7600					
4459-4600	1/14/1981	15% HCL	12,500					
4459-4600	12/1/1990	15% HCL	5000					
	12/14/2015	Tried to set CIBP but would not hold						
	12/15/2015	Cut off tubing @ 4378-4394						
	12/17/2015	Pmp 75 sxs cmt fr 4394-3988'						

Top Salt @

Base Salt @

Pmp 75 sxs cmt fr 4394-3988'
 Cut off tubing @ 4378-4394

4459-4472'

4503-4600'

7 7/8" Hole
 4 1/2" 11.6# N-80 @ 4800'
 Cmt'd w/ 1100 sxs, Circ 63 sxs
 TOC @ Surface

Formation Tops:


Rustler	1581'
Salado	1756'
Yates	2855'
Seven Rivers	
Queen	3750'
Grayburg	4139'
San Andres	4448'
Glorieta	

PBTD @ 4713'
 TD @ 4800'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: January 28, 2016

RKB @ 3982'
 DF @
 GF @ 3971'



12 1/4" Hole

Spot 30sxs cmt @ 407'-3'

8 5/8" 24# K-55 @ 357'

Cmt'd w/ 400 sxs, circ 49 sxs

TOC @ Surface

Top Salt @ 1700'

Spot 25sxs cmt @ 1800'-1500' - Tag

Base Salt @ 2750'

Spot 25sxs cmt @ 2905'-2700' - Tag

Spot 25sxs cmt @ 3800'-3600'

Pmp 75 sxs cmt fr 4394-3988'

Cut off tubing @ 4378-4394

4459-4472'

4503-4600'

7 7/8" Hole

4 1/2" 11.6# N-80 @ 4800'

Cmt'd w/ 1100 sxs, Circ 63 sxs

TOC @ Surface

PBTD @ 4713'
 TD @ 4800'

Subarea :

Buckeye

Lease & Well No. : East Vacuum GB/SA Unit, Tract 2957 002W

Legal Description : 2540 FSL & 40 FWL, Sec. 29, T-17S, R-35E

County : Lea State : New Mexico

Field : Vacuum (Grayburg-San Andres)

Date Spudded : 8/15/1980 Rig Released: 8/30/1980

API Number : 30-025-26860

Status: Producing

Drilled as:

State Lease No.

B-2284-2

OGRID No.

217817

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	1/13/1981	Perf 4459-4462, 4468-4472, 4503-4520, 4523-4527, 4530-4542, 4552-4555, 4575-4585, 4590-4600, w/ 1 SPF						
4459-4600	1/13/1981	15% HCL	7600					
4459-4600	1/14/1981	15% HCL	12,500					
4459-4600	12/1/1990	15% HCL	5000					
	12/14/2015	Tried to set CIBP but would not hold						
	12/15/2015	Cut off tubing @ 4378-4394						
	12/17/2015	Pmp 75 sxs cmt fr 4394-3988'						

Formation Tops:

Rustler	1581'
Salado	1756'
Yates	2855'
Seven Rivers	
Queen	3750'
Grayburg	4139'
San Andres	4448'
Glorieta	