

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-29182
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No
7. Lease Name or Unit Agreement Name HURD
8. Well Number 1
9. OGRID Number 3659
10. Pool name or Wildcat HOUSE YSR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
CAPATAZ OPERATING INC

3. Address of Operator
PO BOX 10549, MIDLAND, TX 79702

4. Well Location Unit Letter J : 1980 feet from the S line and 1980 feet from the EAST line
Section 6 Township 20S Range 39E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3603 KB

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater 43' Distance from nearest fresh water well 3/4 MILE Distance from nearest surface water NONE

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒ XXX
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8-5/8" @ 1514' - Circulated to Surface.

4-1/2" @ 3470'.

CIBP @ 3400' w/ 20 sx cement on top.

06/02/05 MIRU.

Set CIBP @ 2800' dump 50' cement on top of plug

Perforate 4-1/2" csg @ 1550'. Circulate hole w/ 12.5# salt gel mud from 2770'

Squeeze 4-1/2" w/ 40 SX Class "C". WOC 4 hrs tag cement @ 1400'.

Pull up to 300' and circulate cement to surface with 30 SX Class "C".

11/11/05 Drill out cement inside 4-1/2" csg to 420'. Perforate 4-1/2" csg @ 300'. Squeeze 100 SX Class "C": and circulate cement to surface. Fill 4-1/2". RDMO.

Cut off wellhead, weld on dryhole marker, remove equipment, remove caliche, restore location.

Approved as to plugging of the Well Bore.
Liability under bond is retained until

surface restoration is completed

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE H SCOTT DAVIS TITLE _____ AGENT _____ DATE 03/23/06

Type or print name

E-mail address:

Telephone No.

For State Use Only

APPROVED BY: Larry W. Wink TITLE _____

Conditions of Approval (if any)

MAR 29 2006

OCD FIELD REPRESENTATIVE II/STAFF MANAGER