

TechnipTECHNIP Umbilicals Inc.
COFLEXIP® Products Division**CERTIFICATE OF CONFORMITY****SUPPLIER**COFLEXIP® Products Division
16661 Jacintoport Blvd.
Houston, Texas 77015**CUSTOMER**

OFS CANADA INC

CUSTOMER PROJECT

OFS GLOBAL RIG 772 PROJECT 59

CONTRACT NUMBER

OFS-012060-1

COFLEXIP REFERENCE NUMBER

K12386

COFLEXIP LINE DESCRIPTION

3" x 30' 10K CHOKE/KILL LINE

COFLEXIP LINE SERIAL NUMBER

K12386-202

WORKING / TEST PRESSURE (PSI)

10000 / 15000

COFLEXIP ID (inches)/PART NUMBER

3 / 076 60414 13 13

COFLEXIP STRUCTURE NUMBER

076 60414

END FITTING REFERENCE NUMBER

EM 076 65000 13

EM 076 65000 13

END FITTING DESCRIPTION4 1/16" 10K FLG BX 155 INC. 625 RG / 4 1/16" 10K FLG BX 155 INC. 625
RG**IRC REFERENCE****SAFE WORKING LOADS****NOMINAL DAMAGING PULL (STRAIGHT LINE)****MINIMUM BENDING RADIUS****MAXIMUM DESIGN TEMPERATURE**

-4 Deg. F To 212 Deg. F/B

We certify that the supply detailed above was manufactured and inspected in accordance with the technical specifications specified within the contract referenced above and any specifications checked below. This document serves as a Declaration and Confirmation from the Manufacturer, TECHNIP Umbilicals Inc., Houston, Texas, that asbestos materials are not utilized in any part(s) or sub-part(s) or component(s) during the assembly process of any of our Colflexip® flexible pipes.

Licence Number 16C-0001

(If Required)

TECHNIP QUALITY CONTROLJCA Accler 4/30/15
Name/ Date/ Stamp

FEB 11 2016

Technip

TECHNIP Umbilicals Inc.
COFLEXIP® Products Division

Quality Control Department

Control Report Dated 4/28/2015

COFLEXIP FLEXIBLE PIPE TEST CERTIFICATE

Customer OFS CANADA INC

Job Number K12387

Address

Line Serial Number K12387-202

Part Number 076 60414 13 13

Application 3" x 30' 10K CHOKE/KILL LINE

COFLEXIP certifies that the results of the test and controls performed on the above mentioned flexible pipe is as follows:

Internal Diameter 3 inches

Length 30.83 feet


Working Pressure 10000 psi

Test Pressure 15000 psi

As per attached recorder chart 24 hours

Test Duration

THIRD PARTY INSPECTION FIRM OR CUSTOMER REPRESENTATIVE


D. CO INC. QUALITY CONTROL

DOAC 1124 Rev 2 18 Sept 09

Date Printed: 4/28/2015 1:49:43 PM

Test Configuration 12 Zone

Production Information Input

Customer ID
OFS CANADA INC.
Line S/N
K12386-202 Q12387-202
Technician
ROY

QC Information Input

QC Insp
PAT
Witness?
Yes
Special Instructions
Third Party
BV
Test Procedure
SIC 01 60

Station Information


Pressure Transducer S/N
1211500
Stable Press
16300
Cali. Due
9/9/2015 9:29:12 AM
Temperature S/N
T13A
Test Press
15000
Pressure Range
0 - 30000

Station 04


Calibration

Raw Maximum
0.004000
Raw Minimum
0.030000
Eng Maximum
0.000000
Eng Minimum
0.000000


XY Graph





Pressure: 1
Temp: 1
Plot: 3




LOAN K12387-2123-10
511715-TEMP-10









2,000 psi BOP Schematic




5,000 psi BOP Schematic



2M Choke Manifold Equipment



5M Choke Manifold Equipment



COG Operating LLC

Rig Plat & Closed Loop Equipment Diagram




Exhibit 1

"I further certify that COG will comply with Rule 19.15.17 NMAC by using a Closed Loop System."