

TechnipTECHNIP Umbilicals Inc.
COFLEXIP® Products Division**CERTIFICATE OF CONFORMITY****SUPPLIER**COFLEXIP® Products Division
16661 Jacintoport Blvd.
Houston, Texas 77015**CUSTOMER**

OFS CANADA INC

CUSTOMER PROJECT

OFS GLOBAL RIG 772 PROJECT 59

CONTRACT NUMBER

OFS-012060-1

COFLEXIP REFERENCE NUMBER

K12386

COFLEXIP LINE DESCRIPTION

3" x 30' 10K CHOKE/KILL LINE

COFLEXIP LINE SERIAL NUMBER

K12386-202

WORKING / TEST PRESSURE (PSI)

10000 / 15000

COFLEXIP ID (inches)/PART NUMBER

3 / 076 60414 13 13


COFLEXIP STRUCTURE NUMBER

076 60414

END FITTING REFERENCE NUMBER

EM 076 65000 13

EM 076 65000 13

END FITTING DESCRIPTION4 1/16" 10K FLG BX 155 INC. 625 RG / 4 1/16" 10K FLG BX 155 INC. 625
RG**IRC REFERENCE****SAFE WORKING LOADS****NOMINAL DAMAGING PULL (STRAIGHT LINE)****MINIMUM BENDING RADIUS****MAXIMUM DESIGN TEMPERATURE**

-4 Deg. F To 212 Deg. F/B

We certify that the supply detailed above was manufactured and inspected in accordance with the technical specifications specified within the contract referenced above and any specifications checked below. This document serves as a Declaration and Confirmation from the Manufacturer, TECHNIP Umbilicals Inc., Houston, Texas, that asbestos materials are not utilized in any part(s) or sub-part(s) or component(s) during the assembly process of any of our Coflexip® flexible pipes.

Licence Number 16C-0001

(If Required)

TECHNIP QUALITY CONTROL
Name/ Date/ Stamp

FEB 11 2016

Technip

TECHNIP Umbilicals Inc.
COFLEXIP® Products Division

Quality Control Department

Control Report Dated 4/28/2015


COFLEXIP FLEXIBLE PIPE TEST CERTIFICATE

Customer OFS CANADA INC
Job Number K12387
Address
Line Serial Number K12387-202
Part Number 076 60414 13 13

Application 3" x 30' 10K CHOKE/KILL LINE

COFLEXIP certifies that the results of the test and controls performed on the above mentioned flexible pipe is as follows:

Internal Diameter	3	inches
Length	30.83	feet
Working Pressure	10000	psi
Test Pressure	15000	psi
As per attached recorder chart	24	hours
Test Duration		


D. J. CO INC. QUALITY CONTROL

THIRD PARTY INSPECTION FIRM OR CUSTOMER REPRESENTATIVE

DOAC 1124 Rev 2 18 Sept 09

Date Printed: 4/28/2015 1:49:43 PM

Test Configuration 12 Zone

Production Information Input

Customer ID
OFS CANADA INC.
Line S-N
K12386-2024 Q12347-202
Technician
ROY

QC Information Input

QC Insp
PAT
Witness
Yes
Special Instructions
Third Party
BY
Test Procedure
SIC 01.50

Station Information


Pressure Transducer S/N
1211570
Stable Press
15000
Cal'd Due
6/2/2025 12:00 AM
Temperature S/N
T13A
Test Press
15000
Pressure Range
0 - 30000


Station 04

Calibration


New Maximum
0.004000
Eng. Maximum
0.000000
New Maximum
0.020000
Eng. Maximum
0.000000


TV Graph







12 K12587 14/15









2,000 psi BOP Schematic




3,000 psi BOP Schematic




2M Choke Manifold Equipment



3M Choke Manifold Equipment





"I further certify that COG will comply with Rule 19.15.17 NMAC by using a Closed Loop System."