

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-07600	<input checked="" type="checkbox"/>
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name South Hobbs (G/SA)	<input checked="" type="checkbox"/>
8. Well Number 33	<input checked="" type="checkbox"/>
9. OGRID Number 157984	
10. Pool name or Wildcat Hobbs (G/SA)	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3623' KB	

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other Injection

2. Name of Operator
Occidental Permian Ltd.

3. Address of Operator
P.O. Box 4294, Houston, TX 77210

4. Well Location
 Unit Letter G : 2310 feet from the North line and 1650 feet from the East line
 Section 4 Township 19S Range 38E NMPM County Lea

HOBBS OCD
 FEB 10 2016
 RECEIVED

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

E-PERMITTING <SWD INJECTION>

CONVERSION _____ RBDMS MB

RETURN TO _____ TA QML

CSNG _____ ENVIRO _____ CHG LOC _____

INT TO PA _____ P&A NR _____ P&A R _____

OTHER:

SUBSEQUENT REPORT OF:

REMEDIAL WORK ALTERING CASING

COMMENCE DRILLING OPNS. P AND A

CASING/CEMENT JOB

OTHER: TA well

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU x Pump 50 BBLs of 10# BW dwn TBG X ND tree x NUBOP
- Pump 30 BBLs of 10# BW dwn TBG x POOH 4 1/2 lock set PKR
- POOH 124 JTS 2 3/8 IPC x 4 1/2 lock set PKR
- RIH 4 1/2 CIBP, 10 JTS 2 3/8 IPC, 3 SKS CMT, seating nipple, 115 JTS 2 3/8 IPC
- Set CIBP @ 3920' x PUMP 20 BBLs 10# BW
- RIH 10 JTS to tag CMT @ 3869' x circ. 70 BBLs 10# PKR FL x LD 124 JTS 2 3/8 TBG
- NDBOP x NU Flange Cap X RD X MO Location

This Approval of Temporary Abandonment Expires 12/16/2020
1st T/A!

Well is currently TA'd

Spud Date:

12/14/15

Rig Release Date:

12/16/15

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sarah Mitchell TITLE Regulatory Coordinator DATE 2/3/16

Type or print name Sarah Mitchell E-mail address: sarah_mitchell@oxy.com PHONE: 713-366-5469

For State Use Only

APPROVED BY: Maley Brown TITLE Dist Supervisor DATE 2/11/2016

Conditions of Approval (if any):

FEB 11 2016

cy


MIDNIGHT

Graphic Controls

DATE 12/16/15
BR 2221

044
South Woods # 33
30-025-07100
6.4-195-384
cd: 6. Date 12/16/15
1000 #
Start - 560M
End - 555M
30 min

[Handwritten signature]




PRINTED IN CANADA

SHOU-33

API# 30-025-07600

TWN 19-S; RNG 38-E

Water Injector



16" 70# @ 152'
cmt'd w/ 360 sxs
TOC @ Surface (Circ.)

10-3/4" 45.5# @ 1523'
cmt'd w/ 575 sxs
TOC @ Surface (Circ.)

1953 - Leak in casing at 1200'
Perf/Sqz at 1865'.
Cut off free casing and replaced w/ new

8-5/8" 36# @ 3250'
cmt'd w/ 1100 sxs
TOC @ Surface (Circ.)

6-5/8" 26# @ 3952'
cmt'd w/ 650 sxs
TOC @ Surface (Circ.)

4-1/2" 10.23# @ 3868'-4254'
cmt'd w/ 675 sxs
TOC @ TOL (tag)

New PBT @ 3869'
Bail 3 sxs cement on top of
CIBP @ 3920'
Tag TOC @ 3869'

SQZd Perfs: 4006'-4096'
OPEN Perfs @ 4128'-4190'
PBT @ 4205'
TD @ 4254'