

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-11990
5. Indicate Type of Lease STATE FEE X
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name STATE "A"
8. Well Number 001
9. OGRID Number 162683
10. Pool name or Wildcat RHODES; YATES-7-RIVERS (GAS)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well X Other

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO

3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location

Unit Letter P : 660 feet from the SOUTH line and 660 feet from the EAST line
Section 16 Township 26S Range 37E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
2,983' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON X
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT

REMEDIAL WORK
COMMENCE DRILLING OPNS
CASING/CEMENT JOB

INT TO PA PM
P&A NR
P&A R

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 7" CIBP @ 2,950'; PUMP 80 SXS. CMT. @ 2,950'-2,507' (B/ANHY., B/SALT); WOC X TAG CMT. PLUG.
- 2) CIRC. WELL W/ PXA FLUID; PRES. TEST 7" CSG. TO 500#.
- 3) PERF. X ATTEMPT TO SQZ. 70 SXS. CMT. @ 1,155'-1,000' (9-5/8" CSG.SHOE, T/SALT, T/ANHY.); WOC X TAG.
- 4) PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 75 SXS. CMT. @ 210'-3' (13" CSG.SHOE).
- 5) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM W/ A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

David A. Eyer

TITLE: AGENT

DATE: 02/09/16

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM PHONE: 432.687.3033

For State Use Only

APPROVED BY:

Paul White

TITLE

P.E.S.

DATE

02/11/2016

Conditions of Approval (if any):

FEB 12 2016


cy



Original Operator: Great Western
Successive Operator: El Paso, Meridian Oil
Burlington, Gruy
Spud Date: 10/1/1937

NO WELLFILE INFORMATION AVAILABLE
All information taken from OCD on line files

TOC Unknown



PBTD: NR'
TD: 3315'

Cimarex Energy Co. of Colorado

STATE "A" #1

660' FSL & EL

Unit P, Sec. 16, T-26-S, R-37-E, Lea Co., NM

GL:2983'

KB: ?

J PIWETZ

2/8/2016

API No. 30-025-11990

13 40#" , csg @ 160'

cmtd w/ 155 sx, cmt circ

9-5/8" 35# @ 1105'

cmtd w/ 500 sx, cmt circ

Quantity	Tubing Detail	Length	Setting Depth
	NA		10.00
			10.00
			10.00
			10.00
Total String Length		0.00	

Quantity	Rod Detail	Length
	NR	
Total String Length		0.00

7" 24# casing @ 2995' w/250 sx

Natural completion 30 MMCF/D


CIMAREX

Original Operator: Great Western
Successive Operator: El Paso, Meridian Oil
Burlington, Gruy
Spud Date: 10/1/1937

NO WELLFILE INFORMATION AVAILABLE
All information taken from OCD on line files

T/SALT/ANHY. ~ 1,050'
B/SALT ~ 2,557'
B/ANHY. ~ 2,714'

TOC Unknown



PBTD: NR'
TD: 3315'

Cimarex Energy Co. of Colorado

STATE "A" #1

660' FSL & EL

Unit P, Sec. 16, T-26-S, R-37-E, Lea Co., NM

GL:2983'

KB: ?

J PIWETZ

2/8/2016

API No. 30-025-11990

13 40#", csg @ 160'

cmtd w/ 155 sx, cmt circ

PERF. X CIRC. 75 SXs. @ 210'-3'

9-5/8" 35# @ 1105'

cmtd w/ 500 sx, cmt circ

PERF. X SQ2. 70 SXs. @ 1155'-1000'-TAG

Pump 80 SXs. @ 2950'-2507'-TAG

SET 7" CIBP @ 2950'

7" 24# casing @ 2995' w/250 sx

Natural completion 30 MMCF/D

DAE 02/09/16