				OCD-HO	2002	
	UNITED STATES EPARTMENT OF THE IN			FORM	A APPROVED NO. 1004-0135 s: July 31, 2010	
BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS			5. Lease Serial No. NMNM19143			
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				<ol> <li>If Unit or CA/Agreement, Name and/or N</li> <li>8. Well Name and No. RIO BLANCO 4 FEDERAL COM 3</li> </ol>		
1. Type of Well Gas Well Gas Well Other: INJECTION						
2. Name of Operator DEVON ENERGY CORPORA	Contact: 9	SANDRA D FARLEY	OCD	9. API Well No. 30-025-36425	/	
3a. Address PO BOX 250		3b. Phone No. (include area code) Ph: 575-746-5587 FEB 1 6 2016		10. Field and Pool, or Exploratory DEVONIAN		
ARTESIA, NM 88211 4. Location of Well (Footage, Sec., T., R., M., or Survey Descriptio		FEB 10 2010		11. County or Parish	and State	
	FSL \$1650 \$	PEL RECE	IVED	LEA COUNTY,		
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, R	EPORT, OR OTHE	ER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION				
□ Notice of Intent	Acidize	Deepen	Product	ion (Start/Resume)	□ Water Shut-C	
Subsequent Report	Alter Casing	Fracture Treat	Reclam		Well Integrity	
	Casing Repair	New Construction	Recom		Other	
Final Abandonment Notice	Change Plans	<ul> <li>Plug and Abandon</li> <li>Plug Back</li> </ul>	Tempor Water I	arily Abandon Disposal		
13. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the Begarding planned job to rem	ally or recomplete horizontally, g rk will be performed or provide t d operations. If the operation rest bandonment Notices shall be filed final inspection.)	tive subsurface locations and meas he Bond No. on file with BLM/BI alts in a multiple completion or rea d only after all requirements, inclu	A. Required sub completion in a	ertical depths of all perti bsequent reports shall be new interval, a Form 31	nent markers and zone e filed within 30 days 60-4 shall be filed one	
If the proposal is to deepen direction Attach the Bond under which the wc following completion of the involved testing has been completed. Final A	ally or recomplete horizontally, g rk will be performed or provide t d operations. If the operation resu bandonment Notices shall be filed final inspection.)	ive subsurface locations and meas he Bond No. on file with BLM/BI ults in a multiple completion or red d only after all requirements, inclu e with acid: on coil tubing and pull produ	ured and true vo A. Required su completion in a r ding reclamation	ertical depths of all perti bsequent reports shall be new interval, a Form 31	nent markers and zone e filed within 30 days 60-4 shall be filed onc	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involver testing has been completed. Final A determined that the site is ready for the Regarding planned job to rem 4/24/15- Discovered 50 psi or	ally or recomplete horizontally, g ork will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) hove fill and clean open hole n casing, decided to abando	ive subsurface locations and meas he Bond No. on file with BLM/BI lits in a multiple completion or red only after all requirements, inclu e with acid: on coil tubing and pull produ SUBJECT TO I	ured and true ve A. Required su completion in a i ding reclamation uction tubing	rtical depths of all perti bsequent reports shall b new interval, a Form 31 n, have been completed,	nent markers and zone e filed within 30 days 60-4 shall be filed onc	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 Regarding planned job to rem 4/24/15- Discovered 50 psi or 4/29/15- Casing tested good 5/5/15- cleaned out fill with bit	ally or recomplete horizontally, g ork will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) hove fill and clean open hole n casing, decided to abando	ive subsurface locations and meas he Bond No. on file with BLM/BI ults in a multiple completion or red d only after all requirements, inclu e with acid: on coil tubing and pull produ	ured and true ve A. Required su completion in a i ding reclamation uction tubing	rtical depths of all perti bsequent reports shall b new interval, a Form 31 n, have been completed,	nent markers and zone e filed within 30 days 60-4 shall be filed one	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the Regarding planned job to rem 4/24/15- Discovered 50 psi or 4/29/15- Casing tested good	ally or recomplete horizontally, g ork will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) hove fill and clean open hole in casing, decided to abando tubing loycore, 29 joints 3 1/2 inch	ive subsurface locations and meas he Bond No. on file with BLM/BI ults in a multiple completion or rea d only after all requirements, inclu e with acid: on coil tubing and pull produ SUBJECT TO I APPROVAL B	ured and true vo A. Required su completion in a r ding reclamation uction tubing LIKE Y STATE	rtical depths of all perti bsequent reports shall b new interval, a Form 31 n, have been completed,	nent markers and zone e filed within 30 days 60-4 shall be filed onc	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the Regarding planned job to rem 4/24/15- Discovered 50 psi or 4/29/15- Casing tested good 5/5/15- cleaned out fill with bith 5/6/15- Discovered damaged 5/21/15- RIH with 323 joints p 64 joints 2 7/8 inch ultratube.	ally or recomplete horizontally, g ork will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) hove fill and clean open hole in casing, decided to abando tubing loycore, 29 joints 3 1/2 inch Replaced 5 bad collars and s true and correct. Electronic Submission #30 For DEVON ENE Committed to AFMSS for	ive subsurface locations and meas he Bond No. on file with BLM/BI ults in a multiple completion or red d only after all requirements, inclu e with acid: on coil tubing and pull produ SUBJECT TO I APPROVAL B' h enertube,38 joints 2 7/8 in d set packer at 14,420 feet.	ured and true vo A. Required su completion in a in ding reclamation uction tubing LIKE Y STATE ch enertube, ell Information o the Hobbs NEZ on 08/19/	rtical depths of all perti bsequent reports shall b new interval, a Form 31 n, have been completed, FNT System 2015 ()	nent markers and zone e filed within 30 days 60-4 shall be filed once	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the Regarding planned job to rem 4/24/15- Discovered 50 psi or 4/29/15- Casing tested good 5/5/15- cleaned out fill with bith 5/6/15- Discovered damaged 5/21/15- RIH with 323 joints p 64 joints 2 7/8 inch ultratube.	ally or recomplete horizontally, g ork will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) hove fill and clean open hole in casing, decided to abando tubing loycore, 29 joints 3 1/2 inch Replaced 5 bad collars and s true and correct. Electronic Submission #30 For DEVON ENE Committed to AFMSS for	ive subsurface locations and meas he Bond No. on file with BLM/BI ults in a multiple completion or red d only after all requirements, inclu e with acid: on coil tubing and pull produ SUBJECT TO I APPROVAL B' h enertube,38 joints 2 7/8 in d set packer at 14,420 feet.	ured and true ve A. Required su completion in a i ding reclamation uction tubing LIKE Y STATE ch enertube,	rtical depths of all perti bsequent reports shall b new interval, a Form 31 n, have been completed, FNT System 2015 ()	nent markers and zone e filed within 30 days 60-4 shall be filed once	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the Regarding planned job to rem 4/24/15- Discovered 50 psi or 4/29/15- Casing tested good 5/5/15- cleaned out fill with bith 5/6/15- Discovered damaged 5/21/15- RIH with 323 joints p 64 joints 2 7/8 inch ultratube.	ally or recomplete horizontally, g ork will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) hove fill and clean open hole in casing, decided to abando tubing loycore, 29 joints 3 1/2 inch Replaced 5 bad collars and s true and correct. Electronic Submission #30 For DEVON ENE Committed to AFMSS for D FARLEY Submission)	ive subsurface locations and meas he Bond No. on file with BLM/BI lits in a multiple completion or red d only after all requirements, inclu e with acid: on coil tubing and pull produ SUBJECT TO I APPROVAL B' n enertube,38 joints 2 7/8 in d set packer at 14,420 feet.	ured and true vo A. Required su completion in a ri ding reclamation action tubing LIKE Y STATE ch enertube, ell Information o the Hobbs NEZ on 08/19/ ADMIN SUP	rtical depths of all perti bsequent reports shall b new interval, a Form 31 n, have been completed, System 2015 () PORT	nent markers and zone e filed within 30 days 60-4 shall be filed onc	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 Regarding planned job to rem 4/24/15- Discovered 50 psi or 4/29/15- Casing tested good 5/5/15- cleaned out fill with bit 5/6/15- Discovered damaged 5/21/15- RIH with 323 joints p 64 joints 2 7/8 inch ultratube.	ally or recomplete horizontally, g ork will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) hove fill and clean open hole in casing, decided to abando tubing loycore, 29 joints 3 1/2 inch Replaced 5 bad collars and s true and correct. Electronic Submission #30 For DEVON ENE Committed to AFMSS for D FARLEY Submission)	ive subsurface locations and meas he Bond No. on file with BLM/BI list in a multiple completion or red only after all requirements, inclu e with acid: on coil tubing and pull produ SUBJECT TO I APPROVAL B' h enertube,38 joints 2 7/8 in d set packer at 14,420 feet.	ured and true vo A. Required su completion in a ri ding reclamation action tubing LIKE Y STATE ch enertube, ell Information o the Hobbs NEZ on 08/19/ ADMIN SUP	rtical depths of all perti bsequent reports shall b new interval, a Form 31 n, have been completed, System 2015 () PORT	nent markers and zone e filed within 30 days 60-4 shall be filed onc	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 Regarding planned job to rem 4/24/15- Discovered 50 psi or 4/29/15- Casing tested good 5/5/15- cleaned out fill with bit 5/6/15- Discovered damaged 5/21/15- RIH with 323 joints p 64 joints 2 7/8 inch ultratube.	ally or recomplete horizontally, g ork will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) hove fill and clean open hole in casing, decided to abando tubing loycore, 29 joints 3 1/2 inch Replaced 5 bad collars and s true and correct. Electronic Submission #30 For DEVON ENE Committed to AFMSS for D FARLEY Submission)	ive subsurface locations and meas he Bond No. on file with BLM/BI lits in a multiple completion or red d only after all requirements, inclu e with acid: on coil tubing and pull produ SUBJECT TO I APPROVAL B' n enertube,38 joints 2 7/8 in d set packer at 14,420 feet.	ured and true vo A. Required su completion in a ri ding reclamation action tubing LIKE Y STATE ch enertube, ell Information o the Hobbs NEZ on 08/19/ ADMIN SUP	rtical depths of all perti bsequent reports shall b new interval, a Form 31 n, have been completed, System 2015 () PORT	nent markers and zone e filed within 30 days 60-4 shall be filed onc	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for 1 Regarding planned job to rem 4/24/15- Discovered 50 psi or 4/29/15- Casing tested good 5/5/15- cleaned out fill with bit 5/6/15- Discovered damaged 5/21/15- RIH with 323 joints p 64 joints 2 7/8 inch ultratube. 14. I hereby certify that the foregoing is Name ( <i>Printed/Typed</i> ) SANDRA Signature (Electronic S	ally or recomplete horizontally, g ork will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) hove fill and clean open hole in casing, decided to abando tubing loycore, 29 joints 3 1/2 inch Replaced 5 bad collars and s true and correct. Electronic Submission #30 For DEVON ENE Committed to AFMSS for D FARLEY Submission) THIS SPACE FOR d. Approval of this notice does n uitable title to those rights in the s	ive subsurface locations and meas he Bond No. on file with BLM/BI list in a multiple completion or red only after all requirements, inclu e with acid: on coil tubing and pull produ SUBJECT TO I APPROVAL B n enertube,38 joints 2 7/8 in d set packer at 14,420 feet. 06875 verified by the BLM We RGY CORPORATION, sent t r processing by LINDA JIMEI Title FIELD Date 06/25/2 R FEDERAL OR STATE	ured and true vo A. Required su completion in a ri ding reclamation action tubing LIKE Y STATE ch enertube, ell Information o the Hobbs NEZ on 08/19/ ADMIN SUP	A System 2015 () PORT	RECORD	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for 1 Regarding planned job to rem 4/24/15- Discovered 50 psi or 4/29/15- Casing tested good 5/5/15- cleaned out fill with bit 5/6/15- Discovered damaged 5/21/15- RIH with 323 joints p 64 joints 2 7/8 inch ultratube. 14. I hereby certify that the foregoing is Name ( <i>Printed/Typed</i> ) SANDRA Signature (Electronic S Approved By Conditions of approval, if any, are attache ertify that the applicant holds legal or equilibria would entitle the applicant to condu Title 18 U.S.C. Section 1001 and Title 43	ally or recomplete horizontally, g prk will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) nove fill and clean open hole in casing, decided to abando a casing, decided to abando tubing loycore, 29 joints 3 1/2 inch Replaced 5 bad collars and s true and correct. Electronic Submission #30 For DEVON ENE Committed to AFMSS for D FARLEY Submission) THIS SPACE FOR d. Approval of this notice does n uitable title to those rights in the s ict operations thereon. U.S.C. Section 1212, make it a cr	ive subsurface locations and meas he Bond No. on file with BLM/BI list in a multiple completion or red d only after all requirements, inclu e with acid: on coil tubing and pull produ SUBJECT TO I APPROVAL B' n enertube,38 joints 2 7/8 in d set packer at 14,420 feet. 06875 verified by the BLM We RGY CORPORATION, sent t r processing by LINDA JIMEN Title FIELD Date 06/25/2 R FEDERAL OR STATE	ured and true vo A. Required su completion in a r ding reclamation action tubing LIKE Y STATE Ch enertube, Ch enertube, ADMIN SUP 2015 OFFICE (Contemport Contemport	system 2015 () PORT	RECORD Date 2016	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for 1 Regarding planned job to rem 4/24/15- Discovered 50 psi or 4/29/15- Casing tested good 5/5/15- cleaned out fill with bit 5/6/15- Discovered damaged 5/21/15- RIH with 323 joints p 64 joints 2 7/8 inch ultratube. 14. I hereby certify that the foregoing is Name ( <i>Printed/Typed</i> ) SANDRA Signature (Electronic S Approved By Conditions of approval, if any, are attache ertify that the applicant holds legal or equivice would entitle the applicant to condu	ally or recomplete horizontally, g prk will be performed or provide ti d operations. If the operation rest bandonment Notices shall be filed final inspection.) hove fill and clean open hole in casing, decided to abando tubing loycore, 29 joints 3 1/2 inch Replaced 5 bad collars and s true and correct. Electronic Submission #30 For DEVON ENE Committed to AFMSS for D FARLEY Submission) THIS SPACE FOI d. Approval of this notice does n uitable title to those rights in the s ict operations thereon. U.S.C. Section 1212, make it a cr statements or representations as to	ive subsurface locations and meas he Bond No. on file with BLM/BI list in a multiple completion or red only after all requirements, inclu e with acid: on coil tubing and pull produ SUBJECT TO I APPROVAL B n enertube,38 joints 2 7/8 in d set packer at 14,420 feet. 06875 verified by the BLM We RGY CORPORATION, sent t r processing by LINDA JIMEN Title FIELD Date 06/25/2 R FEDERAL OR STATE Office rime for any person knowingly and o any matter within its jurisdiction	ured and true vo A. Required su completion in a r ding reclamation action tubing LIKE Y STATE Ch enertube, ch enertube, ell Information o the Hobbs NEZ on 08/19/ ADMIN SUP 2015 OFFICE (C	AN 27 AN	RECORD Date 2016 Date 2016 Date Date 2016	

## Additional data for EC transaction #306875 that would not fit on the form

## 32. Additional remarks, continued

5/26/15- Pumped 6,000 gallons HCL to clean up open hole, not perfed 5/28/15- MIT approved by BLM

BS 2/16/14

## FOR RECORD ONLY

