SUNDRY NOTICES AND REPORTS ON WELLS 5. Lease Senal No. MMLC065194 Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. 6. If Indian, Allottee or Tribe Name SUBMIT IN TRIPLICATE - Other instructions on reverse side. 7. If Unit or CA/Agreement, Name and/or N SUBMIT IN TRIPLICATE - Other instructions on reverse side. 7. If Unit or CA/Agreement, Name and/or N SUBMIT IN TRIPLICATE - Other instructions on reverse side. 7. If Unit or CA/Agreement, Name and/or N Submotion of Well Gas Well Other Name of Operator ENDURANCE RESOURCES LLC Contact: PEGGY REDMAN E-Mail: peggy@enduranceresourcesilc.com 9. API Well No. 30-025-42917 3a. Address 203 WEST WALL STREET SUITE 1000 Bb. Phone No. (include area code) Ph: 432-242-4680 10. Field and Pool, or Exploratory BELL LAKE BONE SPRING N 4. Location of Well (Footage, Sec., T. R., M., or Survey Description) 11. County or Parish, and State LEA COUNTY, NM 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Acidize Deepen Production (Start/Resume) Water Shut-O	B	ITED STATES	TEDIOD	OMBIN	I APPROVED NO. 1004-0135 :: July 31, 2010
Do not use this form for propositis to diffi or to re-enter an abandonout will be form 3003 (APD) for subpropositis. 6. If Indian. Allotuse or Yritle Name SUBMT IN TRIPLICATE - Other instructions on reverse side. 1. If Unit or CAApreement, Name and/tex- SUBMT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well 8. Well Name and Name 8. Well	SUNDRY	NOTICES AND REPO	RTS ON WELLS		
COLUMITY THAT LOATE - Cutter MatriceLoting on Period State. Colling That Loate - Cutter MatriceLoting on Period State. Subscreen - State	Do not use thi abandoned we	is form for proposals to II. Use form 3160-3 (API	drill or to re-enter an D) for such proposals.	6. If Indian, Atlottee	or Tribe Name
So thi well Context: PEGGY REDMAN STARECTORY ACSTER 10 FEDERAL 3H 2 Name of Operation 9, APT Woll No. 9, APT Woll No. 3a. Addition 9, APT Woll No. 9, APT Woll No. 9, APT Woll No. 3b. Addition 9, APT Woll No. 9, APT Woll No. 9, APT Woll No. 3b. Addition 9, APT Woll No. 9, APT Woll No. 9, APT Woll No. 3c. Addition 9, APT Woll No. 9, APT Woll No. 9, APT Woll No. 3c. Addition Provide Start 155 FNL 1980 FEL 10, Fred and Poul of Explorating 11, Country or Parish, and State 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF NUBMICE RESOUNCE (Submission) Water Shat-O 13. Needer Intern Activity Casing Repair New Construction Recomplete Brilling Operation 13. Stochev Proposed or Completed Operation (Casing Repair New Construction Recompleter Deposad Brilling Operation 13. Beechev Proposed or Completed Operation (Casing Repair New Construction Recompleter Manual Manual Manual Proposition Brilling Operation 14. Thereby certify that the foregoing is the ad certext. Electronic Submission #328237 vortifet bay the Shate Of any proposed woreconde the data the	SUBMIT IN TRI	PLICATE - Other instruc	tions on reverse side.	7. If Unit or CA/Agr	cement, Name and/or N
ENDURANCE RESOURCES LLC E-Mail: peggy@enduranceresourcesil.com 39-0224-24917 3a. Address 10. Field and Ruo, or Cytriontery MIDLAND, TX 79701 10. Field and Ruo, or Cytriontery BELL LAKE BONE SPRING N 4. Location of Well (Panage, Sre. 7, R. M. or Survey Decreption) 11. County or Parish, and State LEA COUNTY, NM 5. et al 723S R34E 155FNL 1980FEL 11. County or Parish, and State LEA COUNTY, NM 1.2. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Image: State 155FNL 1980FEL Image: State 155FNL 1980FEL		1cr .			
203 WEST WALL STREET SUITE 1000 Ph: 432-242-4680 BELL LAKE BONE SPRING N 4. Location of Well (Provage, Sec. 7, R, M, or Survey Description) 11. County or Parish, and State Sec 18 T23S R34E 155FNL 1980FEL LLAKE BONE SPRING N 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Actidize Subsequent Report Casing Repair Subsequent Report Casing Repair Final Abandonment Notice Conside Provide to Injection Conside of Completed Operation (clearly state all peritorend desist, including estimated starting date of any proposed work and approximate duration theoretisting is been completed. Other 13. Detective Proposed of Completed Operation (clearly state all peritorend desist, including estimated starting date of any proposed work and approximate duration theoretisting is been completed. Other 13. Detective Proposed of Completed Operation of the operation mask is an unbilly completion of the involve operation. Total and clearly state all peritorend desist, including estimated starting date of any proposed work and approximate duration theoretisting is been completed. 14. Thereby certify that the foregoing is true and certeret. Electronic Submission #328237 worlife by the BLM Well Information System For ENDURANCE RESOURCES LLC, sent to the Hobbis. 14. Thereby certify that the foregoing is	2. Name of Operator ENDURANCE RESOURCES				
	203 WEST WALL STREET SI	UITE 1000	Ph: 432-242-4680		
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Onlice of Intent Acidize Deepen Production (Start/Resume) Water Shat-O Subsequent Report Csing Repair New Construction Recomplete Other Subsequent Report Csing Repair New Construction Recomplete Other 13. Describe Trapsed or Completed Operation (clearly sate all perintern details, including estimated starting due of any proposed work and approximate duration there in the proposal is to deepen directly entroped work and approximate duration there in the proposal is to deepen directly entroped work and approximate duration there in the operation resonance and true vertical dights of all perinem details, including estimated starting due of any proposed work and approximate duration there in the proposal is to deepen directly entroped work and approximate duration there is in study of completion of the intropes of all perinem details in a nutifie completion or the intropication of a nutified with BLMBIA. Request stabsequent reports shall be filed with BLMBIA. Requestabseq Stabsequent reports stabset stabset StabseqUE s		. R., M., or Survey Description,		11. County or Parish.	, and State
TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Acidize Deepen Production (Start/Resume) Water Shul-O Subsequent Report Casing Repair New Construction Recomplete Solder provide the start of the sta	Sec 18 T23S R34E 155FNL 1	LEA COÙNTY,			
Notice of Intent Acidize Despen Production (Start/Resume) Water Shut-O Water Shut-O Casing Repair New Construction Reclamation Well Integring Final Abandonment Notice Casing Repair Plug and Abandon Temporarily Abandon Other 13. Describe Proposed or Completed Operation (clearly state all perineen details, including estimated starting date of any proposed work and approximate duration thereo Mater Shut-O Temporarily Abandon 13. Describe Proposed or Completed Operation (clearly state all perineen details, including estimated starting date of any proposed work and approximate duration thereo If the proposal is to despen directionally or recomplete in or recompletion or recompletion in a new interval, a form 3160-4 shall be filed oright and the work will be perinder or period or provide the Bond No. of lifew with BMABLA Required subsequent reports shall be filed oright and shadone has the site is ready for final inspection. 12.2-2.016 MiRU Charger Services. Spud at 6:00 a.m. Drill 17.1/2" holg to 1055; Run 25 joints 13.3/8/54.5# J-55 STC casing set at 1095; Cament lead; <u>35.64.58 d-55 STC casing set at 1095; Cament lead; <u>35.64.58 d-55 STC casing set at 1095; Cament lead; <u>35.64.58 d-55 STC casing set at 1095; Cament lead; <u>35.64.58 d-55 STC casing set at 1095; Cament lead; <u>35.64.58 d-55 STC casing set at 1095; Cament lead; <u>35.64.58 d-55 STC casing set at 1095; Cament lead; 35.64.58 d-55 STC casing set at 1095; Cament lead; <u>35.64.58 d-55 STC casing set at 1095; Cament lead; 35.64.58 d-55 STC casing set at 1095; Cament lead; <u>35.64.58 d-55 STC casing set at 1095; Cament lead; 35.64</u></u></u></u></u></u></u></u>	12. CHECK APPI	ROPRIATE BOX(ES) TO) INDICATE NATURE OF 1	NOTICE, REPORT, OR OTHE	ER DATA
Avoide of infent Alter Casing Fracture Treat Reclamation Well Integrity Subsequent Report Casing Repair New Construction Recomplete Convert to Injection Plug and Abandon Temporarily Abandon Difling Operation Convert to Injection Conver	TYPE OF SUBMISSION		TYPE OI	FACTION	<u></u>
Subsequent Report Casing Repair Cas	Notice of Intent	🗖 Acidize	Deepen	Production (Start/Resume)	U Water Shut-O
Casing Repair Pinal Abandonment Notice Casing Repair Convert to Injection Plug and Abandon Temporarily Abandon Temporarily Abandon Convert to Injection Plug Back Water Disposal Convert to Injection Plug Back Convert to Injection Convert to Injection Plug Back Convert to Injection Plug Back Convert to Injection Convert to Injecti Convert to Injection Convert to Inject	- · ·	Alter Casing	Fracture Treat	Reclamation	🗖 Well Integrity
14. 11 hereby certify that the foregoing is true and correct. Electronic Submission 14. 11 hereby certify that the foregoing is true and correct. Electronic Submission 14. 11 hereby certify that the foregoing is true and correct. Electronic Submission 14. 11 hereby certify that the foregoing is true and correct. Electronic Submission 14. 11 hereby certify that the foregoing is true and correct. Electronic Submission 14. 11 hereby certify that the foregoing is true and correct. Electronic Submission 14. 11 hereby certify that the foregoing is true and correct. Electronic Submission 14. 11 hereby certify that the foregoing is true and correct. Electronic Submission 14. 11 hereby certify that the foregoing is true and correct. Electronic Submission #328237 verified by the BLM Well Information System For ENDURANCE RESOURCES LLC, sent to the Hobbs Name (Printed/T)ped) MANNY SIRGO III Title THIS SPACE FOR FEEDERAL OR STATE OFFICE USE, MANNE RESOURCES LLC, sent to the Hobbs Accret PTED FOR/RECORPO Signature (Electronic Submission) Date 01/11/2016 14. 11 hereby certify that the foregoing is true and correct. Electronic Submission Accret PTED FOR/RECORPO Signature (Electronic Submission) Date 01/11/2016 Accret PTED FOR/RECORPO	Subsequent Report	Casing Repair	New Construction	Recomplete	
13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereo If the proposal is to decrea directionally or recomplete horizontally, give subsurface locations and massared and true vertical depths of all pertinent markers and zone- Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BLA. Required subsequent reports shall be filed with 30 days following completion or the involved operations. If the operation results in a multiple completion or completion in a new interval, a Form 31604-shall be filed once testing has been completed. Final Anothenment Notices shall be filed once testing has been completed. Final Anothenment Notices shall be filed once testing has been completed. Final Anothenment Notices shall be filed once at start the been completed. Final Anothenment Notices shall be filed once testing has been completed. Final Anothenment Notices shall be filed once at start the state start for final inspection.) 12-2-2015 MI&RU Charger Services. Spud at 6:00 a.m. Drill 17-1/2" hole to 1095; Run 25 joints 13-3/8° 54.5# J-55 STC casing set at 1095. Cement lead: <u>520 sacks Class C</u> 13.7 ppg 105 bbls. Slurry, MW 8.88 gal/sack. Tail: <u>525 sacks Class C</u> 14.8 ppg 124 bbls. slurry, MW 6.34 gal/sack. Displaced with 157 bbls. FW. Circulater 120 sacks to surface. WOC. 14. 1 hereby certify that the foregoing is true and correct. Electronic Submission #328237 verified by the BLM Well Information System For ENDURANCE RESOURCES LLC, sent to the Hobbs Name (Printed/T)ped) MANNY SIRGO III Title ENGINEER Approved By Conditions of approval, if any, are attached. Approval of this notice does not warrant or entify that the applicant holds legal or equitable title to those rights in the subject lease Office Offic	Final Abandonment Notice	Change Plans	Plug and Abandon	Temporarily Abandon	Drilling Operation
If the proposal is to decien directionally or recomplete horizontally, give subsurface locations and measured and true vertical deptits of all pertinent markers and zone Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BLA. Required subsequent reports shall be filed avitin 30 days following completion or the involved operations. If the operation results in a multiple completion or accompletion in a new interval, a Porm 31604 shall be filed once, esting has been completed. Final Abandement Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) 12-2-2015 MI&RU Charger Services. Spud at 6:00 a.m. Drill 17-1/2" hole to 1095; Run 25 joints 13-38: 54.5#, J-55 STC casing set at 1095; Cernent lead: 350 sacks Class C 13.7 prog. 105 bbls. Slurry, MW 8.88 gal/sack. Tail: <u>525 sacks Class C 14.8 prog 124 bbls</u> . slurry, MW 6.34 gal/sack. Displaced with 157 bbls. FW. Circulater 120 sacks to surface. WOC: 14. 1 hereby certify that the foregoing is true and correct. <u>Electronic Submission #328237 verified by the BLM Well Information System For ENDURANCE RESOURCES LLC, sent to the Hobbs</u> . Name (<i>Printed/T</i>)ped) MANNY SIRGO III Title ENGINEER <u>Acc CEP TED FOR RECOPPO</u> <u>Signature</u> (Electronic Submission) Date 01/11/2016 <u>THIS SPACE FOR FEDERAL OR STATE OFFICE USE, MARK OFFICE USE, MAR</u>	-	Convert to Injection	Plug Back	Water Disposal	
Electronic Submission #328237 verified by the BLM Well Information System For ENDURANCE RESOURCES LLC, sent to the Hobbs Name (Printed/Typed) MANNY SIRGO III Title ENGINEER Signature (Electronic Submission) Date 01/11/2016 THIS SPACE FOR FEDERAL OR STATE OFFICE USE Approved By Title Title Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title Office Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfally to make to any department or agency of the United	determined that the site is ready for find the s	bandonment Notices shall be file inal inspection.) ervices. Spud at 6:00 a.m.	ed only after all requirements, includ Drill <u>17-1/2" hole</u> to <u>1095'</u> . Ri	ling reclamation, have been completed un 25 joints	60-4 shall be filed once , and the operator has
Electronic Submission #328237 verified by the BLM Well Information System For ENDURANCE RESOURCES LLC, sent to the Hobbs Name (Printed/Typed) MANNY SIRGO III Title ENGINEER Signature (Electronic Submission) Date 01/11/2016 THIS SPACE FOR FEDERAL OR STATE OFFICE USE USE 2 / 2016 Approved By Title Title MANDIMATIACEMENT Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title Office Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United Office	determined that the site is ready for f 12-2-2015 MI&RU Charger Se 13-38" 54 5# L55 STC casing	bandonment Notices shall be file inal inspection.) ervices. Spud at 6:00 a.m.	ed only after all requirements, includ Drill <u>17-1/2" hole</u> to <u>1095'</u> . Ri	ling reclamation, have been completed un 25 joints	60-4 shall be filed once , and the operator has
Signature (Electronic Submission) Date 01/11/2016 ACCEPTED FOR RECORD THIS SPACE FOR FEDERAL OR STATE OFFICE USE Approved By Title Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title Office Office Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United	determined that the site is ready for f 12-2-2015 MI&RU Charger Se 13-38" 54 5# L55 STC casing	bandonment Notices shall be file inal inspection.) ervices. Spud at 6:00 a.m.	ed only after all requirements, includ Drill <u>17-1/2" hole</u> to <u>1095'</u> . Ri	ling reclamation, have been completed un 25 joints	60-4 shall be filed once , and the operator has
Signature (Electronic Submission) Date 01/11/2016 THIS SPACE FOR FEDERAL OR STATE OFFICE USE TAN 2 1/2016 Approved By Title Title Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title Office Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United	determined that the site is ready for f 12-2-2015 MI&RU Charger Se 13-3/8" 54.5# J-55 STC casin Slurry, MW 8.88 gal/sack. Tail Displaced with 157 bbls. FW.	andonment Notices shall be file inal inspection.) ervices. Spud at 6:00 a.m. g set at 1095'. Cement lea 525 sacks Class C 14.8 Circulated 120 sacks to s	ed only after all requirements, includ Drill <u>17-1/2" hole</u> to <u>1095</u> ', Ri ad: <u>350 sacks</u> C <u>lass</u> <u>C</u> 13.7 pp ppg, 124 bbls. slurry, MW 6.3 urface. WOC.	ling reclamation, have been completed un 25 joints bg, 105 bbls. 14 gal/sack.	60-4 shall be filed once , and the operator has
THIS SPACE FOR FEDERAL OR STATE OFFICE USE IAN 2 1/2016	determined that the site is ready for fi 12-2-2015 MI&RU Charger Se 13-3/8" 54.5# J-55 STC casing slurry, MW 8.88 gal/sack. Tail. Displaced with 157 bbls. FW.	andonment Notices shall be file inal inspection.) ervices. Spud at 6:00 a.m. g set at 1095'. Cement lea : <u>525 sacks Class C 14.8</u> Circulated 120 sacks to s Circulated 120 sacks to s	ed only after all requirements, includ Drill <u>17-1/2" hole</u> to <u>1095</u> ; Ri ad: <u>350 sacks</u> C <u>lass</u> <u>C</u> 13.7 pp ppg, 124 bbls. slurry, MW 6.3 urface. WOC. 328237 verified by the BLM Wel CE RESOURCES LLC, sent to	ling reclamation, have been completed un 25 joints bg, 105 bbls. 14 gal/sack. Il Information System the Hobbs	, and the operator has
Approved By	determined that the site is ready for fi 12-2-2015 MI&RU Charger Se 13-3/8" 54.5# J-55 STC casing slurry, MW 8.88 gal/sack. Tail. Displaced with 157 bbls. FW. 14. Thereby certify that the foregoing is Name (Printed/Typed) MANNY S	andonment Notices shall be file inal inspection.) ervices. Spud at 6:00 a.m. g set at 1095'. Cement lea : <u>525 sacks Class C 14.8</u> Circulated 120 sacks to s Circulated 120 sacks to s for current. Electronic Submission # For ENDURAN	ed only after all requirements, includ Drill <u>17-1/2" hole</u> to <u>1095'</u> , Ri ad: <u>350 sacks</u> C <u>lass</u> C <u>13</u> ,7 pp ppg, 124 bbls. slurry, MW 6.3 urface. WOC. 328237 verified by the BLM Wel CE RESOURCES LLC, sent to Title ENGIN	Ing reclamation, have been completed un 25 joints bg, 105 bbls. 4 gal/sack. Il Information System the Hobbs EER ACCEPTED FOR/RE	, and the operator has
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office Office Office Office Office Office	determined that the site is ready for fi 12-2-2015 MI&RU Charger Se 13-3/8" 54.5# J-55 STC casing slurry, MW 8.88 gal/sack. Tail. Displaced with 157 bbls. FW. 14. Thereby certify that the foregoing is Name (Printed/Typed) MANNY S	andonment Notices shall be file inal inspection.) ervices. Spud at 6:00 a.m. g set at 1095'. Cement lea : <u>525 sacks Class C 14.8</u> Circulated 120 sacks to s firculated 120 sacks to s Submission # For ENDURAN Submission)	ed only after all requirements, includ Drill <u>17-1/2" hole</u> to <u>1095'</u> , Ri ad: <u>350 sacks</u> C <u>lass</u> C <u>13.7</u> pp pp, <u>124 bbls. slurry, MW 6.3</u> urface. WOC. <u>328237 verified by the BLM Wel</u> CE RESOURCES LLC, sent to <u>Title ENGINI</u> Date <u>01/11/2</u>	Ing reclamation, have been completed un 25 joints bg, 105 bbls. 4 gal/sack. Il Information System the Hobbs EER ACCEPTED FOR RE 016 OFFICE USE	, and the operator has
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United	determined that the site is ready for fi 12-2-2015 MI&RU Charger Se 13-3/8" 54.5# J-55 STC casing slurry, MW 8.88 gal/sack. Tail. Displaced with 157 bbls. FW. 14. Thereby certify that the foregoing is Name (Printed/Typed) MANNY S	andonment Notices shall be file inal inspection.) ervices. Spud at 6:00 a.m. g set at 1095'. Cement lea : <u>525 sacks Class C 14.8</u> Circulated 120 sacks to s firculated 120 sacks to s Submission # For ENDURAN Submission)	ed only after all requirements, includ Drill <u>17-1/2" hole</u> to <u>1095'</u> , Ri ad: <u>350 sacks</u> C <u>lass</u> C <u>13.7</u> pp pp, <u>124 bbls. slurry, MW 6.3</u> urface. WOC. <u>328237 verified by the BLM Wel</u> CE RESOURCES LLC, sent to <u>Title ENGINI</u> Date <u>01/11/2</u>	Ing reclamation, have been completed un 25 joints bg, 105 bbls. 4 gal/sack. Il Information System the Hobbs EER ACCEPTED FOR RE 016 OFFICE USE	, and the operator has
	determined that the site is ready for fi 12-2-2015 MI&RU Charger Se 13-3/8" 54.5# J-55 STC casing slurry, MW 8.88 gal/sack. Tail. Displaced with 157 bbls. FW. 14. I hereby certify that the foregoing is Name (<i>Printed/T</i>)/ped) MANNY S Signature (Electronic S Signature (Electronic S Conditions of approval, if any, are attache- zertify that the applicant holds leeal or con	andonment Notices shall be file inal inspection.) ervices. Spud at 6:00 a.m. g set at 1095'. Cement lea : 525 sacks Class C 14.8 Circulated 120 sacks to s for culated 120 sacks to s Submission # For ENDURAN Submission) THIS SPACE FC d. Approval of this notice does itable title to those rights in the	ed only after all requirements, includ Drill <u>17-1/2" hole</u> to <u>1095'</u> , Ri ad: <u>350 sacks</u> Class C 13.7 pp ppg, 124 bbls. slurry, MW 6.3 urface. WOC. <u>328237 verified by the BLM Wel</u> CE RESOURCES LLC, sent to <u>Title ENGINE</u> Date 01/11/2 DR FEDERAL OR STATE <u>Title</u> not warrant or subject lease	Ing reclamation, have been completed un 25 joints bg, 105 bbls. 4 gal/sack. Il Information System the Hobbs EER ACCEPTED FOR RE 016 OFFICE USE N 2 1/ 2016	, and the operator has
	determined that the site is ready for fi 12-2-2015 MI&RU Charger Se 13-3/8" 54.5# J-55 STC casing slurry, MW 8.88 gal/sack. Tail. Displaced with 157 bbls. FW. 14. I hereby certify that the foregoing is Name (<i>Printed/T</i>)/ped) MANNY S Signature (Electronic S Signature (Electronic S Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equivich would entitle the applicant to condu Title 18 U.S.C. Section 1001 and Title 43	andonment Notices shall be file inal inspection.) ervices. Spud at 6:00 a.m. g set at 1095'. Cement lea : 525 sacks Class C 14.8 Circulated 120 sacks to si for circulated 120 sacks to si Submission # For ENDURAN Submission) THIS SPACE FC d. Approval of this notice does uitable title to those rights in the ict operations thereon. U.S.C. Section 1212, make it a	ed only after all requirements, includ Drill <u>17-1/2" hole</u> to <u>1095'</u> , Ri ad: <u>350 sacks</u> Class C 13.7 pp ppg, 124 bbls. slurry, MW 6.3 urface. WOC. <u>328237 verified by the BLM Wel</u> CE RESOURCES LLC, sent to <u>Title ENGINI</u> <u>Date 01/11/2</u> DR FEDERAL OR STATE 	II Information, have been completed un 25 joints bg, 105 bbls. 4 gal/sack. II Information System the Hobbs EER ACCEPTED FOR RE OFFICE USE N 2 5 2016 OUREAU OF LANDIMANAS CARLSBAD FIRED OFFI	and the operator has

Form 3160-5 (August 2007)	NITED STATES DEPARTMENT OF THE INT BUREAU OF LAND MANAGE		ator OMB Expire	A APPROVED NO. 1004-0135 s: July 31, 2010	
	RY NOTICES AND REPORT	S ON WELLS	5. Lease Serial No. NMLC065194		
Do not use abandoned	e this form for proposals to dr I well. Use form 3160-3 (APD) i	ill or to re-enter an for such proposals.	6. If Indian, Allottee	or Tribe Name	
SUBMIT IN	TRIPLICATE - Other instructio	ns on reverse side.	7. If Unit or CA/Agr	reement, Name and/or	
1. Type of Well 3. Type of Well 4. Gas Well 5. Gas Well 5. Gas Well 5. Gas 6. Ga] Other		8. Well Name and N STARCASTER	o. 18 FEDERAL 3H	
2. Name of Operator ENDURANCE RESOURC	Contact: PE CES LLC E-Mail: peggy@endur	GGY REDMAN anceresourcesllc.com	9. API Well No. 30-025-42917		
3a. Address 203 WEST WALL STREE MIDLAND, TX 79701	ET SUITE 1000 P	b. Phone No. (include area code h: 432-242-4680 x: 432-242-4689		or Exploratory ONE SPRING N	
4. Location of Well (Footage, S	ec., T., R., M., or Survey Description)	· · · · · · · · · · · · · · · · · · ·	11. County or Parish	i, and State	
Sec 18 T23S R34E 155FNL 1980FEL		· ·	LEA COUNTY	LEA COUNTY, NM	
12. CHECK /	APPROPRIATE BOX(ES) TO I	NDICATE NATURE OF	NOTICE, REPORT, OR OTHI	ER DATA	
TYPE OF SUBMISSION		ТҮРЕ О	FACTION		
Notice of Intent	Acidize	Deepen	Production (Start/Resume)	Water Shut-O	
Subsequent Report	Alter Casing	Fracture Treat		U Well Integrit	
	Casing Repair	New Construction		Other Drilling Operat	
Final Abandonment Notic	ce Change Plans	Plug and Abandon Plug Back	Temporarily Abandon Water Disposal		
following completion of the inv	the work will be performed or provide the volved operations. If the operation result	Bond No. on file with BLM/BL s in a multiple completion or rec	completion in a new interval, a Form 31	inent markers and zon be filed within 30 days 60-4 shall be filed ond	
following completion of the inv testing has been completed. Fin determined that the site is ready 12-20-2015 Drill 12-1/4" h	te work will be performed or provide the volved operations. If the operation result nal Abandonment Notices shall be filed o	Bond No. on file with BLM/BL s in a multiple completion or rec nly after all requirements, inclu 3" 40# BTC casing (botton	ured and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ding reclamation, have been completed o 26 joints	inent markers and zon be filed within 30 days 60-4 shall be filed ond	
following completion of the inv testing has been completed. Fin determined that the site is ready <u>12-20-2015</u> Drill <u>12-1/4" h</u> HCL-80 and top 94 joints sacks Class C 14.8 ppg, 1	te work will be performed or provide the volved operations. If the operation result nal Abandonment Notices shall be filed of of final inspection.) note to 5012, Run 120 joints 9-5/	Bond No. on file with BLM/BL s in a multiple completion or rec nly after all requirements, inclu 3" 40# BTC casing (botton	ured and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ding reclamation, have been completed o 26 joints	inent markers and zon be filed within 30 days 60-4 shall be filed on	
following completion of the inv testing has been completed. Fin determined that the site is ready <u>12-20-2015</u> Drill <u>12-1/4" h</u> HCL-80 and top 94 joints sacks Class C 14.8 ppg, 1	te work will be performed or provide the volved operations. If the operation result nal Abandonment Notices shall be filed of of final inspection.) note to 5012, Run 120 joints 9-5/	Bond No. on file with BLM/BL s in a multiple completion or rec nly after all requirements, inclu 3" 40# BTC casing (botton	ured and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ding reclamation, have been completed o 26 joints	inent markers and zon be filed within 30 days 60-4 shall be filed on	
following completion of the inv testing has been completed. Fin determined that the site is ready <u>12-20-2015</u> Drill <u>12-1/4" h</u> HCL-80 and top 94 joints sacks Class C 14.8 ppg, 1	te work will be performed or provide the volved operations. If the operation result nal Abandonment Notices shall be filed of of final inspection.) note to 5012, Run 120 joints 9-5/	Bond No. on file with BLM/BL s in a multiple completion or rec nly after all requirements, inclu 3" 40# BTC casing (botton	ured and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ding reclamation, have been completed o 26 joints	inent markers and zon be filed within 30 days 60-4 shall be filed on	
following completion of the inv testing has been completed. Fin determined that the site is ready <u>12-20-2015</u> Drill <u>12-1/4" h</u> HCL-80 and top 94 joints sacks Class C 14.8 ppg, 1	ie work will be performed or provide the volved operations. If the operation result and Abandonment Notices shall be filed of for final inspection.) hole to 5012. Run 120 joints 9-5/J J-55). Cement lead: <u>1000 sacks</u> 1.33 cuft/sx. Circulate 6.27 sacks	Bond No. on file with BLM/BI. s in a multiple completion or rec mly after all requirements, inclu 3" 40# BTC casing (botton Class C.12.9 ppg, 1.79 cu to sufface. Test casing to 251 verified by the BLM We	ured and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ding reclamation, have been completed n 26 joints nft/sx. Tail: 230 1500 psi for	inent markers and zon be filed within 30 days 60-4 shall be filed on	
following completion of the inv testing has been completed. Fir determined that the site is ready <u>12-20-2015</u> Drill <u>12-1/4" h</u> HCL-80 and top 94 joints s <u>acks Class C</u> 14.8 ppg, 1 30 minutes. WOC.	in work will be performed or provide the volved operations. If the operation result and Abandonment Notices shall be filed of for final inspection.) hole to 5012. Run 120 joints 9-5/J J-55). Cement lead: <u>1000 sacks</u> 1.33 cuft/sx. Circulate 6.27 sacks i.33 cuft/sx. Circulate 6.27 sacks Electronic Submission #328 For ENDURANCE	Bond No. on file with BLM/BI. s in a multiple completion or rec mly after all requirements, inclu 3" 40# BTC casing (botton Class C.12.9 ppg, 1.79 cu to sufface. Test casing to 251 verified by the BLM We RESOURCES LLC, sent to	ured and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ding reclamation, have been completed n 26 joints ift/sx. Tail: 230 1500 psi for	inent markers and zon be filed within 30 days 60-4 shall be filed ond	
following completion of the inv testing has been completed. Fir determined that the site is ready 1 <u>2-20-2015</u> Drill <u>12-1/4" h</u> HCL-80 and top 94 joints sacks Class <u>C</u> 14.8 ppg, 1 30 minutes. WOC.	ne work will be performed or provide the volved operations. If the operation result and Abandonment Notices shall be filed of for final inspection.) hole to 5012. Run 120 joints 9-5// J-55). Cement lead: <u>1000 sacks</u> 1.33 cuft/sx. Circulate 6.27 sacks 1.33 cuft/sx. Circulate 6.27 sacks For Electronic Submission #328 For ENDURANCE	Bond No. on file with BLM/BI. s in a multiple completion or rec nly after all requirements, inclu 3" 40# BTC casing (botton Class C.12.9 ppg, 1.79 cu to sufface. Test casing to 251 verified by the BLM We RESOURCES LLC, sent to Title ENGIN	ured and true vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ding reclamation, have been completed in 26 joints ft/sx. Tail: 230 1500 <u>psi</u> for 1500 <u>psi</u> for bill Information System the Hobbs/ EER	inent markers and zon pe filed within 30 days (60-4 shall be filed on I, and the operator has	
following completion of the inv testing has been completed. Fir determined that the site is ready 1 <u>2-20-2015</u> Drill <u>12-1/4" h</u> HCL-80 and top 94 joints sacks Class <u>C</u> 14.8 ppg, 1 30 minutes. WOC.	in work will be performed or provide the volved operations. If the operation result and Abandonment Notices shall be filed of for final inspection.) hole to 5012. Run 120 joints 9-5/J J-55). Cement lead: <u>1000 sacks</u> 1.33 cuft/sx. Circulate 6.27 sacks 1.33 cuft/sx. Circulate 6.27 sacks For ENDURANCE NY SIRGO III	Bond No. on file with BLM/BI. s in a multiple completion or rec mly after all requirements, inclu 3" 40# BTC casing (botton Class C.12.9 ppg, 1.79 cu to sufface. Test casing to 251 verified by the BLM We RESOURCES LLC, sent to Title ENGIN Date 01/11/2	ured and true vertical depths of all pert A. Required subsequent reports shall b sompletion in a new interval, a Form 31 ding reclamation, have been completed in 26 joints ift/sx. Tail: 230 1500 <u>psi</u> for all Information System the Hobbs EER AGCEPTED FOR REA	inent markers and zon pe filed within 30 days (60-4 shall be filed one I, and the operator has	
following completion of the inv testing has been completed. Fir determined that the site is ready 1 <u>2-20-2015</u> Drill <u>12-1/4" h</u> HCL-80 and top 94 joints sacks Class <u>C</u> 14.8 ppg, 1 30 minutes. WOC.	in work will be performed or provide the volved operations. If the operation result and Abandonment Notices shall be filed of for final inspection.) hole to 5012. Run 120 joints 9-5/J J-55). Cement lead: <u>1000 sacks</u> 1.33 cuft/sx. Circulate 6.27 sacks 1.33 cuft/sx. Circulate 6.27 sacks For ENDURANCE NY SIRGO III	Bond No. on file with BLM/BI. s in a multiple completion or rec nly after all requirements, inclu 3" 40# BTC casing (botton Class C.12.9 ppg, 1.79 cu to sufface. Test casing to 251 verified by the BLM We RESOURCES LLC, sent to Title ENGIN	and the vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ding reclamation, have been completed in 26 joints ft/sx. Tail: 230. 1500 psi for hte Hobbs EER AGCEPTED FOR REA OFFICE USE	inent markers and zon- pe filed within 30 days (60-4 shall be filed one), and the operator has	
following completion of the inv testing has been completed. Fir determined that the site is ready 12-20-2015 Drill 12-1/4" h HCL-80 and top 94 joints sacks Class C, 14.8 ppg, 1 30 minutes. WOC.	in work will be performed or provide the volved operations. If the operation result and Abandonment Notices shall be filed of for final inspection.) hole to 5012. Run 120 joints 9-5/J J-55). Cement lead: <u>1000 sacks</u> 1.33 cuft/sx. Circulate 6.27 sacks 1.33 cuft/sx. Circulate 6.27 sacks For ENDURANCE NY SIRGO III	Bond No. on file with BLM/BI. s in a multiple completion or rec mly after all requirements, inclu 3" 40# BTC casing (botton Class C.12.9 ppg, 1.79 cu to sufface. Test casing to 251 verified by the BLM We RESOURCES LLC, sent to Title ENGIN Date 01/11/2	ured and true vertical depths of all pert A. Required subsequent reports shall b sompletion in a new interval, a Form 31 ding reclamation, have been completed in 26 joints ift/sx. Tail: 230 1500 <u>psi</u> for all Information System the Hobbs EER AGCEPTED FOR REA	inent markers and zon pe filed within 30 days (60-4 shall be filed on I, and the operator has	
following completion of the inv testing has been completed. Fir determined that the site is ready <u>12-20-2015</u> Drill <u>12-1/4" h</u> HCL-80 and top 94 joints sacks Class C, 14.8 ppg, 1 30 minutes. WOC.	ing is true and correct. Electronic Submission #328 For ENDURANCE NY SIRGO III onic Submission) THIS SPACE FOR tached. Approval of this notice does not or equitable title to those rights in the sub- tached. Approval of this notice does not or equitable title to those rights in the sub- tached. Approval of this notice does not or equitable title to those rights in the sub- tached. Approval of this notice does not or equitable title to those rights in the sub- tached. Approval of this notice does not or equitable title to those rights in the sub- submission in the sub- tached. Approval of this notice does not or equitable title to those rights in the sub- tached. Approval of this notice does not or equitable title to those rights in the sub-	Bond No. on file with BLM/BI. s in a multiple completion or rec mly after all requirements, inclu 3" 40# BTC casing (botton Class C.12.9 ppg, 1.79 cu to sufface. Test casing to 251 verified by the BLM We RESOURCES LLC, sent to Title ENGIN Date 01/11/2 FEDERAL OR STATE Title Warrant or	and the vertical depths of all pert A. Required subsequent reports shall b completion in a new interval, a Form 31 ding reclamation, have been completed in 26 joints ft/sx. Tail: 230. 1500 psi for hte Hobbs EER AGCEPTED FOR REA OFFICE USE	inent markers and zon be filed within 30 days (60-4 shall be filed on t, and the operator has	

(August 2007)	U TED STATES		\bigcirc	OMB N	APPROVED 0. 1004-0135
	BUREAU OF LAND MANA	GEMENT On	erator	5. Lease Serial No.	July 31, 2010
Do not use	Y NOTICES AND REPO this form for proposals to	drill or to re-enter an	-	NMLC065194 6. If Indian, Allottee of	or Tribe Name
	vell. Use form 3160-3 (AP RIPLICATE - Other instruc		· · · · ·	7. If Unit or CA/Agre	
1. Type of Well					· · · · · · · · · · · · · · · · · · ·
B Oil Well D Gas Well	Other	·		8. Well Name and No. STARCASTER 1	
2. Name of Operator ENDURANCE RESOURCE	Contact: S LLC E-Mail: peggy@er	PEGGY REDMAN nduranceresourceslic.com		 API Well No. 30-025-42917 	
3a. Address 203 WEST WALL STREET MIDLAND, TX 79701	SUITE 1000	3b. Phone No. (include area code Ph: 432-242-4680 Fx: 432-242-4689	2)	10. Field and Pool, or BELL LAKE BC	
4. Location of Well (Footage, Sec.	, T., R., M., or Survey Description	ı)		11. County or Parish,	and State
Sec 18 T23S R34E 155FNL	. 1980FEL			LEA COUNTY,	NM
12. CHECK AF	PROPRIATE BOX(ES) TO	O INDICATE NATURE OF	NOTICE, RE	PORT, OR OTHE	R DATA
TYPE OF SUBMISSION		ТҮРЕ О	F ACTION		
□ Notice of Intent		🗖 Deepen	Productio	on (Start/Resume)	🗖 Water Shut-C
Subsequent Report	Alter Casing	Fracture Treat	🗖 Reclamat		Well Integrity
☐ Final Abandonment Notice	Casing Repair	New Construction Plug and Abandon	Recompt Tempora	rily Abandon	Other Drilling Operation
	Convert to Injection		U Water Di	•	
at 14,995. Cement lead: 10	14,995' TD. Run 346 joints 75 sacks Class H 11,5 ppg.	s <u>5-1/2" HCP-110</u> TTRS1 Butt , yield 2.67, MW 15.95 gal/sx. e up to 500 psi. WOC. Release	. Tail: 565 sac	ks	·
	•				
		<i>2</i>			
			·	• •	
· ·					
14. 1 hereby certify that the foregoin	Electronic Submission #	4328264 verified by the BLM We NCE RESOURCES LLC, sent to	all Information the Hopps	System	
	Electronic Submission #	f328264 verified by the BLM We NCE RESOURCES LLC, sent to Title (ENGIN	the Hobbs	System	
	Electronic Submission # For ENDURAN	NCE RESOURCES LLC, sent to	the Hobbs	system)R RECORD	
Name (Printed/Typed) MANNY	Electronic Submission # For ENDURAN / SIRGO III ic Submission)	NCE RESOUR¢ES LLC, sent to Title ENGIN ACC Date 01/1 1/2	o the Hobbs IEER/ EP/EDF(2016	DR RECORD	
Name (Printed/Typed) MANNY	Electronic Submission # For ENDURAN / SIRGO III ic Submission)	NCE RESOUR¢ES LLC, sent to Title ENGIN	o the Hobbs IEER/ EP/EDF(2016	DR RECORD	
Name (Printed/Typed) MANNY Signature (Electron	Electronic Submission # For ENDURAN / SIRGO III ic Submission)	NCE RESOURCES LLC, sent to Title ENGIN ACC Date 01/11/2 OR FEDERAL OR STATE	Definition of the Hobbs EP/ED F(2016 OFFRIGE US	DR RECORD	Mate /
Name (Printed/Typed) MANNY	Electronic Submission # For ENDURAN (SIRGO III ic Submission) THIS SPACE FO	NCE RESOURCES LLC, sent to Title ENGIN ACC Date 01/11/2 OR FEDERAL OR STATE Title DIA Title DIA Title DIA Title DIA	o the Hobbs IEER/ EP/EDF(2016	DR RECORD	Mate /

· .