



			2		
	•				
Fates					
The second s		and the second			
TES E & S NORT		ICA, INC.		PHONE: 361-887-9807	
4 44TH STREET	-			FAX: 361-887-0812	
RPUS CHRISTI,	, IEXAS	/8405		EMAIL: <i>Tim.Cantu@gates.com</i> WEB: www.gates.com	'
•			÷	WEB: www.gates.com	
	EMBIAI	ING ASSEMBL	T PRESSURE I	EST CERTIFICATE	
			-	· · · · · · · · · · · · · · · · · · ·	
ustomer :	AU	STIN DISTRIBUTING	Test Date:	4/30/2015	1
Customer Ref. :		4060578	Hose Serial No.:	D-043015-7	 .
nvoice No. :		500506	Created By:	JUSTIN CROPPER	
roduct Description:			10K3.548.0CK4.1/1610KFLG	E/E LE	
-					
ind Fitting 1 :		4 1/16 10K FLG	End Fitting 2 ;	4 1/16 10K FLG	
Sates Part No. :		4773-6290	Assembly Code :	L365541029i4D-043015-7	
		10,000 PSI	Test Pressure :	15,000 PSI	
the Gates Oilf	field Roug	terica, Inc. certifies phneck Agreement/Sp	that the following ho	ose assembly has been tested to ents and passed the 15 minute	
Gates E & S N the Gates Oilf hydrostatic test	field Roug per API in accord	terica, Inc. certifies phneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc	that the following he becification requirem ition, June 2010, Tes ct number. Hose bur	ents and passed the 15 minute at pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the	
Gates E & S N the Gates Oilf hydrostatic test	field Roug per API in accord	terica, Inc. certifies Jhneck Agreement/Sp Spec 7K/Q1, Fifth Edi	that the following he becification requirem ition, June 2010, Tes ct number. Hose bur	ents and passed the 15 minute at pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the	
Gates E & S N the Gates Oilf hydrostatic test	field Roug per API in accord	terica, Inc. certifies phneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc	that the following he becification requirem ition, June 2010, Tes ct number. Hose bur	ents and passed the 15 minute at pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following ho pecification requirem ition, June 2010, Tes t number. Hose bur le working pressure	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9.	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he pecification requirem ition, June 2010, Tes at number. Hose bur working pressure Producton:	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9.	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he pecification requirem ition, June 2010, Tes at number. Hose bur working pressure Producton:	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015 Form-PTC - 01 Rev.0 2	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015 Form-PTC - 01 Rev.0 2	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015 Form-PTC - 01 Rev.0 2	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015 Form-PTC - 01 Rev.0 2	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015 Form-PTC - 01 Rev.0 2	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015 Form-PTC - 01 Rev.0 2	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015 Form-PTC - 01 Rev.0 2	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015 Form-PTC - 01 Rev.0 2	
Gates E & S N the Gates Oilf hydrostatic test to 15,000 psi Quality Manager : Date :	field Roug per API in accord	erica, Inc. certifies hneck Agreement/Sp Spec 7K/Q1, Fifth Edi ance with this produc imum of 2.5 times th	that the following he becification requirem ition, June 2010, Tes tt number. Hose bur working pressure Producton: Date :	ents and passed the 15 minute st pressure 9.6.7 and per Table 9 st pressure 9.6.7.2 exceeds the per Table 9. PRODUCTION 4/30/2015 Form-PTC - 01 Rev.0 2	



Form NM 8140-9 (March 2008) United States Department of the Interior Bureau of Land Management New Mexico State Office

Permian Basin Cultural Resource Mitigation Fund

The company shown below has agreed to contribute funding to the Permian Basin Cultural Resource Fund in lieu of being required to conduct a Class III survey for cultural resources associated with their project. This form verifies that the company has elected to have the Bureau of Land Management (BLM) follow the procedures specified within the Memorandum of Agreement (MOA) concerning improved strategies for managing historic properties within the Permian Basin, New Mexico, for the undertaking rather than the Protocol to meet the agency's Section 106 obligations.

Company Name:	Mewbourne Oil Company				
Address:	PO Box 5270				
	Hobbs, NM 88241				
Project description:					
Location for	Pepper Ridge 15 W1CN Fed Com #2H				
T. 265, R. 33E, Se	ction 15 NMPM, Lea County, New Mexico				

Amount of contribution: \$______

Provisions of the MOA:

A. No new Class III inventories are required of industry within the Project Area for those projects where industry elects to contribute to the mitigation fund.

B. The amount of funds contributed was derived from the rate schedule established within Appendix B of the MOA. The amount of the funding contribution acknowledged on this form reflects those rates.

C. The BLM will utilize the funding to carry out a program of mitigation at high-priority sites whose study is needed to answer key questions identified within the Regional Research Design.

D. Donating to the fund is voluntary. Industry acknowledges that it is aware it has the right to pay for Class III survey rather than contributing to the mitigation fund, and that it must avoid or fund data recovery at those sites already recorded that are eligible for nomination to the National Register or whose eligibility is unknown and that any such payments are independent of the mitigation funds established by this MOA.

E. Previously recorded archeological sites determined eligible for nomination to the National Register or whose eligibility remains undetermined must be avoided or mitigated.

F. If any skeletal remains that might be human or funerary objects are discovered by any activities, the land-use applicant will cease activities in the area of discovery, protect the remains, and notify the BLM within 24 hours. The BLM will determine the appropriate treatment of the remains in consultation with culturally affiliated Indian Tribe(s) and lineal descendents. Applicants will be required to pay for treatment of the cultural items independent and outside of the mitigation fund.

Company-Authorized Off

Date

BLM-Authorized Officer

Date