

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-025-02837
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil & Gas Lease No.	B-8568
7. Lease Name or Unit Agreement Name	EVGSAU Tr 2059
8. Well Number	001
9. OGRID Number	217817
10. Pool name or Wildcat	Vacuum GB/SA
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
3981' RKB	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
ConocoPhillips Company

3. Address of Operator
P.O. Box 51810 Midland, TX 79710

4. Well Location
Unit Letter F : 2310 feet from the North line and 1980 feet from the West line
Section 20 Township 17-S Range 35-E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3981' RKB

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK
TEMPORARILY ABANDON ☐	COMMENCE DRILLING OPNS
PULL OR ALTER CASING ☐	CASING/CEMENT JOB
DOWNHOLE COMMINGLE ☐	
CLOSED-LOOP SYSTEM ☐	
OTHER: ☐	OTHER: ☐

INT TO PA Pm.x
P&A NR _____
P&A R _____

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH w/ Prod Equip
--RIH WL Set CIBP @ 4,528'. Circ hole w/ MLF. Cap BP w/ 25sx cmt
--Spot 25sx cmt @ 3,950' - 3,800'.
--Spot 25sx cmt @ 3,200' - 3,000. WOC-Tag
--Perf @ 2,900' - Sqz 40sx cmt to 2,800'. WOC-Tag
--Perf @ 1,970' - Sqz 40sx cmt to 1,870'. WOC-Tag
--Perf @ 350' - Circ 110sx cmt to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

Circ hole w/ mwd gel
Pressure test csg

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17

Spud Date:

11/20/59

Rig Release Date:

12/4/59

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Greg Bryant TITLE P&A Tech - Basic Energy Services DATE 4/29/16

Type or print name Greg Bryant E-mail address: _____ PHONE: 432-563-3355

For State Use Only

APPROVED BY: Mark White TITLE Petroleum Engr. Specialist DATE 05/09/2016

Conditions of Approval (if any):

MAY 10 2016

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: April 4, 2016

RKB @ 3981'
DF @
GF @ 3972'

12 3/4" Hole

8 5/8" 28# K-55 @ 300'
Cmt'd w/ 250 sxs, circ
TOC @ Surface

Subarea : Buckeye
Lease & Well No. : East Vacuum GB/SA Unit, Tract 2059 001
Legal Description : 2310 FNL & 1980 FWL, Sec. 20, T-17S, R-35E
County : Lea State : New Mexico
Field : Vacuum (Grayburg-San Andres)
Date Spudded : 11/20/1959 Rig Released: 12/4/1959
API Number : 30-025-02837
Status: Producing
Drilled as: Carthay State #1 State Lease No. B-8568
OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
	1/31/1960	Perf 4628, 4638, 4648, 4658, 4668, 4678, 4688, 4698, 4708, 4718, 4728, 4738, 4748, 4758, 4768, 4778, 4788, 4798, 4808, 4818, 4828, 4838, 4848						
4628-4848	2/1/1960	Oil	2421	65,000				
4628-4848	12/2/1990	15% NEA	2000					
4628-4848	12/8/1991	15% NEFE	2000					
4628-4848	3/14/2001	Xylene	1750					
4628-4848	3/14/2001	15% CCA	6000					

Top Salt @ 1920'

Base Salt @ 2850'

TOC 5 1/2" @ 3000' (EST)

4628-4698'

4708-4798'

4808-4848'

7 7/8" Hole
5 1/2" 14# N-80 @ 4860'
Cmt'd w/ 300 sxs,
TOC @ 3000' (EST)

Formation Tops:


Rustler
Salado
Yates 3040'
Seven Rivers 3140'
Queen 3942'
Grayburg
San Andres 4606'
Glorieta

PBTD @ 4859'
TD @ 4860'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: April 4, 2016

RKB @ 3981'
DF @
GF @ 3972'



Subarea : Buckeye
Lease & Well No. : East Vacuum GB/SA Unit, Tract 2059 001
Legal Description : 2310 FNL & 1980 FWL, Sec. 20, T-17S, R-35E
County : Lea State : New Mexico
Field : Vacuum (Grayburg-San Andres)
Date Spudded : 11/20/1959 Rig Released: 12/4/1959
API Number : 30-025-02837
Status : Producing
Drilled as: Carthay State #1 State Lease No. B-8568
OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
	1/31/1960	Perf 4628, 4638, 4648, 4658, 4668, 4678, 4688, 4698, 4708, 4718, 4728, 4738, 4748, 4758, 4768, 4778, 4788, 4798, 4808, 4818, 4828, 4838, 4848						
4628-4848	2/1/1960	Oil	2421	65,000				
4628-4848	12/2/1990	15% NEA	2000					
4628-4848	12/8/1991	15% NEFE	2000					
4628-4848	3/14/2001	Xylene	1750					
4628-4848	3/14/2001	15% CCA	6000					

Formation Tops:

Rustler	
Salado	
Yates	3040'
Seven Rivers	3140'
Queen	3942'
Grayburg	
San Andres	4606'
Glorieta	

PBTD @ 4859'
TD @ 4860'