

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

WELL API NO. 30-025-12146
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Higgins
8. Well Number 1
9. OGRID Number 16696
10. Pool name or Wildcat Tubb Oil & Gas
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3384'

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator OXY USA Inc.	
3. Address of Operator P.O. Box 50250 Midland, TX 79710	
4. Well Location Unit Letter J : 1980 feet from the South line and 1980 feet from the East line Section 29 Township 22S Range 38E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3384'	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK	INT TO PA <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS	P&A NR <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB	P&A R <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER:	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-7003' PBTD-6325' Perfs-5985-6280' CIBP-6360'
13-3/8" 48# csg @ 307' w/ 310sx, 17" hole, TOC-Surf-Circ
9-5/8" 36# csg @ 2938' w/ 1325sx, 12-1/2" hole, TOC-Surf-Calc
7" 23# csg @ 6912' w/ 700sx, 8-3/4" hole, TOC-2245'-Calc

1. RIH & set CIBP @ 5935', M&P 100sx cmt to 5495' WOC-Tag
2. M&P 25sx cmt @ 5246-5130' WOC-Tag
3. M&P 25sx cmt @ 4070-3970' WOC-Tag
4. M&P 25sx cmt @ 2988-2888' WOC-Tag
5. Perf @ 2540', sqz 40sx cmt to 2440' WOC-Tag
6. Perf @ 1465', sqz 40sx cmt to 1365' WOC-Tag
7. Perf 7" & 9-5/8" csg @ 357', sqz 265sx cmt to surface

Perf and attempt to sgz w/ 40 sx.

1300'

10# MLF between plugs

Above ground steel tanks will be utilized

Pressure test casing

CUT off wellhead & install P&A Marker
VERIFY CEMENT TO SURFACE ALL STRINGS

Spud Date:

R

NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 6/7/16

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Michael W. Feltz TITLE Petroleum Engr. Specialist DATE 6/13/2016

Conditions of Approval (if any):

OXY USA Inc. - Proposed
Higgins #1
API No. 30-025-12146

265sx @ 357'-Surface

40sx @ 1465-1365' WOC-Tag

40sx @ 2540-2440' WOC-Tag

25sx @ 2988-2888' WOC-Tag

25sx @ 4070-3970' WOC-Tag


25sx @ 5246-5130' WOC-Tag

CIBP @ 5935' w/ 100sx to 5495' WOC-Tag

CIBP @ 6360' w/ 35' cmt to 6325'

CIBP @ 6670' w/ 2sx cmt to 6660'

Mod D pkr @ 6855' w/ 2sx cmt to 6845'



Perf @ 357'

17" hole @ 307'
13-3/8" csg @ 307' ✓
w/ 310sx-TOC-Surf-Circ

Perf @ 1465'

Perf @ 2540'

12-1/2" hole @ 2938'
9-5/8" csg @ 2938' ✓
w/ 1325sx-TOC-Surf-Calc

8-3/4" hole @ 7003'
7" csg @ 6912'
w/ 700sx-TOC-2245'-Calc

Perfs @ 5180-5196' sqz w/ 150sx cmt

Perfs @ 5545-5750' sqz w/ 250sx cmt

Perfs @ 5985-6280'


Perfs @ 6385-6556'

Perfs @ 6720-6809'

OH @ 6911-7003'

TD-7003'

OXY USA Inc. - Current
Higgins #1
API No. 30-025-12146



17" hole @ 307'
13-3/8" csg @ 307'
w/ 310sx-TOC-Surf-Circ

12-1/2" hole @ 2938'
9-5/8" csg @ 2938'
w/ 1325sx-TOC-Surf-Calc

8-3/4" hole @ 7003'
7" csg @ 6912'
w/ 700sx-TOC-2245'-Calc

Perfs @ 5180-5196' sqz w/ 150sx cmt

Perfs @ 5545-5750' sqz w/ 250sx cmt

Perfs @ 5985-6280'

Perfs @ 6385-6556'

Perfs @ 6720-6809'

OH @ 6911-7003'

CIBP @ 6360' w/ 35' cmt to 6325'

CIBP @ 6670' w/ 2sx cmt to 6660'

Mod D pkr @ 6855' w/ 2sx cmt to 6845'

TD-7003'