ibistrict I ~ 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 P3/21/04

Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \text{No} \( \subseteq \)

Type of action: Registration of a pit or below-grade tank  Closure of a pit or below-grade tank		
T. 1 017 200 1277	- 1 - 11 About Joseph Cook will com	
Operator: Seely Oil Company Telephone: 817-332-1377	e-mail address: dhenderson@seelyoil.com	
Address: 815 W. 10 <sup>th</sup> St., Fort Worth, TX 76102	1// O/O N	
Facility or well name: Scharbauer No. 3 API #: 30-025-36693 U/L or Qtr/Qtr N Sec 20-T18S-R34E  County: Lea County Latitude N32°43'36.9" Longitude W130°35'04.9" NAD: 1927 🔲 1983 📈		
• • •		
Surface Owner: Federal  State  Private  Indian		
<u>Pit</u>	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes  If not, explain why not.	
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		
Pit Volume 300 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
ingli water clovation of globins water.)	100 feet or more	( 0 points)
W.W. 1	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	(No)	( 0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
in gailon calling, another, and percentile and opposite with consess,)	1000 feet or more	( 0 points)
	Ranking Score (Total Points)	Ø
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🗹 offsite 🖂 If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🗹 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
Contents encapsulated per guidelies Mail Wally		
		200
		5<59 <b>52547</b> 6776
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines 🗹, a general permit 🗌, or an (attached) alternative OCD-approved plan 🔲.		
Date: 02/07/2006	$\bigcirc$	
Printed Name/Title David L. Henderson, Executive Vice President Signature Wand L Dendasta		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
A		
Approval:		
Printed Name/Title Naw (Shelley Signature Jan 1997) Date: 3-21-06		
TIME PARKET LIE # COVIE -	Signature VV	Date: / Z
Approval: Printed Name/Title Navl Sheller Signature Signature  Signature  Date: 3-21-06		

## Seely Oil Company

Scharbauer No. 3
UL: N Sec. 20-T28S-R34E
Lea County, New Mexico

Seely Oil Company proposes to stir the cuttings and then cover with 20 mil plastic. Three (3) feet of soil will be placed over the liner.

Scharbquer No. 3 UL N SECTION 20-T185-R348 Lee County, New Mexico

tank baldery

1550'

Out Il cation

Pi+ location