

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

HOBBS OCD
JUL 18 2016
RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-21009
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-2245
7. Lease Name or Unit Agreement Name Vacuum Glorieta East Unit, Tr 34
8. Well Number 02
9. OGRID Number 217817
10. Pool name or Wildcat Vacuum Glorieta
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3986' GL

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator ConocoPhillips Company	
3. Address of Operator 600 N. Dairy Ashford Rd. Houston, TX 77079	
4. Well Location Unit Letter N : 330 feet from the South line and 1576 feet from the West line Section 30 Township 17-S Range 35-E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3986' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT RI	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	INT TO PA PM.X P&A NR _____ P&A R _____
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐		OTHER: _____	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH & LD Prod. Equip
--RIH WL - Set 4 1/2" CIBP @ 5950' **Pressure test csg.**
--Tbg @ 5950' - Circ hole w/ MLF. Spot 25sx cmt @ 5950' - 5700'
--Spot 40sx cmt @ 4500' - 4000'. WOC-Tag
--Spot 30sx cmt @ 3800' - 3450'
--Spot 35sx cmt @ 2900' - 2450'. WOC-Tag
--Spot 25sx cmt @ 1700' - 1453'. WOC-Tag
--Spot 25sx cmt @ 300' - 3'
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17

Spud Date: **5/10/64** Rig **NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE **Greg Bryant** TITLE **P&A A.M. - Basic Energy Services** DATE **7/15/16**

Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**

For State Use Only


APPROVED BY: **Mark Whitaker** TITLE **Petroleum Engr. Specialist** DATE **7/18/2016**

Conditions of Approval (if any):

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: 7/15/2016

RKB @ 3996'
DF @
GL @ 3986'



9 7/8" Hole

7" 23 J-55 @ 1503'
Cmt'd w/ 650 sx, circ
TOC @ Surface

Top Salt @ 1648'

Base Salt @ 2528'

DV Tool @ 5811'

6026-6027'
6034-6038'
6044-6049'
6051-6059'
6060-6066'
6068-6070'
6076-6078'
6085-6086'

6 1/4" Hole
4-1/2" 9.5 J-55 @ 6148'
Cmt'd w/ 1080 sxs, Circ 150 sxs
TOC @ Surface

PBTD: 6112'
TD: 6150'

Subarea : Buckeye
Lease & Well No. : Vacuum Glorieta East Unit, Well 34-02
Legal Description : 330 FSL & 1576 FWL, Sec. 30, T17S, R35E,
County : Lea State : New Mexico
Field : Vacuum Glorieta
Date Spudded : 5/10/1964 Rig Released: 6/5/1964
API Number : 30-025-21009
Status :
Drilled as State Staplin #3 OGRID # 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
6076-6078	6/8/1964	Perf 6076-6078 w/ 4 SPF						
	6/8/1964	MCU	1000					
	1/3/1978	Perf 6034, 6035, 6036, 6037, 6038, 6044, 6046, 6049, 6051, 6052, 6053, 6054, 6055, 6056, 6059, 6060, 6061, 6062, 6063, 6064, 6065, 6066 w/ 1 SPF						
6034-6066	1/4/1978	15% MOD 202	1000					
6034-6078	1/18/1978	15% MOD 202	3000					
	3/11/1985	Perf 6026-6027, 6068-6070, 6085-6086 w/ 2 SPF						
6026-6086	3/12/1985	15% NEA	400					
6026-6086	3/13/1985	15% DS-30	3600					
6026-6086	9/1/2009	15% HCL	860					


Formation Tops:

Rustler
Base Salt
Tansill
Yates 2821'
Seven Rivers 3519'
Queen 3725'
Grayburg 4068'
San Andres 4412'
Glorieta 5901'
Paddock 6027'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: 7/15/2016

RKB @ 3996'
DF @
GL @ 3986'



9 7/8" Hole

Spot 25sx cmt @ 300'-3'

7" 23 J-55 @ 1503'

Cmt'd w/ 650 sxs, circ

TOC @ Surface

Spot 25sx cmt @ 1700'-1453' - Tag

Top Salt @ 1648'

Base Salt @ 2528'

Spot 35sx cmt @ 2900'-2450' - Tag

Spot 30sx cmt @ 3800'-3450'

Spot 40sx cmt @ 4500'-4000' - Tag

Spot 25sx cmt @ 5950'-5700'

Set CIBP @ 5950'

6026-6027'

6034-6038'

6044-6049'

6051-6059'

6060-6066'

6068-6070'

6076-6078'

6085-6086'

6 1/4" Hole

4-1/2" 9.5 J-55 @ 6148'

Cmt'd w/ 1080 sxs, Circ 150 sxs

TOC @ Surface

PBTD: 6112'
TD: 6150'

Subarea : Buckeye
Lease & Well No. : Vacuum Glorieta East Unit, Well 34-02
Legal Description : 330 FSL & 1576 FWL, Sec. 30, T17S, R35E,
County : Lea State : New Mexico
Field : Vacuum Glorieta
Date Spudded : 5/10/1964 Rig Released: 6/5/1964
API Number : 30-025-21009
Status :
Drilled as State Staplin #3 OGRID # 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
6076-6078	6/8/1964	Perf 6076-6078 w/ 4 SPF						
	6/8/1964	MCU	1000					
	1/3/1978	Perf 6034, 6035, 6036, 6037, 6038, 6044, 6046, 6049, 6051, 6052, 6053, 6054, 6055, 6056, 6059, 6060, 6061, 6062, 6063, 6064, 6065, 6066 w/ 1 SPF						
6034-6066	1/4/1978	15% MOD 202	1000					
6034-6078	1/18/1978	15% MOD 202	3000					
	3/11/1985	Perf 6026-6027, 6068-6070, 6085-6086 w/ 2 SPF						
6026-6086	3/12/1985	15% NEA	400					
6026-6086	3/13/1985	15% DS-30	3600					
6026-6086	9/1/2009	15% HCL	860					

Formation Tops:

Rustler	
Base Salt	
Tansill	
Yates	2821'
Seven Rivers	3519'
Queen	3725'
Grayburg	4068'
San Andres	4412'
Glorieta	5901'
Paddock	6027'