

June 25, 2012

Daniel Dominguez
Environmental Plus, Inc.
P.O. Box 1558
Eunice, NM 88231

HOBBS OCD

JUN 27 2012

RECEIVED

RE: SKIPJACK 26 #1

Enclosed are the results of analyses for samples received by the laboratory on 06/20/12 14:41.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

| | |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5) |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3) |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene
Lab Director/Quality Manager

Approved for backfill
Staff Leaking
Env. Specialist
NMOCB - DIST 1
7/2/12

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 06/20/2012
 Reported: 06/25/2012
 Project Name: SKIPJACK 26 #1
 Project Number: 161403
 Project Location: UL-P, SEC. 26 T16S R35E

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: ST1 - (2") (H201403-01)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.5 | 2.00 | 13.5 | | |
| Toluene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.6 | 2.00 | 12.8 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.94 | 96.9 | 2.00 | 10.3 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/22/2012 | ND | 5.73 | 95.5 | 6.00 | 10.9 | | |

Surrogate: 4-Bromofluorobenzene (PII) 106 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 64.0 | 16.0 | 06/21/2012 | ND | 432 | 108 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 06/21/2012 | ND | 179 | 89.5 | 200 | 0.934 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 06/21/2012 | ND | 184 | 91.8 | 200 | 0.237 | | |

Surrogate: 1-Chlorooctane 97.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 110 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 06/20/2012
 Reported: 06/25/2012
 Project Name: SKIPJACK 26 #1
 Project Number: 161403
 Project Location: UL-P, SEC. 26 T16S R35E

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: ST2 - (2") (H201403-02)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.5 | 2.00 | 13.5 | | |
| Toluene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.6 | 2.00 | 12.8 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.94 | 96.9 | 2.00 | 10.3 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/22/2012 | ND | 5.73 | 95.5 | 6.00 | 10.9 | | |

Surrogate: 4-Bromofluorobenzene (PIE) 106 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 384 | 16.0 | 06/21/2012 | ND | 432 | 108 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 06/21/2012 | ND | 179 | 89.5 | 200 | 0.934 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 06/21/2012 | ND | 184 | 91.8 | 200 | 0.237 | | |

Surrogate: 1-Chlorooctane 101 % 65.2-140

Surrogate: 1-Chlorooctadecane 114 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 06/20/2012
 Reported: 06/25/2012
 Project Name: SKIPJACK 26 #1
 Project Number: 161403
 Project Location: UL-P, SEC. 26 T16S R35E

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: ST3 - (2") (H201403-03)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.5 | 2.00 | 13.5 | | |
| Toluene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.6 | 2.00 | 12.8 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.94 | 96.9 | 2.00 | 10.3 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/22/2012 | ND | 5.73 | 95.5 | 6.00 | 10.9 | | |

Surrogate: 4-Bromofluorobenzene (PIL) 105 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 704 | 16.0 | 06/21/2012 | ND | 432 | 108 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 06/21/2012 | ND | 179 | 89.5 | 200 | 0.934 | | |
| DRO >C10-C28 | 11.5 | 10.0 | 06/21/2012 | ND | 184 | 91.8 | 200 | 0.237 | | |

Surrogate: 1-Chlorooctane 99.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 112 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 06/20/2012
 Reported: 06/25/2012
 Project Name: SKIPJACK 26 #1
 Project Number: 161403
 Project Location: UL-P, SEC. 26 T16S R35E

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: ST4 - (2") (H201403-04)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.5 | 2.00 | 13.5 | | |
| Toluene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.6 | 2.00 | 12.8 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.94 | 96.9 | 2.00 | 10.3 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/22/2012 | ND | 5.73 | 95.5 | 6.00 | 10.9 | | |

Surrogate: 4-Bromofluorobenzene (PII) 106 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 976 | 16.0 | 06/21/2012 | ND | 432 | 108 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 06/21/2012 | ND | 179 | 89.5 | 200 | 0.934 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 06/21/2012 | ND | 184 | 91.8 | 200 | 0.237 | | |

Surrogate: 1-Chlorooctane 93.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 105 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 06/20/2012
 Reported: 06/25/2012
 Project Name: SKIPJACK 26 #1
 Project Number: 161403
 Project Location: UL-P, SEC. 26 T16S R35E

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: ST1 - (1') (H201403-05)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.5 | 2.00 | 13.5 | | |
| Toluene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.6 | 2.00 | 12.8 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.94 | 96.9 | 2.00 | 10.3 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/22/2012 | ND | 5.73 | 95.5 | 6.00 | 10.9 | | |

Surrogate: 4-Bromofluorobenzene (PIE) 105 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 224 | 16.0 | 06/21/2012 | ND | 432 | 108 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 06/21/2012 | ND | 179 | 89.5 | 200 | 0.934 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 06/21/2012 | ND | 184 | 91.8 | 200 | 0.237 | | |

Surrogate: 1-Chlorooctane 104 % 65.2-140

Surrogate: 1-Chlorooctadecane 118 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 06/20/2012
 Reported: 06/25/2012
 Project Name: SKIPJACK 26 #1
 Project Number: 161403
 Project Location: UL-P, SEC. 26 T16S R35E

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: ST2 - (1') (H201403-06)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.5 | 2.00 | 13.5 | | |
| Toluene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.6 | 2.00 | 12.8 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.94 | 96.9 | 2.00 | 10.3 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/22/2012 | ND | 5.73 | 95.5 | 6.00 | 10.9 | | |

Surrogate: 4-Bromofluorobenzene (PIL) 105 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 32.0 | 16.0 | 06/21/2012 | ND | 432 | 108 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 06/21/2012 | ND | 179 | 89.5 | 200 | 0.934 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 06/21/2012 | ND | 184 | 91.8 | 200 | 0.237 | | |

Surrogate: 1-Chlorooctane 91.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 106 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 06/20/2012
 Reported: 06/25/2012
 Project Name: SKIPJACK 26 #1
 Project Number: 161403
 Project Location: UL-P, SEC. 26 T16S R35E

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: ST3 - (1') (H201403-07)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.5 | 2.00 | 13.5 | | |
| Toluene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.85 | 92.6 | 2.00 | 12.8 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/22/2012 | ND | 1.94 | 96.9 | 2.00 | 10.3 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/22/2012 | ND | 5.73 | 95.5 | 6.00 | 10.9 | | |

Surrogate: 4-Bromofluorobenzene (PIC) 105 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 112 | 16.0 | 06/21/2012 | ND | 432 | 108 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 06/21/2012 | ND | 179 | 89.5 | 200 | 0.934 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 06/21/2012 | ND | 184 | 91.8 | 200 | 0.237 | | |

Surrogate: 1-Chlorooctane 95.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 108 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 06/20/2012
 Reported: 06/25/2012
 Project Name: SKIPJACK 26 #1
 Project Number: 161403
 Project Location: UL-P, SEC. 26 T16S R35E

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: ST4 - (1') (H201403-08)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.91 | 95.5 | 2.00 | 2.28 | | |
| Toluene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.92 | 96.1 | 2.00 | 1.21 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.95 | 97.5 | 2.00 | 0.918 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/25/2012 | ND | 5.87 | 97.8 | 6.00 | 0.301 | | |

Surrogate: 4-Bromofluorobenzene (PIE) 107 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 64.0 | 16.0 | 06/22/2012 | ND | 416 | 104 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 06/21/2012 | ND | 179 | 89.5 | 200 | 0.934 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 06/21/2012 | ND | 184 | 91.8 | 200 | 0.237 | | |

Surrogate: 1-Chlorooctane 99.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 110 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 06/20/2012
 Reported: 06/25/2012
 Project Name: SKIPJACK 26 #1
 Project Number: 161403
 Project Location: UL-P, SEC. 26 T16S R35E

 Sampling Date: 06/20/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: ST5 - (2") (H201403-09)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.91 | 95.5 | 2.00 | 2.28 | | |
| Toluene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.92 | 96.1 | 2.00 | 1.21 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.95 | 97.5 | 2.00 | 0.918 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/25/2012 | ND | 5.87 | 97.8 | 6.00 | 0.301 | | |

Surrogate: 4-Bromofluorobenzene (PIL) 105 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 816 | 16.0 | 06/22/2012 | ND | 416 | 104 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 06/21/2012 | ND | 179 | 89.5 | 200 | 0.934 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 06/21/2012 | ND | 184 | 91.8 | 200 | 0.237 | | |

Surrogate: 1-Chlorooctane 101 % 65.2-140

Surrogate: 1-Chlorooctadecane 109 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 06/20/2012
 Reported: 06/25/2012
 Project Name: SKIPJACK 26 #1
 Project Number: 161403
 Project Location: UL-P, SEC. 26 T16S R35E

 Sampling Date: 06/20/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Celey D. Keene

Sample ID: ST5 - (1') (H201403-10)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.91 | 95.5 | 2.00 | 2.28 | | |
| Toluene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.92 | 96.1 | 2.00 | 1.21 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.95 | 97.5 | 2.00 | 0.918 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/25/2012 | ND | 5.87 | 97.8 | 6.00 | 0.301 | | |

Surrogate: 4-Bromofluorobenzene (PIE) 106 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 112 | 16.0 | 06/22/2012 | ND | 416 | 104 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| GRO C6-C10 | <10.0 | 10.0 | 06/22/2012 | ND | 192 | 96.0 | 200 | 7.72 | | |
| DRO >C10-C28 | <10.0 | 10.0 | 06/22/2012 | ND | 191 | 95.4 | 200 | 8.18 | | |

Surrogate: 1-Chlorooctane 125 % 65.2-140

Surrogate: 1-Chlorooctadecane 112 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

| | | | |
|-------------------|-------------------------|---------------------|----------------|
| Received: | 06/20/2012 | Sampling Date: | 06/20/2012 |
| Reported: | 06/25/2012 | Sampling Type: | Soil |
| Project Name: | SKIPJACK 26 #1 | Sampling Condition: | Cool & Intact |
| Project Number: | 161403 | Sample Received By: | Celey D. Keene |
| Project Location: | UL-P, SEC. 26 T16S R35E | | |

Sample ID: ST5 - (18") (H201403-11)

| BTEX 8021B | | mg/kg | | Analyzed By: ZZZ | | | | | | |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|-------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Benzene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.91 | 95.5 | 2.00 | 2.28 | | |
| Toluene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.92 | 96.1 | 2.00 | 1.21 | | |
| Ethylbenzene* | <0.050 | 0.050 | 06/25/2012 | ND | 1.95 | 97.5 | 2.00 | 0.918 | | |
| Total Xylenes* | <0.150 | 0.150 | 06/25/2012 | ND | 5.87 | 97.8 | 6.00 | 0.301 | | |

Surrogate: 4-Bromofluorobenzene (PIE) 105 % 89.4-126

| Chloride, SM4500Cl-B | | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|------------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | |
| Chloride | 144 | 16.0 | 06/22/2012 | ND | 416 | 104 | 400 | 0.00 | | |

| TPH 8015M | | mg/kg | | Analyzed By: MS | | | | | | | S-04 |
|--------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | | |
| GRO C6-C10 | <10.0 | 10.0 | 06/22/2012 | ND | 192 | 96.0 | 200 | 7.72 | | | |
| DRO >C10-C28 | <10.0 | 10.0 | 06/22/2012 | ND | 191 | 95.4 | 200 | 8.18 | | | |

Surrogate: 1-Chlorooctane 138 % 65.2-140

Surrogate: 1-Chlorooctadecane 157 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

