

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

AUG 12 2016

RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-34247
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name LEA AQ STATE
8. Well Number 011
9. OGRID Number 162683
10. Pool name or Wildcat PEARL SAN ANDRES, WEST

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO

3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location
Unit Letter M : 990 feet from the SOUTH line and 990 feet from the WEST line
Section 29 Township 19S Range 35E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,732' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT R	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	INT TO PA ☒
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P&A NR ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	P&A R ☐
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ 5,700'; PUMP 60 SXS. CMT. @ 5,700'-5,225' (T/S.A.); CIRC. WELL W/ PXA MUD. *Pressure test csg.*
2) PUMP 40 SXS. CMT. @ 3,500'-3,214' (T/YATES, B/SALT); WOC X TAG CMT. PLUG.
3) PUMP 25 SXS. CMT. @ 1,860'-1,740' (T/SALT); WOC X TAG CMT. PLUG.
5) MIX X CIRC. TO SURF. 60 SXS. CMT. @ ~~445'-3~~ (8-5/8" CSG.SHOE). *495'*
6) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

Verify cement to surface all strings

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM W/ A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date:

Ri **NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE: AGENT

DATE: 08/08/16

Type or print name: DAVID A. EYLER
For State Use Only

E-mail address: deyler@milagro-res.com

PHONE: 432.687.3033

APPROVED BY: Mark Whitaker TITLE: Petroleum Engr. Specialist DATE: 8-16-2016
Conditions of Approval (if any):

CIMAREX

Original Operator: Matador Operating Co.

Spudded: 1/10/98

Cimarex Energy Co. of Colorado

Lea AQ State #11

990' FSL & 990' FWL

Unit M, Sec. 29, T-19-S, R-35E, Lea Co., NM

B. Sirgo **30-025-34247** 2/4/08

8 5/8", 24# J-55 ST&C csg @ 445'
cmtd w/ 200 sx. Cmt Circ.

188 jts 2 7/8" EUE 8rd J-55 Tbg

Rods - 111 7/8" rods

77 1" rods

Pump - 2-1/2" X 1-1/2" X 24'

San Andres Perfs (5764'-5768')

San Andres Perfs (5814'-5818')

San Andres Perfs (5829'-5837')

San Andres Perfs (5836'-5842')

San Andres Perfs (5857'-5860')

PBTD @ 6020'

Original PBTD @ 6050'

5 1/2", 15.5# J-55 ST&C @ 6082' cmtd w/ 1400 sx, Cmmt circ.
TD @ 6082'

Original Operator: Matador Operating Co.
Spudded: 1/10/98

Cimarex Energy Co. of Colorado

Lea AQ State #11

990' FSL & 990' FWL

Unit M, Sec. 29, T-19-S, R-35E, Lea Co., NM

B. Sirgo **30-025-34247** 2/4/08

T/SALT ~ 1,804'
B/SALT ~ 3,264'
T/YATE3 ~ 3,450'
T/7-R ~ 3,928'
T/ØN. ~ 4,676'
T/S.A. ~ 5,275'

