

Submit 1 Copy To Appropriate District Office

State of New Mexico

Form C-103

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OGD

Energy, Minerals and Natural Resources

Revised July 18, 2013

SEP 02 2016

RECEIVED

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-07418
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name North Hobbs (G/SA) Unit
8. Well Number 421
9. OGRID Number 157984
10. Pool name or Wildcat Hobbs (G/SA)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3648'

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well  Gas Well  Other Temporarily Abandoned

2. Name of Operator  
Occidental Permian, Ltd

3. Address of Operator  
HCR 1 Box 90 Denver City, TX 79323

4. Well Location  
Unit Letter H : 2310 feet from the North line and 1120 feet from the East line  
Section 28 Township 18-S Range 38-E NMPM Lea County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

P T I P D C O T H E R	E-PERMITTING <SWD _____ INJECTION _____>	SUBSEQUENT REPORT OF:	
	CONVERSION _____ RBDMS <u>MB</u>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
	RETURN TO _____ TA <u>Im</u>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
	CSNG _____ ENVIRO _____ CHG LOC _____	CASING/CEMENT JOB <input type="checkbox"/>	
	INT TO PA _____ P&A NR _____ P&A R _____	OTHER: Csg Integrity Test/TA status request <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Date of test: 08/23/2016  
Pressure readings: Start - 500 PSI Ending - 500 PSI  
Length of test: 30 minutes  
Witnessed: NO

This Approval of Temporary Abandonment Expires 8/23/2018

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mendy A Johnson TITLE Admin. Associate DATE 08/30/2016

Type or print name Mendy A. Johnson E-mail address: mendy\_johnson@oxy.com PHONE: 806-592-6280

For State Use Only

APPROVED BY: Mary J Brown TITLE Dist Supervisor DATE 9/7/2016  
Conditions of Approval (if any):

PRINTED IN U.S.A. 6 PM

5

4

3

2

1

11

MIDNIGHT

1

2

3

4

5

6 AM

7

8

9

10

NOON

11

900  
800  
700  
600  
500  
400  
300  
200  
100

900  
800  
700  
600  
500  
400  
300  
200  
100

900  
800  
700  
600  
500  
400  
300  
200  
100



Graphic Controls

DATE 8-23-16  
BR 2221


HOBBS OCD

SEP 02 2016

RECEIVED

0 Licentia Permyan  
Trilled Partnership  
Sole Member (LLP) Unit  
Unit No 28-1421  
Apr 14 5:26 PM '16  
30-015-01418  
841-1510-01418  
500 900  
500 900  
End 700

Pate Trucking  
Unit 119  
Dong West  
Start 700  
Start 600



# American Valve & Meter, Inc.

1113 W. BROADWAY

P.O. BOX 166 HOBBS,  
NM 88240

T0: Pate Trucking

DATE: 06/15/16

This is to certify that:

I, Tony Flores

Technician for American Valve & Meter Inc.

has checked the calibration of the following instrument.

8" Pressure recorder

Ser#12517

at these points.

Test	Pressure #		Test	Temperature *or Pressure #	
	Found	Left		Found	Left
- 0	-	- 0	-	-	-
- 500	-	- 500	-	-	-
- 700	-	- 700	-	-	-
- 1000	-	- 1000	-	-	-
- 200	-	- 200	-	-	-
- 0	-	- 0	-	-	-


Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Signature: 

# NHU 28-421

API# 30-025-07418

TWN 18-S; RNG 38-E  
Prod Beam - TA'd



12 1/2" 50# @ 2355'  
cmt'd w/150 sxs  
TOC @ Surface (Circ.)

25' of cmt on top of CIBP @3950'

Plugged Back Perfs: 3958-4048'  
Plugged Back OH: 4020-4262'

5-1/2" 15.5# @ 4319'  
cmt'd w/844 sxs  
TOC @ surf. (circ.)

PBTD @ 3925'  
TD @ 4262'