

WESTERN DIVISION

PBNM

Dzurisin

Thistle Unit 1H

Wellbore #1

Plan: Plan 1

Standard Planning Report

01 August, 2016

RECEIVED

2016 AUG 11 10 10 AM

2016 AUG 11 10 10 AM

Devon Energy

Planning Report

Database: EDM r5000 US Production
Company: WESTERN DIVISION
Project: PBNM
Site: Dzurisin
Well: Thistle Unit 1H
Wellbore: Wellbore #1
Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 1H
TVD Reference: 1 @ 3674.00ft
MD Reference: 1 @ 3674.00ft
North Reference: Grid
Survey Calculation Method: Minimum Curvature

Project	PBNM		
Map System:	Flat Earth	System Datum:	Mean Sea Level
Geo Datum:	WGS 1984		
Map Zone:	No Conversions		

Site	Dzurisin				
Site Position:		Northing:	429,922.27 usft	Latitude:	0.000000
From:	Map	Easting:	725,391.41 usft	Longitude:	0.000000
Position Uncertainty:	0.00 ft	Slot Radius:	13-3/16 "	Grid Convergence:	

Well	Thistle Unit 1H					
Well Position	+N/-S	27,141.09 ft	Northing:	457,063.31 usft	Latitude:	0.000000
	+E/-W	51,424.58 ft	Easting:	776,815.89 usft	Longitude:	0.000000
Position Uncertainty	0.00 ft	Wellhead Elevation:	0.00 ft	Ground Level:	3,650.50 ft	

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	User Defined	8/1/2016	0.00	0.00	0

Design	Plan 1				
Audit Notes:					
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.00	
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.00	0.00	0.00	356.21	

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3,500.00	0.00	0.00	3,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
4,000.00	5.00	260.00	3,999.37	-3.79	-21.47	1.00	1.00	0.00	260.00	
8,000.00	5.00	260.00	7,984.14	-64.32	-364.80	0.00	0.00	0.00	0.00	
9,000.00	0.00	0.00	8,982.88	-71.90	-407.74	0.50	-0.50	0.00	180.00	
9,590.00	0.00	0.00	9,572.88	-71.90	-407.74	0.00	0.00	0.00	0.00	
10,339.09	89.89	359.21	10,050.34	404.61	-414.33	12.00	12.00	0.00	359.21	Thistle Unit 1H BHL
10,376.10	89.89	359.21	10,050.41	441.62	-414.84	0.01	-0.01	0.00	-179.88	
17,682.93	89.89	359.21	10,064.91	7,747.74	-515.91	0.00	0.00	0.00	0.00	
17,727.52	89.89	359.21	10,065.00	7,792.33	-516.52	0.01	0.01	0.01	33.89	Thistle Unit 1H BHL

Devon Energy

Planning Report

Database: EDM r5000 US Production
 Company: WESTERN DIVISION
 Project: PBNM
 Site: Dzurisin
 Well: Thistle Unit 1H
 Wellbore: Wellbore #1
 Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 1H
 TVD Reference: 1 @ 3674.00ft
 MD Reference: 1 @ 3674.00ft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00
700.00	0.00	0.00	700.00	0.00	0.00	0.00	0.00	0.00	0.00
800.00	0.00	0.00	800.00	0.00	0.00	0.00	0.00	0.00	0.00
900.00	0.00	0.00	900.00	0.00	0.00	0.00	0.00	0.00	0.00
1,000.00	0.00	0.00	1,000.00	0.00	0.00	0.00	0.00	0.00	0.00
1,100.00	0.00	0.00	1,100.00	0.00	0.00	0.00	0.00	0.00	0.00
1,200.00	0.00	0.00	1,200.00	0.00	0.00	0.00	0.00	0.00	0.00
1,300.00	0.00	0.00	1,300.00	0.00	0.00	0.00	0.00	0.00	0.00
1,400.00	0.00	0.00	1,400.00	0.00	0.00	0.00	0.00	0.00	0.00
1,500.00	0.00	0.00	1,500.00	0.00	0.00	0.00	0.00	0.00	0.00
1,600.00	0.00	0.00	1,600.00	0.00	0.00	0.00	0.00	0.00	0.00
1,700.00	0.00	0.00	1,700.00	0.00	0.00	0.00	0.00	0.00	0.00
1,800.00	0.00	0.00	1,800.00	0.00	0.00	0.00	0.00	0.00	0.00
1,900.00	0.00	0.00	1,900.00	0.00	0.00	0.00	0.00	0.00	0.00
2,000.00	0.00	0.00	2,000.00	0.00	0.00	0.00	0.00	0.00	0.00
2,100.00	0.00	0.00	2,100.00	0.00	0.00	0.00	0.00	0.00	0.00
2,200.00	0.00	0.00	2,200.00	0.00	0.00	0.00	0.00	0.00	0.00
2,300.00	0.00	0.00	2,300.00	0.00	0.00	0.00	0.00	0.00	0.00
2,400.00	0.00	0.00	2,400.00	0.00	0.00	0.00	0.00	0.00	0.00
2,500.00	0.00	0.00	2,500.00	0.00	0.00	0.00	0.00	0.00	0.00
2,600.00	0.00	0.00	2,600.00	0.00	0.00	0.00	0.00	0.00	0.00
2,700.00	0.00	0.00	2,700.00	0.00	0.00	0.00	0.00	0.00	0.00
2,800.00	0.00	0.00	2,800.00	0.00	0.00	0.00	0.00	0.00	0.00
2,900.00	0.00	0.00	2,900.00	0.00	0.00	0.00	0.00	0.00	0.00
3,000.00	0.00	0.00	3,000.00	0.00	0.00	0.00	0.00	0.00	0.00
3,100.00	0.00	0.00	3,100.00	0.00	0.00	0.00	0.00	0.00	0.00
3,200.00	0.00	0.00	3,200.00	0.00	0.00	0.00	0.00	0.00	0.00
3,300.00	0.00	0.00	3,300.00	0.00	0.00	0.00	0.00	0.00	0.00
3,400.00	0.00	0.00	3,400.00	0.00	0.00	0.00	0.00	0.00	0.00
3,500.00	0.00	0.00	3,500.00	0.00	0.00	0.00	0.00	0.00	0.00
3,600.00	1.00	260.00	3,600.00	-0.15	-0.86	-0.09	1.00	1.00	0.00
3,700.00	2.00	260.00	3,699.96	-0.61	-3.44	-0.38	1.00	1.00	0.00
3,800.00	3.00	260.00	3,799.86	-1.36	-7.73	-0.85	1.00	1.00	0.00
3,900.00	4.00	260.00	3,899.68	-2.42	-13.74	-1.51	1.00	1.00	0.00
4,000.00	5.00	260.00	3,999.37	-3.79	-21.47	-2.36	1.00	1.00	0.00
4,100.00	5.00	260.00	4,098.99	-5.30	-30.05	-3.30	0.00	0.00	0.00
4,200.00	5.00	260.00	4,198.60	-6.81	-38.64	-4.24	0.00	0.00	0.00
4,300.00	5.00	260.00	4,298.22	-8.33	-47.22	-5.18	0.00	0.00	0.00
4,400.00	5.00	260.00	4,397.84	-9.84	-55.80	-6.13	0.00	0.00	0.00
4,500.00	5.00	260.00	4,497.46	-11.35	-64.39	-7.07	0.00	0.00	0.00
4,600.00	5.00	260.00	4,597.08	-12.87	-72.97	-8.01	0.00	0.00	0.00
4,700.00	5.00	260.00	4,696.70	-14.38	-81.55	-8.95	0.00	0.00	0.00
4,800.00	5.00	260.00	4,796.32	-15.89	-90.14	-9.90	0.00	0.00	0.00
4,900.00	5.00	260.00	4,895.94	-17.41	-98.72	-10.84	0.00	0.00	0.00
5,000.00	5.00	260.00	4,995.56	-18.92	-107.30	-11.78	0.00	0.00	0.00
5,100.00	5.00	260.00	5,095.18	-20.43	-115.89	-12.72	0.00	0.00	0.00
5,200.00	5.00	260.00	5,194.80	-21.95	-124.47	-13.67	0.00	0.00	0.00
5,300.00	5.00	260.00	5,294.42	-23.46	-133.05	-14.61	0.00	0.00	0.00

Devon Energy

Planning Report

Database: EDM r5000 US Production
 Company: WESTERN DIVISION
 Project: PBNM
 Site: Dzurisin
 Well: Thistle Unit 1H
 Wellbore: Wellbore #1
 Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 1H
 TVD Reference: 1 @ 3674.00ft
 MD Reference: 1 @ 3674.00ft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,400.00	5.00	260.00	5,394.04	-24.97	-141.64	-15.55	0.00	0.00	0.00
5,500.00	5.00	260.00	5,493.66	-26.49	-150.22	-16.49	0.00	0.00	0.00
5,600.00	5.00	260.00	5,593.28	-28.00	-158.80	-17.44	0.00	0.00	0.00
5,700.00	5.00	260.00	5,692.90	-29.51	-167.39	-18.38	0.00	0.00	0.00
5,800.00	5.00	260.00	5,792.52	-31.03	-175.97	-19.32	0.00	0.00	0.00
5,900.00	5.00	260.00	5,892.14	-32.54	-184.55	-20.26	0.00	0.00	0.00
6,000.00	5.00	260.00	5,991.76	-34.05	-193.13	-21.21	0.00	0.00	0.00
6,100.00	5.00	260.00	6,091.37	-35.57	-201.72	-22.15	0.00	0.00	0.00
6,200.00	5.00	260.00	6,190.99	-37.08	-210.30	-23.09	0.00	0.00	0.00
6,300.00	5.00	260.00	6,290.61	-38.60	-218.88	-24.03	0.00	0.00	0.00
6,400.00	5.00	260.00	6,390.23	-40.11	-227.47	-24.98	0.00	0.00	0.00
6,500.00	5.00	260.00	6,489.85	-41.62	-236.05	-25.92	0.00	0.00	0.00
6,600.00	5.00	260.00	6,589.47	-43.14	-244.63	-26.86	0.00	0.00	0.00
6,700.00	5.00	260.00	6,689.09	-44.65	-253.22	-27.80	0.00	0.00	0.00
6,800.00	5.00	260.00	6,788.71	-46.16	-261.80	-28.75	0.00	0.00	0.00
6,900.00	5.00	260.00	6,888.33	-47.68	-270.38	-29.69	0.00	0.00	0.00
7,000.00	5.00	260.00	6,987.95	-49.19	-278.97	-30.63	0.00	0.00	0.00
7,100.00	5.00	260.00	7,087.57	-50.70	-287.55	-31.57	0.00	0.00	0.00
7,200.00	5.00	260.00	7,187.19	-52.22	-296.13	-32.52	0.00	0.00	0.00
7,300.00	5.00	260.00	7,286.81	-53.73	-304.72	-33.46	0.00	0.00	0.00
7,400.00	5.00	260.00	7,386.43	-55.24	-313.30	-34.40	0.00	0.00	0.00
7,500.00	5.00	260.00	7,486.05	-56.76	-321.88	-35.34	0.00	0.00	0.00
7,600.00	5.00	260.00	7,585.67	-58.27	-330.47	-36.29	0.00	0.00	0.00
7,700.00	5.00	260.00	7,685.29	-59.78	-339.05	-37.23	0.00	0.00	0.00
7,800.00	5.00	260.00	7,784.91	-61.30	-347.63	-38.17	0.00	0.00	0.00
7,900.00	5.00	260.00	7,884.53	-62.81	-356.21	-39.11	0.00	0.00	0.00
8,000.00	5.00	260.00	7,984.14	-64.32	-364.80	-40.05	0.00	0.00	0.00
8,100.00	4.50	260.00	8,083.80	-65.76	-372.95	-40.95	0.50	-0.50	0.00
8,200.00	4.00	260.00	8,183.53	-67.05	-380.25	-41.75	0.50	-0.50	0.00
8,300.00	3.50	260.00	8,283.31	-68.18	-386.69	-42.46	0.50	-0.50	0.00
8,400.00	3.00	260.00	8,383.15	-69.17	-392.28	-43.07	0.50	-0.50	0.00
8,500.00	2.50	260.00	8,483.03	-70.00	-397.00	-43.59	0.50	-0.50	0.00
8,600.00	2.00	260.00	8,582.96	-70.68	-400.87	-44.02	0.50	-0.50	0.00
8,700.00	1.50	260.00	8,682.91	-71.21	-403.87	-44.35	0.50	-0.50	0.00
8,800.00	1.00	260.00	8,782.89	-71.59	-406.02	-44.58	0.50	-0.50	0.00
8,900.00	0.50	260.00	8,882.88	-71.82	-407.31	-44.72	0.50	-0.50	0.00
9,000.00	0.00	0.00	8,982.88	-71.90	-407.74	-44.77	0.50	-0.50	0.00
9,100.00	0.00	0.00	9,082.88	-71.90	-407.74	-44.77	0.00	0.00	0.00
9,200.00	0.00	0.00	9,182.88	-71.90	-407.74	-44.77	0.00	0.00	0.00
9,300.00	0.00	0.00	9,282.88	-71.90	-407.74	-44.77	0.00	0.00	0.00
9,400.00	0.00	0.00	9,382.88	-71.90	-407.74	-44.77	0.00	0.00	0.00
9,500.00	0.00	0.00	9,482.88	-71.90	-407.74	-44.77	0.00	0.00	0.00
9,590.00	0.00	0.00	9,572.88	-71.90	-407.74	-44.77	0.00	0.00	0.00
9,600.00	1.20	359.21	9,582.88	-71.79	-407.74	-44.67	12.00	12.00	0.00
9,625.00	4.20	359.21	9,607.84	-70.61	-407.76	-43.49	12.00	12.00	0.00
9,650.00	7.20	359.21	9,632.72	-68.13	-407.79	-41.01	12.00	12.00	0.00
9,675.00	10.20	359.21	9,657.43	-64.35	-407.85	-37.23	12.00	12.00	0.00
9,700.00	13.20	359.21	9,681.91	-59.28	-407.92	-32.17	12.00	12.00	0.00
9,725.00	16.20	359.21	9,706.08	-52.94	-408.00	-25.84	12.00	12.00	0.00
9,750.00	19.20	359.21	9,729.90	-45.34	-408.11	-18.25	12.00	12.00	0.00
9,775.00	22.20	359.21	9,753.28	-36.51	-408.23	-9.42	12.00	12.00	0.00
9,800.00	25.20	359.21	9,776.17	-26.46	-408.37	0.61	12.00	12.00	0.00
9,825.00	28.20	359.21	9,798.50	-15.23	-408.53	11.83	12.00	12.00	0.00
9,850.00	31.20	359.21	9,820.22	-2.84	-408.70	24.19	12.00	12.00	0.00

Devon Energy

Planning Report

Database: EDM r5000 US Production
 Company: WESTERN DIVISION
 Project: PBNM
 Site: Dzurisin
 Well: Thistle Unit 1H
 Wellbore: Wellbore #1
 Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 1H
 TVD Reference: 1 @ 3674.00ft
 MD Reference: 1 @ 3674.00ft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N-S (ft)	+E-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,875.00	34.20	359.21	9,841.25	10.66	-408.88	37.68	12.00	12.00	0.00
9,900.00	37.20	359.21	9,861.55	25.24	-409.08	52.25	12.00	12.00	0.00
9,925.00	40.20	359.21	9,881.06	40.87	-409.30	67.85	12.00	12.00	0.00
9,950.00	43.20	359.21	9,899.72	57.50	-409.53	84.46	12.00	12.00	0.00
9,975.00	46.20	359.21	9,917.49	75.08	-409.77	102.02	12.00	12.00	0.00
10,000.00	49.20	359.21	9,934.31	93.57	-410.03	120.48	12.00	12.00	0.00
10,025.00	52.20	359.21	9,950.15	112.91	-410.30	139.80	12.00	12.00	0.00
10,050.00	55.20	359.21	9,964.95	133.05	-410.58	159.92	12.00	12.00	0.00
10,075.00	58.20	359.21	9,978.67	153.94	-410.87	180.78	12.00	12.00	0.00
10,100.00	61.20	359.21	9,991.28	175.52	-411.16	202.33	12.00	12.00	0.00
10,125.00	64.20	359.21	10,002.75	197.74	-411.47	224.52	12.00	12.00	0.00
10,150.00	67.20	359.21	10,013.03	220.52	-411.79	247.27	12.00	12.00	0.00
10,175.00	70.20	359.21	10,022.11	243.80	-412.11	270.53	12.00	12.00	0.00
10,200.00	73.20	359.21	10,029.96	267.53	-412.44	294.23	12.00	12.00	0.00
10,225.00	76.20	359.21	10,036.56	291.64	-412.77	318.30	12.00	12.00	0.00
10,250.00	79.20	359.21	10,041.88	316.06	-413.11	342.69	12.00	12.00	0.00
10,275.00	82.20	359.21	10,045.92	340.73	-413.45	367.33	12.00	12.00	0.00
10,300.00	85.20	359.21	10,048.67	365.57	-413.79	392.14	12.00	12.00	0.00
10,325.00	88.20	359.21	10,050.11	390.53	-414.14	417.06	12.00	12.00	0.00
10,339.09	89.89	359.21	10,050.34	404.61	-414.33	431.13	12.00	12.00	0.00
10,376.10	89.89	359.21	10,050.41	441.62	-414.84	468.09	0.01	-0.01	0.00
10,400.00	89.89	359.21	10,050.46	465.52	-415.17	491.96	0.00	0.00	0.00
10,500.00	89.89	359.21	10,050.66	565.51	-416.56	591.82	0.00	0.00	0.00
10,600.00	89.89	359.21	10,050.86	665.50	-417.94	691.68	0.00	0.00	0.00
10,700.00	89.89	359.21	10,051.06	765.49	-419.32	791.55	0.00	0.00	0.00
10,800.00	89.89	359.21	10,051.25	865.48	-420.71	891.41	0.00	0.00	0.00
10,900.00	89.89	359.21	10,051.45	965.47	-422.09	991.27	0.00	0.00	0.00
11,000.00	89.89	359.21	10,051.65	1,065.46	-423.47	1,091.13	0.00	0.00	0.00
11,100.00	89.89	359.21	10,051.85	1,165.45	-424.86	1,191.00	0.00	0.00	0.00
11,200.00	89.89	359.21	10,052.05	1,265.44	-426.24	1,290.86	0.00	0.00	0.00
11,300.00	89.89	359.21	10,052.25	1,365.43	-427.62	1,390.72	0.00	0.00	0.00
11,400.00	89.89	359.21	10,052.44	1,465.42	-429.01	1,490.59	0.00	0.00	0.00
11,500.00	89.89	359.21	10,052.64	1,565.41	-430.39	1,590.45	0.00	0.00	0.00
11,600.00	89.89	359.21	10,052.84	1,665.40	-431.77	1,690.31	0.00	0.00	0.00
11,700.00	89.89	359.21	10,053.04	1,765.39	-433.16	1,790.17	0.00	0.00	0.00
11,800.00	89.89	359.21	10,053.24	1,865.38	-434.54	1,890.04	0.00	0.00	0.00
11,900.00	89.89	359.21	10,053.44	1,965.37	-435.92	1,989.90	0.00	0.00	0.00
12,000.00	89.89	359.21	10,053.64	2,065.36	-437.30	2,089.76	0.00	0.00	0.00
12,100.00	89.89	359.21	10,053.83	2,165.35	-438.69	2,189.62	0.00	0.00	0.00
12,200.00	89.89	359.21	10,054.03	2,265.34	-440.07	2,289.49	0.00	0.00	0.00
12,300.00	89.89	359.21	10,054.23	2,365.33	-441.45	2,389.35	0.00	0.00	0.00
12,400.00	89.89	359.21	10,054.43	2,465.32	-442.84	2,489.21	0.00	0.00	0.00
12,500.00	89.89	359.21	10,054.63	2,565.31	-444.22	2,589.08	0.00	0.00	0.00
12,600.00	89.89	359.21	10,054.83	2,665.30	-445.60	2,688.94	0.00	0.00	0.00
12,700.00	89.89	359.21	10,055.02	2,765.29	-446.99	2,788.80	0.00	0.00	0.00
12,800.00	89.89	359.21	10,055.22	2,865.28	-448.37	2,888.66	0.00	0.00	0.00
12,900.00	89.89	359.21	10,055.42	2,965.27	-449.75	2,988.53	0.00	0.00	0.00
13,000.00	89.89	359.21	10,055.62	3,065.26	-451.14	3,088.39	0.00	0.00	0.00
13,100.00	89.89	359.21	10,055.82	3,165.25	-452.52	3,188.25	0.00	0.00	0.00
13,200.00	89.89	359.21	10,056.02	3,265.24	-453.90	3,288.12	0.00	0.00	0.00
13,300.00	89.89	359.21	10,056.22	3,365.23	-455.28	3,387.98	0.00	0.00	0.00
13,400.00	89.89	359.21	10,056.41	3,465.22	-456.67	3,487.84	0.00	0.00	0.00
13,500.00	89.89	359.21	10,056.61	3,565.21	-458.05	3,587.70	0.00	0.00	0.00
13,600.00	89.89	359.21	10,056.81	3,665.20	-459.43	3,687.57	0.00	0.00	0.00

Devon Energy

Planning Report

Database: EDM r5000 US Production
 Company: WESTERN DIVISION
 Project: PBNM
 Site: Dzurisin
 Well: Thistle Unit 1H
 Wellbore: Wellbore #1
 Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 1H
 TVD Reference: 1 @ 3674.00ft
 MD Reference: 1 @ 3674.00ft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,700.00	89.89	359.21	10,057.01	3,765.19	-460.82	3,787.43	0.00	0.00	0.00
13,800.00	89.89	359.21	10,057.21	3,865.19	-462.20	3,887.29	0.00	0.00	0.00
13,900.00	89.89	359.21	10,057.41	3,965.18	-463.58	3,987.15	0.00	0.00	0.00
14,000.00	89.89	359.21	10,057.60	4,065.17	-464.97	4,087.02	0.00	0.00	0.00
14,100.00	89.89	359.21	10,057.80	4,165.16	-466.35	4,186.88	0.00	0.00	0.00
14,200.00	89.89	359.21	10,058.00	4,265.15	-467.73	4,286.74	0.00	0.00	0.00
14,300.00	89.89	359.21	10,058.20	4,365.14	-469.12	4,386.61	0.00	0.00	0.00
14,400.00	89.89	359.21	10,058.40	4,465.13	-470.50	4,486.47	0.00	0.00	0.00
14,500.00	89.89	359.21	10,058.60	4,565.12	-471.88	4,586.33	0.00	0.00	0.00
14,600.00	89.89	359.21	10,058.80	4,665.11	-473.27	4,686.19	0.00	0.00	0.00
14,700.00	89.89	359.21	10,058.99	4,765.10	-474.65	4,786.06	0.00	0.00	0.00
14,800.00	89.89	359.21	10,059.19	4,865.09	-476.03	4,885.92	0.00	0.00	0.00
14,900.00	89.89	359.21	10,059.39	4,965.08	-477.41	4,985.78	0.00	0.00	0.00
15,000.00	89.89	359.21	10,059.59	5,065.07	-478.80	5,085.65	0.00	0.00	0.00
15,100.00	89.89	359.21	10,059.79	5,165.06	-480.18	5,185.51	0.00	0.00	0.00
15,200.00	89.89	359.21	10,059.99	5,265.05	-481.56	5,285.37	0.00	0.00	0.00
15,300.00	89.89	359.21	10,060.18	5,365.04	-482.95	5,385.23	0.00	0.00	0.00
15,400.00	89.89	359.21	10,060.38	5,465.03	-484.33	5,485.10	0.00	0.00	0.00
15,500.00	89.89	359.21	10,060.58	5,565.02	-485.71	5,584.96	0.00	0.00	0.00
15,600.00	89.89	359.21	10,060.78	5,665.01	-487.10	5,684.82	0.00	0.00	0.00
15,700.00	89.89	359.21	10,060.98	5,765.00	-488.48	5,784.68	0.00	0.00	0.00
15,800.00	89.89	359.21	10,061.18	5,864.99	-489.86	5,884.55	0.00	0.00	0.00
15,900.00	89.89	359.21	10,061.38	5,964.98	-491.25	5,984.41	0.00	0.00	0.00
16,000.00	89.89	359.21	10,061.57	6,064.97	-492.63	6,084.27	0.00	0.00	0.00
16,100.00	89.89	359.21	10,061.77	6,164.96	-494.01	6,184.14	0.00	0.00	0.00
16,200.00	89.89	359.21	10,061.97	6,264.95	-495.39	6,284.00	0.00	0.00	0.00
16,300.00	89.89	359.21	10,062.17	6,364.94	-496.78	6,383.86	0.00	0.00	0.00
16,400.00	89.89	359.21	10,062.37	6,464.93	-498.16	6,483.72	0.00	0.00	0.00
16,500.00	89.89	359.21	10,062.57	6,564.92	-499.54	6,583.59	0.00	0.00	0.00
16,600.00	89.89	359.21	10,062.76	6,664.91	-500.93	6,683.45	0.00	0.00	0.00
16,700.00	89.89	359.21	10,062.96	6,764.90	-502.31	6,783.31	0.00	0.00	0.00
16,800.00	89.89	359.21	10,063.16	6,864.89	-503.69	6,883.17	0.00	0.00	0.00
16,900.00	89.89	359.21	10,063.36	6,964.88	-505.08	6,983.04	0.00	0.00	0.00
17,000.00	89.89	359.21	10,063.56	7,064.87	-506.46	7,082.90	0.00	0.00	0.00
17,100.00	89.89	359.21	10,063.76	7,164.86	-507.84	7,182.76	0.00	0.00	0.00
17,200.00	89.89	359.21	10,063.95	7,264.85	-509.23	7,282.63	0.00	0.00	0.00
17,300.00	89.89	359.21	10,064.15	7,364.84	-510.61	7,382.49	0.00	0.00	0.00
17,400.00	89.89	359.21	10,064.35	7,464.83	-511.99	7,482.35	0.00	0.00	0.00
17,500.00	89.89	359.21	10,064.55	7,564.82	-513.38	7,582.21	0.00	0.00	0.00
17,600.00	89.89	359.21	10,064.75	7,664.81	-514.76	7,682.08	0.00	0.00	0.00
17,682.93	89.89	359.21	10,064.91	7,747.74	-515.91	7,764.90	0.00	0.00	0.00
17,700.00	89.89	359.21	10,064.95	7,764.80	-516.14	7,781.94	0.01	0.01	0.01
17,727.52	89.89	359.21	10,065.00	7,792.33	-516.52	7,809.43	0.01	0.01	0.01

Design Targets

Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- hit/miss target									
- Shape									
Thistle Unit 1H BHL	0.00	0.00	10,065.00	7,792.33	-516.52	464,855.62	776,299.37	0.000000	0.000000
- plan hits target center									
- Point									

Devon Energy

Planning Report

Database: EDM r5000 US Production
Company: WESTERN DIVISION
Project: PBNM
Site: Dzurisin
Well: Thistle Unit 1H
Wellbore: Wellbore #1
Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 1H
TVD Reference: 1 @ 3674.00ft
MD Reference: 1 @ 3674.00ft
North Reference: Grid
Survey Calculation Method: Minimum Curvature

Devon Energy

Anticollision Risk Report

Company:	WESTERN DIVISION	Local Co-ordinate Reference:	Well Thistle Unit 144H
Project:	PBNM	TVD Reference:	1 @ 3673.20ft
Reference Site:	Dzurisin	MD Reference:	1 @ 3673.20ft
Site Error:	0.00	North Reference:	Grid
Reference Well:	Thistle Unit 144H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.00	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM r5000 US Production
Reference Design:	Plan 1	Offset TVD Reference:	Offset Datum

Reference	Plan 1
Filter type:	NO GLOBAL FILTER: Using user defined selection & filtering criteria
Interpolation Method:	Stations Interval 100.00ft
Depth Range:	Unlimited
Results Limited by:	Maximum center-center distance of 10,000.00ft
Warning Levels Evaluated at:	2.00 Sigma
Error Model:	ISCWSA
Scan Method:	Closest Approach 3D
Error Surface:	Elliptical Conic
Casing Method:	Not applied

Risk Settings		
Vertical Depth for Analysis:	ft	(Below TVD Reference Datum)
Level of Acceptable Risk (1 in):		
Minimum Separation:	0 ft	

Survey Tool Program		Date	8/1/2016		
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
0.00	17,659.64	Plan 1 (Wellbore #1)	MWD	MWD - Standard	

Summary

Site Name	Reference Measured Depth (ft)	Offset Measured Depth (ft)	Distance Between Centres (ft)	Distance Between Ellipses (ft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
Dzurisin						
Thistle Unit 145H - Wellbore #1 - Plan 1	3,511.25	3,512.95	50.02	34.51	3.225 CC	
Thistle Unit 145H - Wellbore #1 - Plan 1	3,700.00	3,703.12	50.44	34.15	3.097 ES	
Thistle Unit 145H - Wellbore #1 - Plan 1	3,900.00	3,904.53	52.15	35.06	3.052 SF	
Thistle Unit 156H - Wellbore #1 - Plan 1	3,466.33	3,467.33	150.06	134.76	9.804 CC	
Thistle Unit 156H - Wellbore #1 - Plan 1	3,500.00	3,500.00	150.07	134.61	9.709 ES	
Thistle Unit 156H - Wellbore #1 - Plan 1	17,659.64	17,065.30	983.93	554.53	2.291 SF	
Thistle Unit 1H - Wellbore #1 - Plan 1	3,466.40	3,467.20	100.03	84.73	6.535 CC	
Thistle Unit 1H - Wellbore #1 - Plan 1	3,500.00	3,500.00	100.04	84.58	6.472 ES	
Thistle Unit 1H - Wellbore #1 - Plan 1	17,659.64	17,720.49	889.85	416.19	1.879 SF	

Offset Design													Dzurisin - Thistle Unit 145H - Wellbore #1 - Plan 1		Offset Site Error: 0.00 ft	
Survey Program: 0-MWD														Offset Well Error: 0.00 ft		
Reference		Offset		Semi Major Axis		Distance										
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Riskd Separation Factor	Probability of Collision	Warning			
0.00	0.00	1.60	1.60	0.00	0.00	-90.33	50.02				0					
100.00	100.00	101.60	101.60	0.09	0.09	-90.33	50.02	49.85	0.18	284.951	0					
200.00	200.00	201.60	201.60	0.31	0.31	-90.33	50.02	49.40	0.83	80.024	0					
300.00	300.00	301.60	301.60	0.54	0.54	-90.33	50.02	48.95	1.07	46.548	0					
400.00	400.00	401.60	401.60	0.76	0.76	-90.33	50.02	48.50	1.52	32.819	0					
500.00	500.00	501.60	501.60	0.99	0.99	-90.33	50.02	48.05	1.97	25.344	0					
600.00	600.00	601.60	601.60	1.21	1.21	-90.33	50.02	47.60	2.42	20.642	0					
700.00	700.00	701.60	701.60	1.43	1.44	-90.33	50.02	47.15	2.87	17.412	0					
800.00	800.00	801.60	801.60	1.66	1.66	-90.33	50.02	46.70	3.32	15.056	0					
900.00	900.00	901.60	901.60	1.88	1.89	-90.33	50.02	46.25	3.77	13.262	0					
1,000.00	1,000.00	1,001.60	1,001.60	2.11	2.11	-90.33	50.02	45.80	4.22	11.850	0					
1,100.00	1,100.00	1,101.60	1,101.60	2.33	2.34	-90.33	50.02	45.35	4.67	10.709	0					
1,200.00	1,200.00	1,201.60	1,201.60	2.56	2.56	-90.33	50.02	44.90	5.12	9.769	0					
1,300.00	1,300.00	1,301.60	1,301.60	2.78	2.79	-90.33	50.02	44.45	5.57	8.981	0					

CC - Min centre to center distance or covergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy

Anticollision Risk Report

Company:	WESTERN DIVISION	Local Co-ordinate Reference:	Well Thistle Unit 144H
Project:	PBNM	TVD Reference:	1 @ 3673.20ft
Reference Site:	Dzurisin	MD Reference:	1 @ 3673.20ft
Site Error:	0.00	North Reference:	Grid
Reference Well:	Thistle Unit 144H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.00	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM r5000 US Production
Reference Design:	Plan 1	Offset TVD Reference:	Offset Datum

Offset Design Dzurisin - Thistle Unit 145H - Wellbore #1 - Plan 1													Offset Site Error:	0.00 ft
Survey Program: 0-MWD													Offset Well Error:	0.00 ft
Reference		Offset		Semi Major Axis		Distance				Minimum Separation (ft)	Separation Factor	Risked Separation Factor	Probability of Collision	Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)						
1,400.00	1,400.00	1,401.60	1,401.60	3.01	3.01	-90.33	50.02	44.00	6.02	8.310	0			
1,500.00	1,500.00	1,501.60	1,501.60	3.23	3.24	-90.33	50.02	43.55	6.47	7.732	0			
1,600.00	1,600.00	1,601.60	1,601.60	3.46	3.46	-90.33	50.02	43.10	6.92	7.230	0			
1,700.00	1,700.00	1,701.60	1,701.60	3.68	3.69	-90.33	50.02	42.65	7.37	6.789	0			
1,800.00	1,800.00	1,801.60	1,801.60	3.91	3.91	-90.33	50.02	42.20	7.82	6.399	0			
1,900.00	1,900.00	1,901.60	1,901.60	4.13	4.14	-90.33	50.02	41.75	8.27	6.051	0			
2,000.00	2,000.00	2,001.60	2,001.60	4.36	4.36	-90.33	50.02	41.30	8.72	5.739	0			
2,100.00	2,100.00	2,101.60	2,101.60	4.58	4.58	-90.33	50.02	40.85	9.17	5.457	0			
2,200.00	2,200.00	2,201.60	2,201.60	4.81	4.81	-90.33	50.02	40.41	9.62	5.202	0			
2,300.00	2,300.00	2,301.60	2,301.60	5.03	5.03	-90.33	50.02	39.96	10.07	4.970	0			
2,400.00	2,400.00	2,401.60	2,401.60	5.26	5.26	-90.33	50.02	39.51	10.51	4.757	0			
2,500.00	2,500.00	2,501.60	2,501.60	5.48	5.48	-90.33	50.02	39.06	10.96	4.562	0			
2,600.00	2,600.00	2,601.60	2,601.60	5.71	5.71	-90.33	50.02	38.61	11.41	4.382	0			
2,700.00	2,700.00	2,701.60	2,701.60	5.93	5.93	-90.33	50.02	38.16	11.86	4.216	0			
2,800.00	2,800.00	2,801.60	2,801.60	6.15	6.16	-90.33	50.02	37.71	12.31	4.062	0			
2,900.00	2,900.00	2,901.60	2,901.60	6.38	6.38	-90.33	50.02	37.26	12.76	3.919	0			
3,000.00	3,000.00	3,001.60	3,001.60	6.60	6.61	-90.33	50.02	36.81	13.21	3.786	0			
3,100.00	3,100.00	3,101.60	3,101.60	6.83	6.83	-90.33	50.02	36.36	13.66	3.661	0			
3,200.00	3,200.00	3,201.60	3,201.60	7.05	7.06	-90.33	50.02	35.91	14.11	3.545	0			
3,300.00	3,300.00	3,301.60	3,301.60	7.28	7.28	-90.33	50.02	35.46	14.56	3.435	0			
3,400.00	3,400.00	3,401.60	3,401.60	7.50	7.51	-90.33	50.02	35.01	15.01	3.332	0			
3,500.00	3,500.00	3,501.61	3,501.61	7.73	7.73	-90.33	50.02	34.56	15.46	3.236	0			
3,511.25	3,511.25	3,512.95	3,512.95	7.75	7.76	179.68	50.02	34.51	15.51	3.225	0		CC	
3,600.00	3,600.00	3,602.37	3,602.37	7.94	7.95	-179.81	50.11	34.22	15.89	3.154	0			
3,700.00	3,699.96	3,703.12	3,703.08	8.14	8.17	-178.28	50.44	34.15	16.29	3.097	0		ES	
3,800.00	3,799.86	3,803.85	3,803.70	8.35	8.39	-175.80	51.08	34.40	16.69	3.061	0			
3,900.00	3,899.88	3,904.53	3,904.19	8.56	8.61	-172.45	52.15	35.06	17.09	3.052	0		SF	
4,000.00	3,999.37	4,005.13	4,004.47	8.79	8.85	-168.37	53.77	36.29	17.49	3.075	0			
4,100.00	4,098.99	4,105.03	4,103.99	9.03	9.09	-164.24	55.94	38.02	17.92	3.122	0			
4,200.00	4,198.60	4,204.92	4,203.51	9.27	9.34	-160.43	58.37	40.01	18.36	3.179	0			
4,300.00	4,298.22	4,304.82	4,303.03	9.52	9.59	-156.95	61.04	42.22	18.82	3.244	0			
4,400.00	4,397.84	4,404.72	4,402.55	9.77	9.85	-153.76	63.92	44.63	19.29	3.314	0			
4,500.00	4,497.46	4,504.62	4,502.06	10.04	10.11	-150.86	66.98	47.20	19.77	3.387	0			
4,600.00	4,597.08	4,604.52	4,601.58	10.30	10.38	-148.21	70.19	49.92	20.27	3.463	0			
4,700.00	4,696.70	4,704.42	4,701.10	10.57	10.65	-145.80	73.54	52.76	20.78	3.539	0			
4,800.00	4,796.32	4,804.31	4,800.82	10.85	10.93	-143.61	77.01	55.71	21.30	3.615	0			
4,900.00	4,895.94	4,904.21	4,900.14	11.13	11.21	-141.61	80.58	58.75	21.83	3.691	0			
5,000.00	4,895.56	5,004.11	4,999.65	11.41	11.49	-139.78	84.25	61.87	22.38	3.765	0			
5,100.00	5,095.18	5,104.01	5,099.17	11.70	11.78	-138.10	87.99	65.06	22.93	3.838	0			
5,200.00	5,194.80	5,203.91	5,198.69	11.99	12.07	-136.56	91.80	68.31	23.49	3.908	0			
5,300.00	5,294.42	5,303.80	5,298.21	12.28	12.36	-135.14	95.67	71.62	24.05	3.977	0			
5,400.00	5,394.04	5,403.70	5,397.73	12.58	12.65	-133.84	99.60	74.97	24.63	4.044	0			
5,500.00	5,493.66	5,503.60	5,497.24	12.88	12.95	-132.63	103.57	78.36	25.21	4.109	0			
5,600.00	5,593.28	5,603.50	5,596.76	13.18	13.25	-131.52	107.58	81.79	25.79	4.171	0			
5,700.00	5,692.90	5,703.40	5,696.28	13.48	13.55	-130.48	111.64	85.25	26.38	4.231	0			
5,800.00	5,792.52	5,803.30	5,795.80	13.78	13.85	-129.52	115.72	88.74	26.98	4.289	0			
5,900.00	5,892.14	5,903.19	5,895.32	14.09	14.16	-128.62	119.84	92.26	27.58	4.345	0			
6,000.00	5,991.76	6,003.09	5,994.84	14.40	14.46	-127.79	123.98	95.80	28.18	4.399	0			
6,100.00	6,091.37	6,102.99	6,094.35	14.71	14.77	-127.00	128.15	99.36	28.79	4.451	0			
6,200.00	6,190.99	6,202.89	6,193.87	15.02	15.08	-126.27	132.35	102.94	29.40	4.501	0			
6,300.00	6,290.61	6,302.79	6,293.39	15.34	15.39	-125.58	136.56	106.54	30.02	4.549	0			
6,400.00	6,390.23	6,402.69	6,392.91	15.65	15.71	-124.93	140.79	110.15	30.64	4.596	0			
6,500.00	6,489.85	6,502.58	6,492.43	15.97	16.02	-124.33	145.04	113.78	31.26	4.640	0			
6,600.00	6,589.47	6,602.48	6,591.94	16.29	16.33	-123.75	149.30	117.42	31.88	4.683	0			

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy

Anticollision Risk Report

Company:	WESTERN DIVISION	Local Co-ordinate Reference:	Well Thistle Unit 144H
Project:	PBNM	TVD Reference:	1 @ 3673.20ft
Reference Site:	Dzurisin	MD Reference:	1 @ 3673.20ft
Site Error:	0.00	North Reference:	Grid
Reference Well:	Thistle Unit 144H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.00	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM r5000 US Production
Reference Design:	Plan 1	Offset TVD Reference:	Offset Datum

Offset Design Dzurisin - Thistle Unit 145H - Wellbore #1 - Plan 1														Offset Site Error:	0.00 ft
Survey Program: 0-MWD														Offset Well Error:	0.00 ft
Reference		Offset		Semi Major Axis		Distance				Minimum Separation (ft)	Separation Factor	Risked Separation Factor	Probability of Collision	Warning	
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)							
6,700.00	6,689.09	6,702.38	6,691.46	16.61	16.65	-123.21	153.58	121.07		32.50	4.725	0			
6,800.00	6,788.71	6,802.28	6,790.98	16.93	16.97	-122.70	157.87	124.73		33.13	4.785	0			
6,900.00	6,888.33	6,902.18	6,890.50	17.25	17.28	-122.21	162.17	128.40		33.76	4.803	0			
7,000.00	6,987.95	7,002.07	6,990.02	17.57	17.60	-121.75	166.48	132.09		34.39	4.840	0			
7,100.00	7,087.61	7,101.98	7,089.54	17.84	17.92	-121.20	170.58	135.58		34.99	4.875	0			
7,200.00	7,187.33	7,201.88	7,189.06	18.04	18.24	-120.44	174.25	138.69		35.56	4.900	0			
7,300.00	7,287.12	7,301.78	7,288.58	18.24	18.56	-119.46	177.52	141.39		36.13	4.913	0			
7,400.00	7,386.96	7,401.67	7,388.09	18.43	18.89	-118.27	180.42	143.72		36.70	4.916	0			
7,500.00	7,486.84	7,501.54	7,487.58	18.63	19.21	-116.87	183.01	145.73		37.28	4.909	0			
7,600.00	7,586.76	7,601.51	7,587.20	18.81	19.47	-115.41	185.30	147.51		37.79	4.903	0			
7,700.00	7,686.72	7,701.53	7,686.95	19.00	19.67	-114.01	187.26	149.03		38.23	4.899	0			
7,800.00	7,786.99	7,801.61	7,786.82	19.18	19.87	-112.65	188.88	150.23		38.65	4.887	0			
7,900.00	7,886.98	7,901.73	7,886.78	19.36	20.06	-111.32	190.16	151.10		39.05	4.869	0			
8,000.00	7,986.68	8,001.91	7,986.84	19.52	20.26	-20.03	191.09	151.64		39.45	4.844	0			
8,100.00	8,086.68	8,102.14	8,087.00	19.70	20.44	-18.88	191.80	151.97		39.83	4.816	0			
8,200.00	8,186.68	8,202.43	8,187.24	19.90	20.62	-17.99	192.41	152.19		40.22	4.784	0			
8,300.00	8,286.68	8,302.77	8,287.55	20.09	20.80	-17.36	192.87	152.28		40.60	4.751	0			
8,400.00	8,386.68	8,403.13	8,387.91	20.29	20.97	-16.99	193.16	152.19		40.97	4.715	0			
8,500.00	8,486.68	8,503.50	8,488.28	20.49	21.13	-16.87	193.25	151.92		41.33	4.676	0			
8,600.00	8,586.68	8,603.50	8,588.28	20.69	21.31	-16.87	193.25	151.55		41.71	4.634	0			
8,700.00	8,686.68	8,703.50	8,688.28	20.88	21.50	-16.87	193.25	151.15		42.10	4.590	0			
8,800.00	8,786.68	8,803.50	8,788.28	21.08	21.70	-16.87	193.25	150.75		42.50	4.547	0			
8,900.00	8,886.68	8,903.50	8,888.28	21.28	21.89	-16.87	193.25	150.36		42.89	4.505	0			
9,000.00	8,986.68	9,003.50	8,988.28	21.48	22.09	-16.87	193.25	149.96		43.29	4.464	0			
9,100.00	9,086.68	9,103.50	9,088.28	21.68	22.28	-16.87	193.25	149.56		43.69	4.423	0			
9,200.00	9,186.68	9,203.50	9,188.28	21.88	22.48	-16.87	193.25	149.16		44.09	4.383	0			
9,300.00	9,286.68	9,281.32	9,285.97	22.08	22.65	-16.59	197.69	153.23		44.47	4.446	0			
9,400.00	9,386.68	9,350.00	9,333.36	22.29	22.86	-15.57	215.97	171.12		44.85	4.815	0			
9,500.00	9,486.68	9,415.04	9,394.84	22.49	23.11	-14.16	247.53	202.29		45.24	5.471	0			
9,590.00	9,576.68	9,467.40	9,441.90	22.67	23.35	-12.88	286.08	240.51		45.58	6.277	0			
9,600.00	9,586.68	9,475.00	9,448.51	22.69	23.38	-12.17	290.82	245.21		45.62	6.375	0			
9,625.00	9,611.65	9,486.63	9,458.51	22.74	23.45	-11.60	302.29	256.66		45.63	6.625	0			
9,650.00	9,636.52	9,500.00	9,469.82	22.79	23.52	-11.06	313.26	267.69		45.57	6.874	0			
9,675.00	9,661.23	9,513.98	9,481.44	22.84	23.60	-10.56	323.71	278.28		45.43	7.125	0			
9,700.00	9,685.71	9,525.00	9,490.43	22.89	23.66	-10.17	333.66	288.46		45.21	7.381	0			
9,725.00	9,709.89	9,541.21	9,503.38	22.94	23.76	-9.75	343.05	298.13		44.92	7.637	0			
9,750.00	9,733.70	9,550.00	9,510.26	22.99	23.82	-9.46	351.96	307.42		44.54	7.902	0			
9,775.00	9,757.09	9,568.34	9,524.29	23.05	23.94	-9.10	360.21	316.10		44.11	8.166	0			
9,800.00	9,779.98	9,581.88	9,534.34	23.10	24.04	-8.83	367.96	324.37		43.60	8.440	0			
9,825.00	9,802.31	9,600.00	9,547.40	23.15	24.18	-8.55	375.20	332.17		43.03	8.719	0			
9,850.00	9,824.02	9,608.89	9,553.62	23.20	24.25	-8.37	381.77	339.39		42.38	9.009	0			
9,875.00	9,845.06	9,625.00	9,564.60	23.26	24.38	-8.16	387.83	346.14		41.69	9.304	0			
9,900.00	9,865.36	9,635.84	9,571.77	23.32	24.47	-8.01	393.28	352.35		40.93	9.609	0			
9,925.00	9,884.88	9,650.00	9,580.84	23.38	24.60	-7.86	398.16	358.03		40.13	9.921	0			
9,950.00	9,903.53	9,662.75	9,588.73	23.45	24.72	-7.73	402.45	363.16		39.29	10.242	0			
9,975.00	9,921.30	9,675.00	9,596.06	23.52	24.84	-7.63	406.16	367.74		38.42	10.571	0			
10,000.00	9,938.12	9,689.62	9,604.47	23.61	24.99	-7.53	409.26	371.73		37.53	10.905	0			
10,025.00	9,953.95	9,700.00	9,610.21	23.70	25.10	-7.46	411.80	375.18		36.61	11.247	0			
10,050.00	9,968.75	9,716.47	9,618.95	23.80	25.28	-7.40	413.69	377.98		35.70	11.586	0			
10,075.00	9,982.48	9,725.00	9,623.28	23.92	25.37	-7.36	415.05	380.27		34.78	11.934	0			
10,100.00	9,995.09	9,743.31	9,632.12	24.06	25.59	-7.32	415.71	381.82		33.90	12.264	0			
10,125.00	10,008.55	9,756.72	9,638.21	24.22	25.76	-7.31	415.82	382.80		33.03	12.590	0			
10,150.00	10,016.84	9,775.00	9,645.96	24.40	25.99	-7.30	415.38	383.17		32.21	12.896	0			
10,175.00	10,025.92	9,783.56	9,649.37	24.61	26.11	-7.32	414.24	382.82		31.42	13.183	0			

CC - Min centre to center distance or covergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy
Anticollision Risk Report

Company: WESTERN DIVISION
Project: PBNM
Reference Site: Dzurisin
Site Error: 0.00
Reference Well: Thistle Unit 144H
Well Error: 0.00
Reference Wellbore: Wellbore #1
Reference Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 144H
TVD Reference: 1 @ 3673.20ft
MD Reference: 1 @ 3673.20ft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Output errors are at 2.00 sigma
Database: EDM r5000 US Production
Offset TVD Reference: Offset Datum

Offset Design Dzurisin - Thistle Unit 145H - Wellbore #1 - Plan 1													Offset Site Error:	0.00 ft	
Survey Program:		0-MWD												Offset Well Error:	0.00 ft
Reference		Offset		Semi Major Axis		Distance							Warning		
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Risk Separation Factor	Probability of Collision			
10,200.00	10,033.77	9,800.00	9,855.53	24.84	26.33	-7.35	412.56	381.85	30.72	13.431	0				
10,225.00	10,040.36	9,810.40	9,859.15	25.10	26.48	-7.40	410.25	380.17	30.08	13.640	0				
10,250.00	10,045.89	9,825.00	9,863.88	25.39	26.69	-7.46	407.36	377.82	29.54	13.792	0				
10,275.00	10,049.73	9,837.27	9,867.52	25.70	26.88	-7.53	403.87	374.78	29.09	13.882	0				
10,300.00	10,052.47	9,850.00	9,870.97	26.03	27.07	-7.63	399.79	371.03	28.76	13.900	0				
10,325.00	10,053.91	9,864.16	9,874.44	26.39	27.30	-7.74	395.12	366.57	28.55	13.838	0				
10,338.67	10,054.15	9,875.00	9,876.81	26.59	27.47	-7.82	392.35	363.85	28.50	13.768	0				
10,365.10	10,054.27	9,900.00	9,881.37	27.32	27.89	-7.89	383.72	355.08	28.64	13.398	0				
10,400.00	10,054.31	9,900.00	9,881.37	27.56	27.89	-7.89	381.50	352.83	28.67	13.307	0				
10,500.00	10,054.58	9,960.94	9,887.04	29.35	28.97	-7.94	372.89	343.86	29.03	12.845	0				
10,532.45	10,054.67	9,982.06	9,887.24	30.00	29.37	-7.92	372.59	343.43	29.16	12.778	0				
10,600.00	10,054.86	10,049.58	9,887.15	31.35	30.69	-7.84	372.79	343.30	29.49	12.642	0				
10,700.00	10,055.13	10,149.58	9,887.02	33.52	32.79	-7.72	373.09	343.04	30.05	12.418	0				
10,800.00	10,055.40	10,249.58	9,886.89	35.81	35.03	-7.60	373.39	342.72	30.67	12.174	0				
10,900.00	10,055.67	10,349.57	9,886.76	38.21	37.39	-7.48	373.69	342.33	31.36	11.914	0				
11,000.00	10,055.94	10,449.57	9,886.63	40.70	39.84	-7.37	374.00	341.88	32.12	11.644	0				
11,100.00	10,056.21	10,549.57	9,886.50	43.26	42.36	-7.25	374.30	341.37	32.93	11.368	0				
11,200.00	10,056.48	10,649.56	9,886.37	45.88	44.96	-7.13	374.61	340.82	33.78	11.088	0				
11,300.00	10,056.75	10,749.56	9,886.24	48.55	47.60	-7.01	374.92	340.23	34.69	10.808	0				
11,400.00	10,057.02	10,849.56	9,886.11	51.26	50.30	-6.90	375.23	339.60	35.63	10.531	0				
11,500.00	10,057.30	10,949.55	9,885.98	54.00	53.03	-6.78	375.54	338.93	36.61	10.257	0				
11,600.00	10,057.57	11,049.55	9,885.85	56.78	55.79	-6.67	375.85	338.23	37.62	9.990	0				
11,700.00	10,057.84	11,149.55	9,885.72	59.58	58.58	-6.55	376.17	337.50	38.67	9.729	0				
11,800.00	10,058.11	11,249.54	9,885.59	62.40	61.39	-6.43	376.49	336.75	39.73	9.476	0				
11,900.00	10,058.38	11,349.54	9,885.46	65.24	64.23	-6.32	376.80	335.98	40.82	9.230	0				
12,000.00	10,058.65	11,449.54	9,885.34	68.10	67.08	-6.20	377.12	335.19	41.93	8.993	0				
12,100.00	10,058.92	11,549.53	9,885.21	70.98	69.95	-6.09	377.45	334.38	43.06	8.765	0				
12,200.00	10,059.19	11,649.53	9,885.08	73.87	72.83	-5.97	377.77	333.56	44.21	8.545	0				
12,300.00	10,059.47	11,749.53	9,884.95	76.77	75.73	-5.86	378.09	332.72	45.37	8.334	0				
12,400.00	10,059.74	11,849.52	9,884.82	79.68	78.63	-5.74	378.42	331.88	46.54	8.131	0				
12,500.00	10,060.01	11,949.52	9,884.69	82.60	81.55	-5.63	378.75	331.02	47.73	7.936	0				
12,600.00	10,060.28	12,049.52	9,884.56	85.52	84.47	-5.51	379.08	330.15	48.92	7.749	0				
12,700.00	10,060.55	12,149.51	9,884.43	88.46	87.41	-5.40	379.41	329.28	50.13	7.569	0				
12,800.00	10,060.82	12,249.51	9,884.30	91.40	90.34	-5.29	379.74	328.40	51.34	7.397	0				
12,900.00	10,061.09	12,349.50	9,884.17	94.35	93.29	-5.17	380.07	327.51	52.56	7.231	0				
13,000.00	10,061.36	12,449.50	9,884.04	97.31	96.24	-5.06	380.41	326.62	53.79	7.073	0				
13,100.00	10,061.63	12,549.50	9,883.91	100.26	99.20	-4.95	380.74	325.72	55.02	6.920	0				
13,200.00	10,061.91	12,649.49	9,883.78	103.23	102.16	-4.83	381.08	324.82	56.26	6.774	0				
13,300.00	10,062.18	12,749.49	9,883.65	106.20	105.13	-4.72	381.42	323.92	57.50	6.633	0				
13,400.00	10,062.45	12,849.49	9,883.52	109.17	108.10	-4.61	381.76	323.01	58.75	6.498	0				
13,500.00	10,062.72	12,949.48	9,883.39	112.14	111.07	-4.50	382.10	322.10	60.00	6.368	0				
13,600.00	10,062.99	13,049.48	9,883.26	115.12	114.05	-4.38	382.45	321.19	61.26	6.243	0				
13,700.00	10,063.26	13,149.48	9,883.13	118.11	117.03	-4.27	382.79	320.27	62.52	6.123	0				
13,800.00	10,063.53	13,249.47	9,883.00	121.09	120.02	-4.16	383.14	319.36	63.78	6.007	0				
13,900.00	10,063.80	13,349.47	9,882.87	124.08	123.00	-4.05	383.49	318.44	65.05	5.895	0				
14,000.00	10,064.07	13,449.47	9,882.74	127.07	125.99	-3.94	383.84	317.52	66.32	5.788	0				
14,100.00	10,064.35	13,549.46	9,882.61	130.06	128.98	-3.83	384.19	316.59	67.59	5.684	0				
14,200.00	10,064.62	13,649.46	9,882.48	133.06	131.98	-3.71	384.54	315.67	68.87	5.584	0				
14,300.00	10,064.89	13,749.46	9,882.35	136.05	134.97	-3.60	384.90	314.75	70.15	5.487	0				
14,400.00	10,065.16	13,849.45	9,882.22	139.05	137.97	-3.49	385.25	313.82	71.43	5.393	0				
14,500.00	10,065.43	13,949.45	9,882.09	142.05	140.97	-3.38	385.61	312.89	72.72	5.303	0				
14,600.00	10,065.70	14,049.45	9,881.96	145.05	143.97	-3.27	385.97	311.96	74.00	5.215	0				
14,700.00	10,065.97	14,149.44	9,881.84	148.06	146.97	-3.16	386.33	311.03	75.29	5.131	0				
14,800.00	10,066.24	14,249.44	9,881.71	151.06	149.98	-3.05	386.69	310.10	76.59	5.049	0				

CC - Min centre to center distance or covergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy

Anticollision Risk Report

Company: WESTERN DIVISION
 Project: PBNM
 Reference Site: Dzurisin
 Site Error: 0.00
 Reference Well: Thistle Unit 144H
 Well Error: 0.00
 Reference Wellbore: Wellbore #1
 Reference Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 144H
 TVD Reference: 1 @ 3673.20ft
 MD Reference: 1 @ 3673.20ft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Output errors are at 2.00 sigma
 Database: EDM r5000 US Production
 Offset TVD Reference: Offset Datum

Offset Design													Offset Site Error: 0.00 ft
Dzurisin - Thistle Unit 145H - Wellbore #1 - Plan 1													Offset Well Error: 0.00 ft
Survey Program: 0-MWD													
Reference		Offset		Semi Major Axis		Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Risked Separation Factor	Probability of Collision	
14,900.00	10,066.51	14,349.44	9,681.58	154.07	152.98	-2.94	387.05	309.16	77.88	4.970	0		
15,000.00	10,066.79	14,449.43	9,681.45	157.07	155.99	-2.83	387.41	308.23	79.18	4.893	0		
15,100.00	10,067.06	14,549.43	9,681.32	160.08	159.00	-2.72	387.78	307.29	80.49	4.818	0		
15,200.00	10,067.33	14,649.43	9,681.19	163.09	162.01	-2.62	388.15	306.35	81.79	4.745	0		
15,300.00	10,067.60	14,749.42	9,681.06	166.10	165.02	-2.51	388.51	305.41	83.10	4.675	0		
15,400.00	10,067.87	14,849.42	9,680.93	169.12	168.03	-2.40	388.88	304.47	84.41	4.607	0		
15,500.00	10,068.14	14,949.42	9,680.80	172.13	171.04	-2.29	389.25	303.52	85.73	4.540	0		
15,600.00	10,068.41	15,049.41	9,680.67	175.14	174.06	-2.18	389.63	302.58	87.05	4.476	0		
15,700.00	10,068.68	15,149.41	9,680.54	178.16	177.07	-2.07	390.00	301.63	88.37	4.413	0		
15,800.00	10,068.96	15,249.41	9,680.41	181.17	180.09	-1.97	390.38	300.67	89.70	4.352	0		
15,900.00	10,069.23	15,349.40	9,680.28	184.19	183.10	-1.86	390.75	299.72	91.03	4.292	0		
16,000.00	10,069.50	15,449.40	9,680.15	187.21	186.12	-1.75	391.13	298.76	92.37	4.234	0		
16,100.00	10,069.77	15,549.40	9,680.02	190.22	189.14	-1.64	391.51	297.80	93.71	4.178	0		
16,200.00	10,070.04	15,649.39	9,679.89	193.24	192.16	-1.54	391.89	296.84	95.05	4.123	0		
16,300.00	10,070.31	15,749.39	9,679.76	196.26	195.17	-1.43	392.27	295.87	96.40	4.069	0		
16,400.00	10,070.58	15,849.39	9,679.63	199.28	198.19	-1.32	392.66	294.90	97.76	4.017	0		
16,500.00	10,070.85	15,949.38	9,679.50	202.30	201.21	-1.22	393.04	293.92	99.12	3.965	0		
16,600.00	10,071.12	16,049.38	9,679.37	205.32	204.24	-1.11	393.43	292.95	100.48	3.915	0		
16,700.00	10,071.40	16,149.38	9,679.24	208.34	207.26	-1.01	393.81	291.96	101.85	3.867	0		
16,800.00	10,071.67	16,249.37	9,679.11	211.37	210.28	-0.90	394.20	290.98	103.23	3.819	0		
16,900.00	10,071.94	16,349.37	9,678.98	214.39	213.30	-0.79	394.59	289.99	104.61	3.772	0		
17,000.00	10,072.21	16,449.37	9,678.85	217.41	216.32	-0.69	394.98	288.99	105.99	3.727	0		
17,100.00	10,072.48	16,549.36	9,678.72	220.44	219.35	-0.58	395.38	287.99	107.39	3.682	0		
17,200.00	10,072.75	16,649.36	9,678.59	223.46	222.37	-0.48	395.77	286.99	108.78	3.638	0		
17,300.00	10,073.02	16,749.36	9,678.47	226.48	225.39	-0.37	396.17	285.98	110.19	3.595	0		
17,400.00	10,073.29	16,849.35	9,678.34	229.51	228.42	-0.27	396.56	284.96	111.60	3.553	0		
17,500.00	10,073.56	16,949.35	9,678.21	232.53	231.44	-0.17	396.96	283.94	113.02	3.512	0		
17,598.34	10,073.83	17,047.68	9,678.08	235.51	234.42	-0.06	397.35	282.93	114.42	3.473	0		
17,600.00	10,073.84	17,049.35	9,678.08	235.55	234.47	-0.06	397.36	282.92	114.44	3.472	0		
17,659.64	10,074.00	17,109.02	9,678.00	236.40	235.88	0.00	397.60	282.30	115.30	3.448	0		

Devon Energy
Anticollision Risk Report

Company:	WESTERN DIVISION	Local Co-ordinate Reference:	Well Thistle Unit 144H
Project:	PBNM	TVD Reference:	1 @ 3673.20ft
Reference Site:	Dzurisin	MD Reference:	1 @ 3673.20ft
Site Error:	0.00	North Reference:	Grid
Reference Well:	Thistle Unit 144H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.00	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM r5000 US Production
Reference Design:	Plan 1	Offset TVD Reference:	Offset Datum

Offset Design Dzurisin - Thistle Unit 156H - Wellbore #1 - Plan 1														Offset Site Error:	0.00 ft
Survey Program: 0-MWD														Offset Well Error:	0.00 ft
Reference		Offset		Semi Major Axis		Distance									
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Risked Separation Factor	Probability of Collision	Warning		
0.00	0.00	1.00	1.00	0.00	0.00	-90.38	150.06								
100.00	100.00	101.00	101.00	0.09	0.09	-90.38	150.06	149.89	0.17	861.474	0				
200.00	200.00	201.00	201.00	0.31	0.31	-90.38	150.06	149.44	0.82	240.592	0				
300.00	300.00	301.00	301.00	0.54	0.54	-90.38	150.06	148.99	1.07	139.821	0				
400.00	400.00	401.00	401.00	0.76	0.76	-90.38	150.06	148.54	1.52	98.545	0				
500.00	500.00	501.00	501.00	0.99	0.99	-90.38	150.06	148.09	1.97	76.085	0				
600.00	600.00	601.00	601.00	1.21	1.21	-90.38	150.06	147.64	2.42	61.962	0				
700.00	700.00	701.00	701.00	1.43	1.44	-90.38	150.06	147.19	2.87	52.262	0				
800.00	800.00	801.00	801.00	1.66	1.66	-90.38	150.06	146.74	3.32	45.187	0				
900.00	900.00	901.00	901.00	1.88	1.89	-90.38	150.06	146.29	3.77	39.800	0				
1,000.00	1,000.00	1,001.00	1,001.00	2.11	2.11	-90.38	150.06	145.84	4.22	35.560	0				
1,100.00	1,100.00	1,101.00	1,101.00	2.33	2.34	-90.38	150.06	145.39	4.67	32.137	0				
1,200.00	1,200.00	1,201.00	1,201.00	2.56	2.56	-90.38	150.06	144.94	5.12	29.315	0				
1,300.00	1,300.00	1,301.00	1,301.00	2.78	2.79	-90.38	150.06	144.49	5.57	26.948	0				
1,400.00	1,400.00	1,401.00	1,401.00	3.01	3.01	-90.38	150.06	144.05	6.02	24.935	0				
1,500.00	1,500.00	1,501.00	1,501.00	3.23	3.23	-90.38	150.06	143.60	6.47	23.202	0				
1,600.00	1,600.00	1,601.00	1,601.00	3.46	3.46	-90.38	150.06	143.15	6.92	21.694	0				
1,700.00	1,700.00	1,701.00	1,701.00	3.68	3.68	-90.38	150.06	142.70	7.37	20.371	0				
1,800.00	1,800.00	1,801.00	1,801.00	3.91	3.91	-90.38	150.06	142.25	7.82	19.199	0				
1,900.00	1,900.00	1,901.00	1,901.00	4.13	4.13	-90.38	150.06	141.80	8.27	18.155	0				
2,000.00	2,000.00	2,001.00	2,001.00	4.36	4.36	-90.38	150.06	141.35	8.72	17.218	0				
2,100.00	2,100.00	2,101.00	2,101.00	4.58	4.58	-90.38	150.06	140.90	9.16	16.374	0				
2,200.00	2,200.00	2,201.00	2,201.00	4.81	4.81	-90.38	150.06	140.45	9.61	15.608	0				
2,300.00	2,300.00	2,301.00	2,301.00	5.03	5.03	-90.38	150.06	140.00	10.06	14.911	0				
2,400.00	2,400.00	2,401.00	2,401.00	5.26	5.26	-90.38	150.06	139.55	10.51	14.274	0				
2,500.00	2,500.00	2,501.00	2,501.00	5.48	5.48	-90.38	150.06	139.10	10.96	13.688	0				
2,600.00	2,600.00	2,601.00	2,601.00	5.71	5.71	-90.38	150.06	138.65	11.41	13.149	0				
2,700.00	2,700.00	2,701.00	2,701.00	5.93	5.93	-90.38	150.06	138.20	11.86	12.651	0				
2,800.00	2,800.00	2,801.00	2,801.00	6.15	6.16	-90.38	150.06	137.75	12.31	12.189	0				
2,900.00	2,900.00	2,901.00	2,901.00	6.38	6.38	-90.38	150.06	137.30	12.76	11.759	0				
3,000.00	3,000.00	3,001.00	3,001.00	6.60	6.61	-90.38	150.06	136.85	13.21	11.359	0				
3,100.00	3,100.00	3,101.00	3,101.00	6.83	6.83	-90.38	150.06	136.40	13.66	10.985	0				
3,200.00	3,200.00	3,201.00	3,201.00	7.05	7.06	-90.38	150.06	135.95	14.11	10.635	0				
3,300.00	3,300.00	3,301.00	3,301.00	7.28	7.28	-90.38	150.06	135.50	14.56	10.307	0				
3,400.00	3,400.00	3,401.00	3,401.00	7.50	7.51	-90.38	150.06	135.05	15.01	9.998	0				
3,466.33	3,466.33	3,467.33	3,467.33	7.65	7.65	-90.38	150.06	134.76	15.31	9.804	0		CC		
3,500.00	3,500.00	3,500.00	3,500.00	7.73	7.73	-90.38	150.07	134.61	15.46	9.709	0		ES		
3,600.00	3,600.00	3,598.74	3,598.74	7.94	7.94	-179.79	151.89	135.81	15.88	9.553	0				
3,700.00	3,699.96	3,696.34	3,696.30	8.14	8.15	-179.75	156.53	140.26	16.27	9.619	0				
3,800.00	3,799.86	3,793.62	3,793.49	8.35	8.37	-179.03	164.62	147.95	16.67	9.877	0				
3,900.00	3,899.68	3,890.41	3,890.11	8.56	8.58	-178.14	175.94	158.89	17.05	10.316	0				
4,000.00	3,999.37	3,986.56	3,985.98	8.79	8.81	-177.15	190.52	173.08	17.44	10.925	0				
4,100.00	4,098.99	4,084.75	4,083.79	9.03	9.04	-176.18	206.94	189.09	17.85	11.594	0				
4,200.00	4,198.60	4,183.33	4,182.00	9.27	9.28	-175.34	223.43	205.17	18.26	12.234	0				
4,300.00	4,298.22	4,281.91	4,280.21	9.52	9.53	-174.62	239.96	221.28	18.68	12.846	0				
4,400.00	4,397.84	4,380.50	4,378.42	9.77	9.79	-173.99	256.52	237.42	19.10	13.431	0				
4,500.00	4,497.46	4,479.08	4,476.62	10.04	10.04	-173.44	273.10	253.58	19.52	13.991	0				
4,600.00	4,497.08	4,577.66	4,574.83	10.30	10.31	-172.95	289.71	269.77	19.94	14.526	0				
4,700.00	4,496.70	4,676.24	4,673.04	10.57	10.57	-172.51	306.34	285.97	20.37	15.039	0				
4,800.00	4,496.32	4,774.83	4,771.24	10.85	10.85	-172.12	322.98	302.19	20.80	15.529	0				
4,900.00	4,495.94	4,873.41	4,869.45	11.13	11.12	-171.76	339.64	318.41	21.23	15.999	0				
5,000.00	4,495.56	4,971.99	4,967.66	11.41	11.40	-171.44	356.31	334.65	21.66	16.450	0				
5,100.00	5,095.18	5,070.58	5,065.87	11.70	11.68	-171.15	372.98	350.89	22.09	16.882	0				
5,200.00	5,194.80	5,169.16	5,164.07	11.99	11.97	-170.89	389.67	367.14	22.53	17.297	0				

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy

Anticollision Risk Report

Company: WESTERN DIVISION
 Project: PBNM
 Reference Site: Dzurisin
 Site Error: 0.00
 Reference Well: Thistle Unit 144H
 Well Error: 0.00
 Reference Wellbore: Wellbore #1
 Reference Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 144H
 TVD Reference: 1 @ 3673.20ft
 MD Reference: 1 @ 3673.20ft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Output errors are at 2.00 sigma
 Database: EDM r5000 US Production
 Offset TVD Reference: Offset Datum

Offset Design Dzurisin - Thistle Unit 156H - Wellbore #1 - Plan 1													Offset Site Error: 0.00 ft	
Survey Program: 0-MWD													Offset Well Error: 0.00 ft	
Reference		Offset		Semi Major Axis		Distance						Risked Separation Factor	Probability of Collision	Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor				
5,300.00	5,294.42	5,267.74	5,262.28	12.28	12.25	-170.64	406.36	383.40	22.96	17.695	0			
5,400.00	5,394.04	5,366.32	5,360.49	12.58	12.54	-170.42	423.06	399.66	23.40	18.077	0			
5,500.00	5,493.66	5,464.91	5,458.70	12.88	12.83	-170.21	439.77	415.93	23.84	18.445	0			
5,600.00	5,593.28	5,563.49	5,556.90	13.18	13.13	-170.01	456.48	432.20	24.28	18.799	0			
5,700.00	5,692.90	5,662.07	5,655.11	13.48	13.42	-169.83	473.20	448.47	24.72	19.139	0			
5,800.00	5,792.52	5,760.65	5,753.32	13.78	13.72	-169.67	489.92	464.75	25.17	19.466	0			
5,900.00	5,892.14	5,859.24	5,851.53	14.09	14.02	-169.51	506.64	481.03	25.61	19.782	0			
6,000.00	5,991.76	5,957.82	5,949.73	14.40	14.33	-169.36	523.37	497.31	26.06	20.086	0			
6,100.00	6,091.37	6,056.40	6,047.94	14.71	14.63	-169.23	540.10	513.60	26.50	20.379	0			
6,200.00	6,190.99	6,154.98	6,146.15	15.02	14.93	-169.10	556.83	529.88	26.95	20.662	0			
6,300.00	6,290.61	6,253.57	6,244.36	15.34	15.24	-168.98	573.57	546.17	27.40	20.935	0			
6,400.00	6,390.23	6,352.15	6,342.56	15.65	15.55	-168.86	590.31	562.46	27.85	21.199	0			
6,500.00	6,489.85	6,450.73	6,440.77	15.97	15.86	-168.75	607.05	578.75	28.30	21.454	0			
6,600.00	6,589.47	6,549.31	6,538.98	16.29	16.17	-168.65	623.79	595.04	28.75	21.700	0			
6,700.00	6,689.09	6,647.90	6,637.19	16.61	16.48	-168.56	640.53	611.34	29.20	21.938	0			
6,800.00	6,788.71	6,746.48	6,735.39	16.93	16.79	-168.46	657.28	627.63	29.65	22.169	0			
6,900.00	6,888.33	6,845.06	6,833.60	17.25	17.10	-168.38	674.03	643.93	30.10	22.392	0			
7,000.00	6,987.95	6,943.84	6,931.81	17.57	17.42	-168.29	690.78	660.22	30.55	22.608	0			
7,100.00	7,087.61	7,042.30	7,030.08	17.84	17.73	-168.22	707.10	676.10	31.01	22.803	0			
7,200.00	7,187.33	7,141.08	7,128.49	18.04	18.05	-168.14	722.59	691.14	31.45	22.977	0			
7,300.00	7,287.12	7,239.99	7,227.03	18.24	18.37	-168.05	737.24	705.35	31.89	23.120	0			
7,400.00	7,386.96	7,339.02	7,325.68	18.43	18.69	-167.95	751.04	718.72	32.32	23.234	0			
7,500.00	7,486.84	7,438.17	7,424.45	18.63	19.00	-167.83	764.00	731.24	32.76	23.321	0			
7,600.00	7,586.76	7,537.41	7,523.32	18.81	19.33	-167.71	776.12	742.92	33.19	23.381	0			
7,700.00	7,686.72	7,636.76	7,622.28	19.00	19.65	-167.58	787.40	753.77	33.63	23.416	0			
7,800.00	7,786.69	7,736.19	7,721.33	19.18	19.97	-167.43	797.83	763.77	34.06	23.426	0			
7,900.00	7,886.68	7,835.70	7,820.47	19.36	20.29	-167.28	807.42	772.94	34.49	23.413	0			
8,000.00	7,986.68	7,935.28	7,919.67	19.52	20.62	-77.11	816.18	781.27	34.91	23.382	0			
8,100.00	8,086.68	8,037.48	8,021.49	19.70	20.93	-76.93	824.46	789.12	35.34	23.331	0			
8,200.00	8,186.68	8,144.58	8,128.25	19.90	21.18	-76.76	832.04	796.27	35.77	23.262	0			
8,300.00	8,286.68	8,251.83	8,235.23	20.09	21.40	-76.61	838.74	802.56	36.19	23.179	0			
8,400.00	8,386.68	8,359.20	8,342.41	20.29	21.61	-76.49	844.55	807.95	36.60	23.073	0			
8,500.00	8,486.68	8,466.69	8,449.76	20.49	21.81	-76.38	849.46	812.44	37.02	22.946	0			
8,600.00	8,586.68	8,574.28	8,557.25	20.69	22.01	-76.30	853.47	816.04	37.44	22.798	0			
8,700.00	8,686.68	8,681.94	8,664.86	20.88	22.20	-76.23	856.59	818.74	37.85	22.630	0			
8,800.00	8,786.68	8,789.85	8,772.54	21.08	22.39	-76.18	858.80	820.54	38.27	22.443	0			
8,900.00	8,886.68	8,897.41	8,880.28	21.28	22.57	-76.16	860.12	821.43	38.68	22.236	0			
9,000.00	8,986.68	9,004.81	8,987.68	21.48	22.74	-76.15	860.52	821.43	39.09	22.012	0			
9,100.00	9,086.68	9,104.81	9,087.68	21.68	22.92	-76.15	860.52	821.01	39.51	21.780	0			
9,200.00	9,186.68	9,204.81	9,187.68	21.88	23.11	-76.15	860.52	820.58	39.94	21.544	0			
9,300.00	9,286.68	9,275.00	9,257.72	22.08	23.27	-75.91	862.01	821.68	40.32	21.378	0			
9,400.00	9,386.68	9,342.23	9,323.61	22.29	23.48	-75.07	867.32	826.59	40.73	21.297	0			
9,500.00	9,486.68	9,400.00	9,378.28	22.49	23.70	-73.89	877.01	835.88	41.13	21.324	0			
9,590.00	9,576.68	9,450.00	9,423.50	22.67	23.94	-72.56	890.05	848.54	41.51	21.444	0			
9,600.00	9,586.68	9,458.98	9,431.38	22.69	23.99	-71.71	891.73	850.16	41.57	21.453	0			
9,625.00	9,611.65	9,475.00	9,445.22	22.74	24.08	-70.77	895.93	854.25	41.68	21.496	0			
9,650.00	9,636.52	9,485.37	9,454.03	22.79	24.14	-70.03	900.04	858.27	41.77	21.549	0			
9,675.00	9,661.23	9,500.00	9,466.25	22.84	24.22	-69.21	904.06	862.19	41.86	21.595	0			
9,700.00	9,685.71	9,511.99	9,475.83	22.89	24.30	-68.49	907.96	866.01	41.95	21.645	0			
9,725.00	9,709.89	9,525.00	9,486.55	22.94	24.38	-67.78	911.73	869.70	42.03	21.693	0			
9,750.00	9,733.70	9,537.94	9,496.75	22.99	24.47	-67.11	915.34	873.24	42.10	21.740	0			
9,775.00	9,757.09	9,550.00	9,506.06	23.05	24.55	-66.50	918.78	876.62	42.17	21.790	0			
9,800.00	9,779.98	9,564.15	9,516.73	23.10	24.66	-65.90	922.04	879.80	42.24	21.830	0			
9,825.00	9,802.31	9,575.00	9,524.72	23.15	24.74	-65.40	925.09	882.81	42.28	21.878	0			

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy

Anticollision Risk Report

Company: WESTERN DIVISION
 Project: PBNM
 Reference Site: Dzurisin
 Site Error: 0.00
 Reference Well: Thistle Unit 144H
 Well Error: 0.00
 Reference Wellbore: Wellbore #1
 Reference Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 144H
 TVD Reference: 1 @ 3673.20ft
 MD Reference: 1 @ 3673.20ft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Output errors are at: 2.00 sigma
 Database: EDM r5000 US Production
 Offset TVD Reference: Offset Datum

Offset Design Dzurisin - Thistle Unit 156H - Wellbore #1 - Plan 1													Offset Site Error: 0.00 ft
Survey Program: 0-MWD				Offset Well Error: 0.00 ft									
Reference		Offset		Semi Major Axis		Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Risk Separation Factor	Probability of Collision	
9,850.00	9,824.02	9,590.32	9,535.72	23.20	24.86	-64.87	927.92	885.56	42.36	21.908	0		
9,875.00	9,845.06	9,600.00	9,542.49	23.26	24.94	-64.46	930.53	886.14	42.39	21.950	0		
9,900.00	9,865.36	9,616.46	9,553.68	23.32	25.08	-64.02	932.89	890.41	42.48	21.982	0		
9,925.00	9,884.86	9,625.00	9,559.31	23.38	25.16	-63.70	935.02	892.50	42.52	21.991	0		
9,950.00	9,903.53	9,642.58	9,570.55	23.45	25.33	-63.36	936.85	894.22	42.63	21.976	0		
9,975.00	9,921.30	9,650.00	9,575.15	23.52	25.40	-63.13	938.47	896.79	42.69	21.985	0		
10,000.00	9,938.12	9,668.67	9,586.30	23.61	25.59	-62.88	939.76	896.91	42.85	21.932	0		
10,025.00	9,953.95	9,681.72	9,593.74	23.70	25.73	-62.72	940.80	897.80	42.99	21.883	0		
10,050.00	9,968.75	9,700.00	9,603.67	23.80	25.93	-62.59	941.58	898.37	43.21	21.790	0		
10,075.00	9,982.48	9,707.80	9,607.73	23.92	26.02	-62.53	942.02	898.65	43.37	21.720	0		
10,100.00	9,995.09	9,725.00	9,616.28	24.06	26.22	-62.52	942.23	898.57	43.66	21.581	0		
10,125.00	10,006.55	9,733.88	9,620.49	24.22	26.33	-62.54	942.11	898.20	43.90	21.459	0		
10,150.00	10,016.84	9,750.00	9,627.75	24.40	26.54	-62.63	941.73	897.46	44.27	21.272	0		
10,175.00	10,025.92	9,759.97	9,631.99	24.61	26.67	-62.74	941.05	896.43	44.61	21.093	0		
10,200.00	10,033.77	9,775.00	9,638.03	24.84	26.87	-62.93	940.10	895.03	45.07	20.859	0		
10,225.00	10,040.36	9,786.06	9,642.20	25.10	27.03	-63.14	938.86	893.34	45.52	20.625	0		
10,250.00	10,045.89	9,800.00	9,647.11	25.39	27.23	-63.41	937.36	891.30	46.06	20.350	0		
10,275.00	10,049.73	9,812.17	9,651.09	25.70	27.41	-63.72	935.80	888.97	46.63	20.064	0		
10,300.00	10,052.47	9,825.00	9,654.96	26.03	27.60	-64.08	933.58	886.32	47.25	19.756	0		
10,325.00	10,053.91	9,838.31	9,658.63	26.39	27.81	-64.49	931.31	883.37	47.94	19.428	0		
10,338.67	10,054.15	9,850.00	9,661.56	26.59	28.00	-64.79	929.99	881.57	48.41	19.209	0		
10,385.10	10,054.27	9,875.00	9,666.88	27.32	28.41	-65.09	925.87	876.27	49.59	18.670	0		
10,400.00	10,054.31	9,875.00	9,666.88	27.56	28.41	-65.09	924.76	874.94	49.82	18.561	0		
10,500.00	10,054.58	9,932.81	9,674.26	29.35	29.43	-65.51	920.28	867.67	52.62	17.491	0		
10,541.70	10,054.70	9,955.98	9,675.26	30.18	29.85	-65.57	919.86	866.04	53.82	17.091	0		
10,600.00	10,054.86	10,006.00	9,675.23	31.35	30.81	-65.57	920.30	864.47	55.83	16.484	0		
10,700.00	10,055.13	10,106.00	9,674.94	33.52	32.86	-65.56	921.20	861.41	59.79	15.407	0		
10,800.00	10,055.40	10,205.99	9,674.66	35.81	35.07	-65.54	922.10	858.12	63.99	14.411	0		
10,900.00	10,055.67	10,305.99	9,674.37	38.21	37.39	-65.53	923.00	854.63	68.38	13.499	0		
11,000.00	10,055.94	10,405.98	9,674.08	40.70	39.81	-65.52	923.90	850.98	72.93	12.669	0		
11,100.00	10,056.21	10,505.98	9,673.80	43.26	42.32	-65.51	924.80	847.20	77.61	11.916	0		
11,200.00	10,056.48	10,605.97	9,673.51	45.88	44.89	-65.49	925.70	843.31	82.40	11.235	0		
11,300.00	10,056.75	10,705.97	9,673.22	48.55	47.52	-65.48	926.60	839.33	87.28	10.617	0		
11,400.00	10,057.02	10,805.97	9,672.94	51.26	50.20	-65.47	927.50	835.27	92.23	10.056	0		
11,500.00	10,057.30	10,905.96	9,672.65	54.00	52.92	-65.46	928.40	831.15	97.25	9.547	0		
11,600.00	10,057.57	11,005.96	9,672.37	56.78	55.67	-65.44	929.30	826.98	102.32	9.082	0		
11,700.00	10,057.84	11,105.95	9,672.08	59.58	58.45	-65.43	930.20	822.76	107.44	8.658	0		
11,800.00	10,058.11	11,205.95	9,671.79	62.40	61.25	-65.42	931.10	818.50	112.61	8.269	0		
11,900.00	10,058.38	11,305.94	9,671.51	65.24	64.08	-65.41	932.00	814.20	117.80	7.912	0		
12,000.00	10,058.65	11,405.94	9,671.22	68.10	66.92	-65.39	932.90	809.88	123.03	7.583	0		
12,100.00	10,058.92	11,505.94	9,670.93	70.98	69.79	-65.38	933.80	805.53	128.28	7.280	0		
12,200.00	10,059.19	11,605.93	9,670.65	73.87	72.66	-65.37	934.71	801.15	133.55	6.999	0		
12,300.00	10,059.47	11,705.93	9,670.36	76.77	75.55	-65.36	935.61	796.76	138.85	6.738	0		
12,400.00	10,059.74	11,805.92	9,670.08	79.68	78.45	-65.35	936.51	792.34	144.16	6.496	0		
12,500.00	10,060.01	11,905.92	9,669.79	82.60	81.36	-65.33	937.41	787.92	149.49	6.271	0		
12,600.00	10,060.28	12,005.91	9,669.50	85.52	84.28	-65.32	938.31	783.47	154.83	6.060	0		
12,700.00	10,060.55	12,105.91	9,669.22	88.46	87.21	-65.31	939.21	779.02	160.19	5.863	0		
12,800.00	10,060.82	12,205.91	9,688.93	91.40	90.15	-65.30	940.11	774.55	165.56	5.678	0		
12,900.00	10,061.09	12,305.90	9,668.64	94.35	93.09	-65.28	941.01	770.07	170.94	5.505	0		
13,000.00	10,061.36	12,405.90	9,668.36	97.31	96.04	-65.27	941.91	765.59	176.32	5.342	0		
13,100.00	10,061.63	12,505.89	9,668.07	100.26	98.99	-65.26	942.81	761.09	181.72	5.188	0		
13,200.00	10,061.91	12,605.89	9,667.79	103.23	101.95	-65.25	943.71	756.59	187.12	5.043	0		
13,300.00	10,062.18	12,705.88	9,667.50	106.20	104.92	-65.24	944.61	752.08	192.53	4.906	0		
13,400.00	10,062.45	12,805.88	9,667.21	109.17	107.88	-65.22	945.51	747.57	197.95	4.777	0		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy
Anticollision Risk Report

Company:	WESTERN DIVISION	Local Co-ordinate Reference:	Well Thistle Unit 144H
Project:	PBNM	TVD Reference:	1 @ 3673.20ft
Reference Site:	Dzurisin	MD Reference:	1 @ 3673.20ft
Site Error:	0.00	North Reference:	Grid
Reference Well:	Thistle Unit 144H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.00	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM r5000 US Production
Reference Design:	Plan 1	Offset TVD Reference:	Offset Datum

Offset Design Dzurisin - Thistle Unit 156H - Wellbore #1 - Plan 1													Offset Site Error: 0.00 ft
Survey Program: 0-MWD													Offset Well Error: 0.00 ft
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Risked Separation Factor	Probability of Collision	Warning
13,500.00	10,062.72	12,905.88	9,866.93	112.14	110.86	-85.21	946.41	743.05	203.37	4.854	0		
13,600.00	10,062.99	13,005.87	9,866.64	115.12	113.83	-85.20	947.32	738.52	208.79	4.537	0		
13,700.00	10,063.26	13,105.87	9,866.36	118.11	116.81	-85.19	948.22	733.99	214.23	4.426	0		
13,800.00	10,063.53	13,205.86	9,866.07	121.09	119.79	-85.18	949.12	729.46	219.66	4.321	0		
13,900.00	10,063.80	13,305.86	9,865.78	124.08	122.78	-85.16	950.02	724.92	225.10	4.220	0		
14,000.00	10,064.07	13,405.85	9,865.50	127.07	125.77	-85.15	950.92	720.38	230.54	4.125	0		
14,100.00	10,064.35	13,505.85	9,865.21	130.06	128.76	-85.14	951.82	715.83	235.99	4.033	0		
14,200.00	10,064.62	13,605.85	9,864.92	133.06	131.75	-85.13	952.72	711.29	241.44	3.946	0		
14,300.00	10,064.89	13,705.84	9,864.64	136.05	134.74	-85.12	953.62	706.74	246.89	3.863	0		
14,400.00	10,065.16	13,805.84	9,864.35	139.05	137.74	-85.11	954.52	702.18	252.34	3.783	0		
14,500.00	10,065.43	13,905.83	9,864.07	142.05	140.74	-85.09	955.43	697.63	257.80	3.706	0		
14,600.00	10,065.70	14,005.83	9,863.78	145.05	143.74	-85.08	956.33	693.07	263.25	3.633	0		
14,700.00	10,065.97	14,105.82	9,863.49	148.06	146.74	-85.07	957.23	688.51	268.71	3.562	0		
14,800.00	10,066.24	14,205.82	9,863.21	151.06	149.74	-85.06	958.13	683.96	274.17	3.495	0		
14,900.00	10,066.51	14,305.82	9,862.92	154.07	152.75	-85.05	959.03	679.39	279.64	3.430	0		
15,000.00	10,066.79	14,405.81	9,862.63	157.07	155.75	-85.04	959.93	674.83	285.10	3.367	0		
15,100.00	10,067.06	14,505.81	9,862.35	160.08	158.76	-85.02	960.83	670.27	290.57	3.307	0		
15,200.00	10,067.33	14,605.80	9,862.06	163.09	161.77	-85.01	961.74	665.70	296.03	3.249	0		
15,300.00	10,067.60	14,705.80	9,861.78	166.10	164.78	-85.00	962.64	661.14	301.50	3.193	0		
15,400.00	10,067.87	14,805.80	9,861.49	169.12	167.79	-84.99	963.54	656.57	306.97	3.139	0		
15,500.00	10,068.14	14,905.79	9,861.20	172.13	170.80	-84.98	964.44	652.00	312.44	3.087	0		
15,600.00	10,068.41	15,005.79	9,860.92	175.14	173.81	-84.97	965.34	647.44	317.91	3.037	0		
15,700.00	10,068.68	15,105.78	9,860.63	178.16	176.83	-84.95	966.25	642.87	323.38	2.988	0		
15,800.00	10,068.96	15,205.78	9,860.35	181.17	179.84	-84.94	967.15	638.30	328.85	2.941	0		
15,900.00	10,069.23	15,305.77	9,860.06	184.19	182.86	-84.93	968.05	633.73	334.32	2.896	0		
16,000.00	10,069.50	15,405.77	9,859.77	187.21	185.87	-84.92	968.95	629.16	339.79	2.852	0		
16,100.00	10,069.77	15,505.77	9,859.49	190.22	188.89	-84.91	969.85	624.59	345.26	2.809	0		
16,200.00	10,070.04	15,605.76	9,859.20	193.24	191.91	-84.90	970.75	620.02	350.74	2.768	0		
16,300.00	10,070.31	15,705.76	9,858.91	196.26	194.92	-84.89	971.66	615.45	356.21	2.728	0		
16,400.00	10,070.58	15,805.75	9,858.63	199.28	197.94	-84.87	972.56	610.88	361.68	2.689	0		
16,500.00	10,070.85	15,905.75	9,858.34	202.30	200.96	-84.86	973.46	606.30	367.16	2.651	0		
16,600.00	10,071.12	16,005.74	9,858.06	205.32	203.98	-84.85	974.36	601.73	372.63	2.615	0		
16,700.00	10,071.40	16,105.74	9,857.77	208.34	207.00	-84.84	975.27	597.16	378.10	2.579	0		
16,800.00	10,071.67	16,205.74	9,857.48	211.37	210.03	-84.83	976.17	592.59	383.58	2.545	0		
16,900.00	10,071.94	16,305.73	9,857.20	214.39	213.05	-84.82	977.07	588.02	389.05	2.511	0		
17,000.00	10,072.21	16,405.73	9,856.91	217.41	216.07	-84.81	977.97	583.45	394.52	2.479	0		
17,100.00	10,072.48	16,505.72	9,856.62	220.44	219.09	-84.80	978.87	578.88	400.00	2.447	0		
17,200.00	10,072.75	16,605.72	9,856.34	223.46	222.12	-84.78	979.78	574.31	405.47	2.416	0		
17,300.00	10,073.02	16,705.71	9,856.05	226.48	225.14	-84.77	980.68	569.74	410.94	2.386	0		
17,400.00	10,073.29	16,805.71	9,855.77	229.51	228.16	-84.76	981.58	565.17	416.42	2.357	0		
17,500.00	10,073.56	16,905.71	9,855.48	232.53	231.19	-84.75	982.48	560.60	421.89	2.329	0		
17,598.34	10,073.83	17,004.04	9,855.20	235.51	234.16	-84.74	983.37	556.10	427.27	2.302	0		
17,600.00	10,073.84	17,005.70	9,855.19	235.55	234.21	-84.74	983.39	556.04	427.35	2.301	0		
17,659.64	10,074.00	17,065.30	9,855.02	236.40	235.62	-84.73	983.93	554.53	429.40	2.291	0		SF

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy
Anticollision Risk Report

Company:	WESTERN DIVISION	Local Co-ordinate Reference:	Well Thistle Unit 144H
Project:	PBNM	TVD Reference:	1 @ 3673.20ft
Reference Site:	Dzurisin	MD Reference:	1 @ 3673.20ft
Site Error:	0.00	North Reference:	Grid
Reference Well:	Thistle Unit 144H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.00	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM r5000 US Production
Reference Design:	Plan 1	Offset TVD Reference:	Offset Datum

Offset Design Dzurisin - Thistle Unit 1H - Wellbore #1 - Plan 1														Offset Site Error:	0.00 ft
Survey Program: 0-MWD														Offset Well Error:	0.00 ft
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Risk Factor	Probability of Collision	Warning		
0.00	0.00	0.80	0.80	0.00	0.00	-90.37	100.03								
100.00	100.00	100.80	100.80	0.09	0.09	-90.37	100.03	99.86	0.17	575.744	0				
200.00	200.00	200.80	200.80	0.31	0.31	-90.37	100.03	99.41	0.62	160.494	0				
300.00	300.00	300.80	300.80	0.54	0.54	-90.37	100.03	98.96	1.07	93.243	0				
400.00	400.00	400.80	400.80	0.76	0.76	-90.37	100.03	98.51	1.52	65.710	0				
500.00	500.00	500.80	500.80	0.99	0.99	-90.37	100.03	98.06	1.97	50.730	0				
600.00	600.00	600.80	600.80	1.21	1.21	-90.37	100.03	97.61	2.42	41.312	0				
700.00	700.00	700.80	700.80	1.43	1.44	-90.37	100.03	97.16	2.87	34.843	0				
800.00	800.00	800.80	800.80	1.66	1.66	-90.37	100.03	96.71	3.32	30.126	0				
900.00	900.00	900.80	900.80	1.88	1.89	-90.37	100.03	96.26	3.77	26.534	0				
1,000.00	1,000.00	1,000.80	1,000.80	2.11	2.11	-90.37	100.03	95.81	4.22	23.707	0				
1,100.00	1,100.00	1,100.80	1,100.80	2.33	2.34	-90.37	100.03	95.36	4.67	21.424	0				
1,200.00	1,200.00	1,200.80	1,200.80	2.56	2.56	-90.37	100.03	94.91	5.12	19.543	0				
1,300.00	1,300.00	1,300.80	1,300.80	2.78	2.78	-90.37	100.03	94.46	5.57	17.965	0				
1,400.00	1,400.00	1,400.80	1,400.80	3.01	3.01	-90.37	100.03	94.01	6.02	16.623	0				
1,500.00	1,500.00	1,500.80	1,500.80	3.23	3.23	-90.37	100.03	93.57	6.47	15.468	0				
1,600.00	1,600.00	1,600.80	1,600.80	3.46	3.46	-90.37	100.03	93.12	6.92	14.462	0				
1,700.00	1,700.00	1,700.80	1,700.80	3.68	3.68	-90.37	100.03	92.67	7.37	13.580	0				
1,800.00	1,800.00	1,800.80	1,800.80	3.91	3.91	-90.37	100.03	92.22	7.82	12.799	0				
1,900.00	1,900.00	1,900.80	1,900.80	4.13	4.13	-90.37	100.03	91.77	8.27	12.103	0				
2,000.00	2,000.00	2,000.80	2,000.80	4.36	4.36	-90.37	100.03	91.32	8.71	11.478	0				
2,100.00	2,100.00	2,100.80	2,100.80	4.58	4.58	-90.37	100.03	90.87	9.16	10.915	0				
2,200.00	2,200.00	2,200.80	2,200.80	4.81	4.81	-90.37	100.03	90.42	9.61	10.405	0				
2,300.00	2,300.00	2,300.80	2,300.80	5.03	5.03	-90.37	100.03	89.97	10.06	9.940	0				
2,400.00	2,400.00	2,400.80	2,400.80	5.26	5.26	-90.37	100.03	89.52	10.51	9.515	0				
2,500.00	2,500.00	2,500.80	2,500.80	5.48	5.48	-90.37	100.03	89.07	10.96	9.125	0				
2,600.00	2,600.00	2,600.80	2,600.80	5.71	5.71	-90.37	100.03	88.62	11.41	8.766	0				
2,700.00	2,700.00	2,700.80	2,700.80	5.93	5.93	-90.37	100.03	88.17	11.86	8.433	0				
2,800.00	2,800.00	2,800.80	2,800.80	6.15	6.16	-90.37	100.03	87.72	12.31	8.125	0				
2,900.00	2,900.00	2,900.80	2,900.80	6.38	6.38	-90.37	100.03	87.27	12.76	7.839	0				
3,000.00	3,000.00	3,000.80	3,000.80	6.60	6.61	-90.37	100.03	86.82	13.21	7.572	0				
3,100.00	3,100.00	3,100.80	3,100.80	6.83	6.83	-90.37	100.03	86.37	13.66	7.323	0				
3,200.00	3,200.00	3,200.80	3,200.80	7.05	7.06	-90.37	100.03	85.92	14.11	7.090	0				
3,300.00	3,300.00	3,300.80	3,300.80	7.28	7.28	-90.37	100.03	85.47	14.56	6.871	0				
3,400.00	3,400.00	3,400.80	3,400.80	7.50	7.51	-90.37	100.03	85.02	15.01	6.665	0				
3,466.40	3,466.40	3,467.20	3,467.20	7.65	7.65	-90.37	100.03	84.73	15.31	6.535	0			CC	
3,500.00	3,500.00	3,500.00	3,500.00	7.73	7.73	-90.37	100.04	84.58	15.46	6.472	0			ES	
3,600.00	3,600.00	3,599.06	3,599.06	7.94	7.94	179.55	101.76	85.89	15.87	6.412	0				
3,700.00	3,699.96	3,697.17	3,697.13	8.14	8.13	179.33	106.93	90.68	16.25	6.581	0				
3,800.00	3,799.86	3,794.92	3,794.79	8.35	8.33	179.02	115.52	96.90	16.63	6.948	0				
3,900.00	3,899.68	3,892.16	3,891.85	8.56	8.53	178.85	127.53	110.53	17.00	7.501	0				
4,000.00	3,999.37	3,988.71	3,988.12	8.79	8.74	178.26	142.92	125.55	17.37	8.227	0				
4,100.00	4,098.99	4,086.92	4,085.96	9.03	8.97	177.91	160.18	142.42	17.77	9.016	0				
4,200.00	4,198.60	4,185.41	4,184.07	9.27	9.20	177.63	177.46	159.30	18.17	9.769	0				
4,300.00	4,298.22	4,283.91	4,282.19	9.52	9.45	177.39	194.74	176.18	18.57	10.488	0				
4,400.00	4,397.84	4,382.40	4,380.31	9.77	9.69	177.19	212.03	193.06	18.97	11.175	0				
4,500.00	4,497.46	4,480.89	4,478.43	10.04	9.95	177.03	229.32	209.94	19.38	11.833	0				
4,600.00	4,497.08	4,579.38	4,576.54	10.30	10.21	176.88	246.61	226.82	19.79	12.461	0				
4,700.00	4,496.70	4,677.88	4,674.66	10.57	10.47	176.76	263.90	243.70	20.20	13.063	0				
4,800.00	4,496.32	4,776.37	4,772.78	10.85	10.74	176.65	281.19	260.57	20.62	13.638	0				
4,900.00	4,495.94	4,874.86	4,870.90	11.13	11.01	176.55	298.48	277.45	21.03	14.190	0				
5,000.00	4,495.56	4,973.35	4,969.01	11.41	11.29	176.47	315.78	294.32	21.45	14.719	0				
5,100.00	5,095.18	5,071.85	5,067.13	11.70	11.57	176.39	333.07	311.20	21.87	15.227	0				
5,200.00	5,194.80	5,170.34	5,165.25	11.99	11.85	176.32	350.36	328.07	22.30	15.714	0				

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy

Anticollision Risk Report

Company:	WESTERN DIVISION	Local Co-ordinate Reference:	Well Thistle Unit 144H
Project:	PBNM	TVD Reference:	1 @ 3673.20ft
Reference Site:	Dzurisin	MD Reference:	1 @ 3673.20ft
Site Error:	0.00	North Reference:	Grid
Reference Well:	Thistle Unit 144H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.00	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM r5000 US Production
Reference Design:	Plan 1	Offset TVD Reference:	Offset Datum

Offset Design Dzurisin - Thistle Unit 1H - Wellbore #1 - Plan 1														Offset Site Error:	0.00 ft
Survey Program: 0-MWD														Offset Well Error:	0.00 ft
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference	Offset	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Risked Separation Factor	Probability of Collision	Warning		
5,300.00	5,294.42	5,268.83	5,263.37	12.28	12.14	176.26	367.66	344.94	22.72	16.182	0				
5,400.00	5,394.04	5,367.32	5,361.48	12.58	12.43	176.20	384.95	361.81	23.15	16.631	0				
5,500.00	5,493.66	5,465.81	5,459.80	12.88	12.72	176.15	402.25	378.68	23.57	17.084	0				
5,600.00	5,593.28	5,564.31	5,557.72	13.18	13.01	176.10	419.55	395.54	24.00	17.479	0				
5,700.00	5,692.90	5,662.80	5,655.84	13.48	13.31	176.05	436.84	412.41	24.43	17.880	0				
5,800.00	5,792.52	5,761.29	5,753.95	13.78	13.61	176.01	454.14	429.27	24.86	18.285	0				
5,900.00	5,892.14	5,859.78	5,852.07	14.09	13.91	175.98	471.43	446.14	25.30	18.636	0				
6,000.00	5,991.76	5,958.28	5,950.19	14.40	14.22	175.94	488.73	463.00	25.73	18.994	0				
6,100.00	6,091.37	6,056.77	6,048.31	14.71	14.52	175.91	506.03	479.86	26.17	19.340	0				
6,200.00	6,190.99	6,155.28	6,146.43	15.02	14.83	175.88	523.33	496.72	26.60	19.673	0				
6,300.00	6,290.61	6,253.75	6,244.54	15.34	15.14	175.85	540.62	513.58	27.04	19.995	0				
6,400.00	6,390.23	6,352.25	6,342.66	15.65	15.45	175.82	557.92	530.44	27.48	20.306	0				
6,500.00	6,489.85	6,450.74	6,440.78	15.97	15.76	175.80	575.22	547.30	27.92	20.608	0				
6,600.00	6,589.47	6,549.23	6,538.90	16.29	16.07	175.77	592.52	564.16	28.36	20.896	0				
6,700.00	6,689.09	6,647.72	6,637.01	16.61	16.39	175.75	609.81	581.02	28.80	21.177	0				
6,800.00	6,788.71	6,746.21	6,735.13	16.93	16.70	175.73	627.11	597.87	29.24	21.449	0				
6,900.00	6,888.33	6,844.71	6,833.25	17.25	17.02	175.71	644.41	614.73	29.68	21.712	0				
7,000.00	6,987.95	6,943.20	6,931.37	17.57	17.34	175.69	661.71	631.58	30.12	21.967	0				
7,100.00	7,087.61	7,041.77	7,029.56	17.84	17.65	175.68	678.58	648.01	30.57	22.201	0				
7,200.00	7,187.33	7,140.47	7,127.89	18.04	17.97	175.66	694.59	663.59	30.99	22.412	0				
7,300.00	7,287.12	7,239.32	7,226.36	18.24	18.30	175.63	709.74	678.32	31.42	22.590	0				
7,400.00	7,386.96	7,338.29	7,324.95	18.43	18.62	175.60	724.03	692.19	31.84	22.737	0				
7,500.00	7,486.84	7,437.38	7,423.67	18.63	18.94	175.57	737.46	705.19	32.27	22.855	0				
7,600.00	7,586.76	7,536.59	7,522.50	18.81	19.27	175.53	750.03	717.34	32.69	22.943	0				
7,700.00	7,686.72	7,635.90	7,621.43	19.00	19.60	175.49	761.73	728.62	33.11	23.004	0				
7,800.00	7,786.69	7,735.31	7,720.46	19.18	19.92	175.45	772.57	739.04	33.53	23.039	0				
7,900.00	7,886.68	7,834.81	7,819.58	19.36	20.25	175.40	782.55	748.59	33.95	23.048	0				
8,000.00	7,986.68	7,934.39	7,918.78	19.52	20.58	-94.65	791.66	757.29	34.37	23.031	0				
8,100.00	8,086.68	8,036.55	8,020.56	19.70	20.90	-94.71	800.28	765.48	34.80	22.996	0				
8,200.00	8,186.68	8,143.72	8,127.40	19.90	21.15	-94.77	808.18	772.95	35.23	22.938	0				
8,300.00	8,286.68	8,251.05	8,234.46	20.09	21.36	-94.82	815.15	779.49	35.66	22.861	0				
8,400.00	8,386.68	8,358.51	8,341.72	20.29	21.57	-94.86	821.19	785.11	36.08	22.760	0				
8,500.00	8,486.68	8,468.08	8,449.15	20.49	21.78	-94.89	826.30	789.79	36.50	22.636	0				
8,600.00	8,586.68	8,573.74	8,556.72	20.69	21.98	-94.92	830.47	793.54	36.93	22.488	0				
8,700.00	8,686.68	8,681.48	8,664.40	20.88	22.18	-94.94	833.70	796.35	37.35	22.320	0				
8,800.00	8,786.68	8,789.28	8,772.17	21.08	22.36	-94.96	836.00	798.23	37.78	22.130	0				
8,900.00	8,886.68	8,897.11	8,879.99	21.28	22.55	-94.96	837.37	799.17	38.20	21.919	0				
9,000.00	8,986.68	9,004.61	8,987.48	21.48	22.72	-94.97	837.79	799.17	38.63	21.690	0				
9,100.00	9,086.68	9,104.61	9,087.48	21.68	22.90	-94.97	837.79	798.75	39.05	21.456	0				
9,200.00	9,186.68	9,204.61	9,187.48	21.88	23.08	-94.97	837.79	798.32	39.48	21.223	0				
9,300.00	9,286.68	9,304.61	9,287.48	22.08	23.27	-94.97	837.79	797.89	39.91	20.994	0				
9,400.00	9,386.68	9,404.61	9,387.48	22.29	23.46	-94.97	837.79	797.46	40.34	20.770	0				
9,500.00	9,486.68	9,504.61	9,487.48	22.49	23.65	-94.97	837.79	797.03	40.77	20.550	0				
9,590.00	9,576.68	9,595.28	9,578.16	22.67	23.82	-94.97	837.79	796.63	41.16	20.356	0				
9,600.00	9,586.68	9,606.74	9,589.61	22.69	23.84	-94.56	837.78	796.58	41.20	20.334	0				
9,625.00	9,611.65	9,635.37	9,618.18	22.74	23.89	-94.53	837.76	796.45	41.31	20.279	0				
9,650.00	9,636.52	9,663.96	9,646.54	22.79	23.94	-94.48	837.73	796.32	41.42	20.228	0				
9,675.00	9,661.23	9,692.50	9,674.59	22.84	23.99	-94.42	837.70	796.18	41.52	20.178	0				
9,700.00	9,685.71	9,720.96	9,702.20	22.89	24.03	-94.35	837.66	796.05	41.61	20.130	0				
9,725.00	9,709.89	9,749.34	9,729.28	22.94	24.07	-94.26	837.63	795.92	41.71	20.083	0				
9,750.00	9,733.70	9,777.63	9,755.71	22.99	24.11	-94.16	837.59	795.78	41.81	20.035	0				
9,775.00	9,757.09	9,805.80	9,781.41	23.05	24.15	-94.05	837.55	795.64	41.91	19.986	0				
9,800.00	9,779.98	9,833.86	9,808.27	23.10	24.18	-93.92	837.51	795.50	42.02	19.933	0				
9,825.00	9,802.31	9,861.79	9,830.22	23.15	24.22	-93.78	837.48	795.34	42.14	19.875	0				

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy

Anticollision Risk Report

Company: WESTERN DIVISION
 Project: PBNM
 Reference Site: Dzurisin
 Site Error: 0.00
 Reference Well: Thistle Unit 144H
 Well Error: 0.00
 Reference Wellbore: Wellbore #1
 Reference Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 144H
 TVD Reference: 1 @ 3673.20ft
 MD Reference: 1 @ 3673.20ft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Output errors are at 2.00 sigma
 Database: EDM r5000 US Production
 Offset TVD Reference: Offset Datum

Offset Design Dzurisin - Thistle Unit 1H - Wellbore #1 - Plan 1													Offset Site Error:	0.00 ft
Survey Program: 0-MWD													Offset Well Error:	0.00 ft
Reference		Offset		Semi Major Axis		Distance							Warning	
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Riskd Separation Factor	Probability of Collision		
9,850.00	9,824.02	9,889.58	9,853.18	23.20	24.25	-93.64	837.45	795.17	42.27	19.810	0			
9,875.00	9,845.06	9,917.23	9,875.08	23.26	24.29	-93.48	837.42	794.99	42.43	19.737	0			
9,900.00	9,865.36	9,944.71	9,895.85	23.32	24.33	-93.31	837.40	794.79	42.61	19.654	0			
9,925.00	9,884.86	9,972.04	9,915.44	23.38	24.37	-93.13	837.38	794.58	42.81	19.562	0			
9,950.00	9,903.53	9,999.21	9,933.80	23.45	24.41	-92.94	837.38	794.34	43.04	19.456	0			
9,952.21	9,905.13	10,001.60	9,935.36	23.46	24.41	-92.93	837.38	794.32	43.06	19.445	0			
9,975.00	9,921.30	10,026.20	9,950.88	23.52	24.46	-92.75	837.38	794.08	43.31	19.336	0			
10,000.00	9,938.12	10,053.01	9,966.66	23.61	24.51	-92.55	837.40	793.79	43.61	19.203	0			
10,025.00	9,953.95	10,079.65	9,981.10	23.70	24.58	-92.34	837.42	793.48	43.95	19.055	0			
10,050.00	9,968.75	10,106.11	9,994.19	23.80	24.65	-92.13	837.46	793.13	44.33	18.893	0			
10,075.00	9,982.48	10,132.39	10,005.91	23.92	24.74	-91.91	837.51	792.77	44.75	18.716	0			
10,100.00	9,995.09	10,158.49	10,016.25	24.06	24.85	-91.68	837.58	792.37	45.21	18.528	0			
10,125.00	10,006.55	10,184.41	10,025.21	24.22	24.98	-91.45	837.66	791.94	45.72	18.323	0			
10,150.00	10,016.84	10,210.14	10,032.79	24.40	25.13	-91.22	837.75	791.49	46.26	18.109	0			
10,175.00	10,025.92	10,235.70	10,038.99	24.61	25.32	-90.99	837.86	791.01	46.85	17.884	0			
10,200.00	10,033.77	10,261.08	10,043.83	24.84	25.53	-90.75	837.98	790.51	47.48	17.651	0			
10,225.00	10,040.36	10,286.29	10,047.32	25.10	25.78	-90.52	838.12	789.98	48.14	17.410	0			
10,250.00	10,045.69	10,311.32	10,049.48	25.39	26.05	-90.28	838.27	789.43	48.84	17.164	0			
10,275.00	10,049.73	10,336.19	10,050.33	25.70	26.35	-90.04	838.44	788.87	49.57	16.914	0			
10,300.00	10,052.47	10,361.04	10,050.38	26.03	26.62	-89.84	838.62	788.39	50.23	16.695	0			
10,325.00	10,053.91	10,385.99	10,050.43	26.39	26.91	-89.72	838.80	787.90	50.90	16.479	0			
10,338.67	10,054.15	10,399.66	10,050.46	26.59	27.07	-89.69	838.89	787.62	51.28	16.359	0			
10,365.10	10,054.27	10,446.09	10,050.55	27.32	27.77	-89.69	839.22	786.33	52.88	15.869	0			
10,400.00	10,054.31	10,480.99	10,050.58	27.56	28.01	-89.69	839.32	785.91	53.41	15.715	0			
10,500.00	10,054.58	10,560.99	10,050.78	29.35	29.77	-89.69	840.02	782.82	57.19	14.688	0			
10,600.00	10,054.86	10,660.99	10,050.98	31.35	31.74	-89.68	840.71	779.37	61.35	13.705	0			
10,700.00	10,055.13	10,760.98	10,051.18	33.52	33.89	-89.68	841.41	775.61	65.80	12.787	0			
10,800.00	10,055.40	10,860.98	10,051.38	35.81	36.17	-89.67	842.10	771.61	70.50	11.945	0			
10,900.00	10,055.67	10,960.98	10,051.57	38.21	38.56	-89.67	842.80	767.41	75.39	11.179	0			
11,000.00	10,055.94	11,060.98	10,051.77	40.70	41.04	-89.66	843.50	763.05	80.45	10.485	0			
11,100.00	10,056.21	11,160.97	10,051.97	43.26	43.60	-89.66	844.19	758.55	85.64	9.857	0			
11,200.00	10,056.48	11,260.97	10,052.17	45.88	46.21	-89.65	844.89	753.95	90.94	9.290	0			
11,300.00	10,056.75	11,360.97	10,052.37	48.55	48.87	-89.65	845.58	749.25	96.33	8.778	0			
11,400.00	10,057.02	11,460.97	10,052.57	51.26	51.58	-89.65	846.28	744.48	101.80	8.313	0			
11,500.00	10,057.30	11,560.96	10,052.76	54.00	54.32	-89.64	846.98	739.64	107.34	7.891	0			
11,600.00	10,057.57	11,660.96	10,052.96	56.78	57.09	-89.64	847.67	734.74	112.93	7.506	0			
11,700.00	10,057.84	11,760.96	10,053.16	59.58	59.89	-89.63	848.37	729.80	118.57	7.155	0			
11,800.00	10,058.11	11,860.96	10,053.36	62.40	62.71	-89.63	849.06	724.81	124.25	6.833	0			
11,900.00	10,058.38	11,960.95	10,053.56	65.24	65.55	-89.62	849.76	719.79	129.97	6.538	0			
12,000.00	10,058.65	12,060.95	10,053.76	68.10	68.40	-89.62	850.46	714.74	135.72	6.266	0			
12,100.00	10,058.92	12,160.95	10,053.96	70.98	71.28	-89.61	851.15	709.66	141.50	6.015	0			
12,200.00	10,059.19	12,260.95	10,054.15	73.87	74.16	-89.61	851.85	704.55	147.30	5.783	0			
12,300.00	10,059.47	12,360.94	10,054.35	76.77	77.06	-89.60	852.54	699.42	153.12	5.568	0			
12,400.00	10,059.74	12,460.94	10,054.55	79.68	79.97	-89.60	853.24	694.28	158.96	5.368	0			
12,500.00	10,060.01	12,560.94	10,054.75	82.60	82.88	-89.59	853.94	689.12	164.82	5.181	0			
12,600.00	10,060.28	12,660.94	10,054.95	85.52	85.81	-89.59	854.63	683.94	170.69	5.007	0			
12,700.00	10,060.55	12,760.93	10,055.15	88.46	88.74	-89.59	855.33	678.75	176.58	4.844	0			
12,800.00	10,060.82	12,860.93	10,055.34	91.40	91.68	-89.58	856.02	673.54	182.48	4.691	0			
12,900.00	10,061.09	12,960.93	10,055.54	94.35	94.63	-89.58	856.72	668.33	188.39	4.547	0			
13,000.00	10,061.36	13,060.93	10,055.74	97.31	97.58	-89.57	857.42	663.10	194.32	4.412	0			
13,100.00	10,061.63	13,160.93	10,055.94	100.26	100.54	-89.57	858.11	657.86	200.25	4.285	0			
13,200.00	10,061.91	13,260.92	10,056.14	103.23	103.50	-89.56	858.81	652.62	206.19	4.165	0			
13,300.00	10,062.18	13,360.92	10,056.34	106.20	106.47	-89.56	859.50	647.37	212.14	4.052	0			
13,400.00	10,062.45	13,460.92	10,056.53	109.17	109.44	-89.55	860.20	642.11	218.09	3.944	0			

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Devon Energy

Anticollision Risk Report

Company:	WESTERN DIVISION	Local Co-ordinate Reference:	Well Thistle Unit 144H
Project:	PBNM	TVD Reference:	1 @ 3673.20ft
Reference Site:	Dzurisin	MD Reference:	1 @ 3673.20ft
Site Error:	0.00	North Reference:	Grid
Reference Well:	Thistle Unit 144H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.00	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM r5000 US Production
Reference Design:	Plan 1	Offset TVD Reference:	Offset Datum

Offset Design Dzurisin - Thistle Unit 1H - Wellbore #1 - Plan 1														Offset Site Error:	0.00 ft
Survey Program: 0-MWD														Offset Well Error:	0.00 ft
Reference		Offset		Semi Major Axis		Distance									
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Risked Separation Factor	Probability of Collision	Warning		
13,500.00	10,062.72	13,560.92	10,056.73	112.14	112.42	-89.55	860.90	636.84	224.05	3.842	0				
13,600.00	10,062.99	13,660.91	10,056.93	115.12	115.39	-89.54	861.59	631.57	230.02	3.746	0				
13,700.00	10,063.26	13,760.91	10,057.13	118.11	118.37	-89.54	862.29	626.29	235.99	3.654	0				
13,800.00	10,063.53	13,860.91	10,057.33	121.09	121.36	-89.54	862.98	621.01	241.97	3.566	0				
13,900.00	10,063.80	13,960.91	10,057.53	124.08	124.34	-89.53	863.68	615.72	247.96	3.483	0				
14,000.00	10,064.07	14,060.90	10,057.73	127.07	127.33	-89.53	864.38	610.43	253.95	3.404	0				
14,100.00	10,064.35	14,160.90	10,057.92	130.06	130.33	-89.52	865.07	605.13	259.94	3.328	0				
14,200.00	10,064.62	14,260.90	10,058.12	133.06	133.32	-89.52	865.77	599.83	265.93	3.256	0				
14,300.00	10,064.89	14,360.90	10,058.32	136.05	136.31	-89.51	866.46	594.53	271.93	3.186	0				
14,400.00	10,065.16	14,460.89	10,058.52	139.05	139.31	-89.51	867.16	589.22	277.94	3.120	0				
14,500.00	10,065.43	14,560.89	10,058.72	142.05	142.31	-89.51	867.86	583.91	283.94	3.056	0				
14,600.00	10,065.70	14,660.89	10,058.92	145.05	145.31	-89.50	868.55	578.60	289.95	2.995	0				
14,700.00	10,065.97	14,760.89	10,059.11	148.06	148.32	-89.50	869.25	573.28	295.97	2.937	0				
14,800.00	10,066.24	14,860.88	10,059.31	151.06	151.32	-89.49	869.94	567.96	301.98	2.881	0				
14,900.00	10,066.51	14,960.88	10,059.51	154.07	154.33	-89.49	870.64	562.64	308.00	2.827	0				
15,000.00	10,066.79	15,060.88	10,059.71	157.07	157.33	-89.48	871.34	557.32	314.02	2.775	0				
15,100.00	10,067.06	15,160.88	10,059.91	160.08	160.34	-89.48	872.03	551.99	320.04	2.725	0				
15,200.00	10,067.33	15,260.87	10,060.11	163.09	163.35	-89.47	872.73	546.66	326.07	2.677	0				
15,300.00	10,067.60	15,360.87	10,060.31	166.10	166.36	-89.47	873.42	541.33	332.09	2.630	0				
15,400.00	10,067.87	15,460.87	10,060.50	169.12	169.37	-89.47	874.12	536.00	338.12	2.585	0				
15,500.00	10,068.14	15,560.87	10,060.70	172.13	172.38	-89.46	874.82	530.67	344.15	2.542	0				
15,600.00	10,068.41	15,660.86	10,060.90	175.14	175.40	-89.46	875.51	525.33	350.18	2.500	0				
15,700.00	10,068.68	15,760.86	10,061.10	178.16	178.41	-89.45	876.21	519.99	356.22	2.460	0				
15,800.00	10,068.96	15,860.86	10,061.30	181.17	181.43	-89.45	876.91	514.66	362.25	2.421	0				
15,900.00	10,069.23	15,960.86	10,061.50	184.19	184.44	-89.44	877.60	509.32	368.29	2.383	0				
16,000.00	10,069.50	16,060.85	10,061.69	187.21	187.46	-89.44	878.30	503.97	374.32	2.346	0				
16,100.00	10,069.77	16,160.85	10,061.89	190.22	190.48	-89.44	878.99	498.63	380.36	2.311	0				
16,200.00	10,070.04	16,260.85	10,062.09	193.24	193.49	-89.43	879.69	493.29	386.40	2.277	0				
16,300.00	10,070.31	16,360.85	10,062.29	196.26	196.51	-89.43	880.39	487.94	392.44	2.243	0				
16,400.00	10,070.58	16,460.84	10,062.49	199.28	199.53	-89.42	881.08	482.60	398.49	2.211	0				
16,500.00	10,070.85	16,560.84	10,062.69	202.30	202.55	-89.42	881.78	477.25	404.53	2.180	0				
16,600.00	10,071.12	16,660.84	10,062.88	205.32	205.57	-89.41	882.47	471.90	410.57	2.149	0				
16,700.00	10,071.40	16,760.84	10,063.08	208.34	208.59	-89.41	883.17	466.55	416.62	2.120	0				
16,800.00	10,071.67	16,860.83	10,063.28	211.37	211.62	-89.41	883.87	461.20	422.67	2.091	0				
16,900.00	10,071.94	16,960.83	10,063.48	214.39	214.64	-89.40	884.56	455.85	428.71	2.063	0				
17,000.00	10,072.21	17,060.83	10,063.68	217.41	217.66	-89.40	885.26	450.50	434.76	2.036	0				
17,100.00	10,072.48	17,160.83	10,063.88	220.44	220.68	-89.39	885.96	445.15	440.81	2.010	0				
17,200.00	10,072.75	17,260.82	10,064.08	223.46	223.71	-89.39	886.65	439.79	446.86	1.984	0				
17,300.00	10,073.02	17,360.82	10,064.27	226.48	226.73	-89.38	887.35	434.44	452.91	1.959	0				
17,400.00	10,073.29	17,460.82	10,064.47	229.51	229.75	-89.38	888.04	429.08	458.96	1.935	0				
17,500.00	10,073.56	17,560.82	10,064.67	232.53	232.78	-89.38	888.74	423.73	465.01	1.911	0				
17,598.34	10,073.83	17,659.15	10,064.87	235.51	235.75	-89.37	889.42	418.46	470.97	1.889	0				
17,690.00	10,073.84	17,660.82	10,064.87	235.55	235.80	-89.37	889.44	418.38	471.05	1.888	0				
17,699.64	10,074.00	17,720.49	10,064.99	236.40	237.57	-89.37	889.85	416.19	473.67	1.879	0		SF		

CC - Min centre to center distance or covergent point, SF - min separation factor, ES - min ellipse separation


Devon Energy
Anticollision Risk Report

Company: WESTERN DIVISION
Project: PBNM
Reference Site: Dzurisin
Site Error: 0.00
Reference Well: Thistle Unit 144H
Well Error: 0.00
Reference Wellbore: Wellbore #1
Reference Design: Plan 1

Local Co-ordinate Reference: Well Thistle Unit 144H
TVD Reference: 1 @ 3673.20ft
MD Reference: 1 @ 3673.20ft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Output errors are at: 2.00 sigma
Database: EDM r5000 US Production
Offset TVD Reference: Offset Datum

Reference Depths are relative to 1 @ 3673.20ft
Offset Depths are relative to Offset Datum
Central Meridian is

Coordinates are relative to: Thistle Unit 144H
Coordinate System is Flat Earth, No Conversions
Grid Convergence at Surface is: 0.00°




Devon Energy
Anticollision Risk Report

Company:	WESTERN DIVISION	Local Co-ordinate Reference:	Well Thistle Unit 144H
Project:	PBNM	TVD Reference:	1 @ 3673.20ft
Reference Site:	Dzurisin	MD Reference:	1 @ 3673.20ft
Site Error:	0.00	North Reference:	Grid
Reference Well:	Thistle Unit 144H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.00	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM r5000 US Production
Reference Design:	Plan 1	Offset TVD Reference:	Offset Datum

Reference Depths are relative to 1 @ 3673.20ft
Offset Depths are relative to Offset Datum
Central Meridian is

Coordinates are relative to: Thistle Unit 144H
Coordinate System is Flat Earth, No Conversions
Grid Convergence at Surface is: 0.00°



CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation