

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

HOBBBS
OCT 24 2016
RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-35460
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: EUNICE MONUMENT STATE UNIT SOUTH
8. Well Number #776
9. OGRID Number 005380
10. Pool name or Wildcat EUNICE MONUMENT; GRAYBURG; SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	7. Lease Name or Unit Agreement Name: EUNICE MONUMENT STATE UNIT SOUTH
2. Name of Operator XTO Energy, Inc.	8. Well Number #776
3. Address of Operator 500 W. Illinois St Ste 100 Midland, TX 79701	9. OGRID Number 005380
4. Well Location Unit Letter <u>H</u> : <u>2610</u> feet from the <u>NORTH</u> line and <u>1310</u> feet from the <u>EAST</u> line Section <u>15</u> Township <u>21S</u> Range <u>36E</u> NMPM County <u>LEA</u>	10. Pool name or Wildcat EUNICE MONUMENT; GRAYBURG; SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: OPEN PAY, ACID STIMULATE ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Energy, Inc respectfully requests to OAP and Acidize the referenced well with the following procedure:

1. Tag PBTD, CO well.
2. Perf 40 holes in 2 Stages fr/3745-3927', 2JSPF, 120 degree phasing.
3. Sonic Hammer wash & acidize perfs fr/3745-3927' w/4000gals 20% 90/10 acid/xylene.
4. RIH w/ 2-7/8" tbg & ESP, set at 3724'.

A closed-loop system will be used for this procedure

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephanie Rabadue TITLE REGULATORY ANALYST DATE 10/19/2016
Type or print name Stephanie Rabadue E-mail address: stephanie_rabadue@xtoenergy.com PHONE 432.620.6714

For State Use Only

APPROVED BY Malays Brown TITLE Dist Supervisor DATE 10/24/2016
Conditions of Approval (if any):


MB

CURRENT WELLBORE DIAGRAM

LEASE: Eunice Monument South Unit	WELL: 776	FIELD: Eunice-Monument	API: 30-025-35460
LOC: 2610 FNL & 1310 FEL, Unit H	SEC: 16	BLK: T21S, R36E	CHEVNO: HC5084
SVY: N.M.P.M.	GL: 3570	CTY/ST: Lea Co., NM	SPUD: 5/7/2001
CURRENT STATUS: Producer	KB: 3576	DF: 3575	TD DATE: 5/13/2001

9-5/8", 36# Csg
Set @ 500' w/350 sx cmt
Cmt Circ.to Surf.
(12-1/4" hole)


7", 20#, K-55 Csg.
Set @ 3958' w/ 1050 SX
Cmt Circ. To Surf
(8-3/4" hole)



Proposed

EUNICE MONUMENT SO. UNIT #776
2610' FNL & 1310' FEL
UNIT H, SEC 15, T21S, R36E
LEA CO, NM
API# 30-025-35460

9-5/8", 36#, K-55, CSG SET @
500'. CMT'D W/350 SX. CIRC.
12-1/4" HOLE



ELEV: GL: 3570'
DF: 3575'
KB: 3576'

02/16/08 ESP DETAIL:
117 JTS 2-7/8", 6.5#, J-55, EUE, 8RD TBG, 4' X 2-7/8",
6.5#, EUE, 8RD TBG SUB, 2-7/8" API SN 2 - TD-1750
PMPS, 184 STGS, 3' PI, 2 - SEALS, 75 HP MTR. SN @
3661'. PI @ 3695'. LANDED @ 3724'.

8-3/4" HOLE

7" OD 20#, K-55 CSG SET @ 3958'.
CMT'D W/1050 SX. CIRC.
8-3/4" HOLE

GRYBRG PERF FR/3745'-3823'. TTL 16 HOLES.
PERFS W/3 JHPF FR/3756'-3884'. TTL 105 HOLES.

PBD: 3930'
TD: 3960'