

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBB'S OIL CONSERVATION DIVISION
OCT 28 2016
RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-07669	
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No. 19552	
7. Lease Name or Unit Agreement Name South Hobbs Unit (G/SA) ✓	
8. Well Number 64 ✓	
9. OGRID Number 157984 ✓	
10. Pool name or Wildcat Hobbs (G/SA)	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3606' KB	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other Injector

2. Name of Operator
Occidental Permian Ltd ✓

3. Address of Operator
P.O. Box 4294, Houston, TX 77210

4. Well Location
Unit Letter B : 660 feet from the North line and 1980 feet from the East line
Section 9 Township 19S Range 38E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<p style="text-align: center;">NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/></p>	<p style="text-align: center;">SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input checked="" type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/></p>
---	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

08/23/16 - 09/27/16

MIRU x NDWH x NUBOP. POOH inj pkr x 121 jts tbg x clean well. RIH 4 1/2" RBP @ 4007' x tested csg. Test good. POOH RBP x dumped 65 gals pea gravel from 4125' - 4210'. RIH 2 3/8" SN x 3000' kill pipe x SION. POOH kill pipe x RUWL X tag pea gravel @ 4130'. Dump 2 sx cmt on pea gravel x tag cmt @ 4112' x RDWL. RIH 4 1/2" arrow pkr @ 4000' x tested well. Ran acid job w/ 1000 gals 15% HIC on csg leak @ 4080' - 4110'. RIH 4 1/2" CIRC @ 3991' x test csg. Tested good. Squeezed leak from 4080' - 4110' w/ 600 sx cmt. Stung out CIRC w/ 160 bbls brine water. RIH 3 7/8" bit x drilled through CIRC x bad/good csg 3990' - 4242'. POOH bit x RIH 4 1/2" arrow pkr @ 3980' x test csg. Tested good. POOH on/off tool x RIH 7" RBP @ 981' w/ 4 sx sand. RD x NDBOP. Well Suspended.

10/17/16 - 10/18/16

MIRU x NDWH x NUBOP. Tested well x testes good. POOH RBP x RIH on/off tool x 120 jts tbg. Ran MIT and passed. RD x NDBOP x NUWH

Spud Date: 08/23/16

Rig Release Date: 10/18/16

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE April Hood TITLE Regulatory Specialist DATE 10/24/2016

Type or print name April Hood E-mail address: April_Hood@Oxy.com PHONE: 713-366-5771

For State Use Only
APPROVED BY: Maley Brown TITLE Dist Supervisor DATE 10/31/2016
Conditions of Approval (if any):

SHOU-64

API# 30-025-07669

TWN 19-S; RNG 38-E

Water Injector

2-3/8" (4.7#) Duoline tubing SA 3980'
1.625" Drift. Capacity = 3.18 bbl/1000'
Injection packer SA 3980'

Kicked out of casing at 4048'.
Drill out to new PBD @ 4242'

Perfs @ 4130-4210' (gross) - 49' of perfs
PB Perfs: 4210'-11', 4215'-21'
SQZD Perfs: 4122'-36', 4182'-87

16" 70# @ 217'
cmt'd w/ 100 sxs.
TOC @ 100' (Calc.)


10-3/4" 40.5# @ 2810'
cmt'd w/ 450 sxs
TOC @ 1188' (Calc)


7" 20/26# reran from 0-2783'
cmt'd w/ 520 sxs (02/1958)
TOC @ Surface (Circ.)

7" 26# @ 3993'
cmt'd w/ 100 sxs (05/1933)
TOC @ 3310' (CBL - 2-10-1977)

4-1/2" 10.5# from 3667"-4280' (12/1983)
cmt'd w/ 100 sxs
TOC @ TOL - returns
TOL at 3667' after milling 10' in 2008(RTI)

PBD @ 4242'
TD @ 4280'





AH
 10/19