

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
OCT 30 2016

WELL API NO. 30-025-40016
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name THISTLE UNIT ✓
8. Well Number 32H ✓
9. OGRID Number 6137 ✓
10. Pool name or Wildcat Brinninstool; Delaware

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Devon Energy Production Company, LP ✓

3. Address of Operator
333 W. Sheridan Avenue, Oklahoma City, OK 73102

4. Well Location
Unit Letter P : 150 feet from the South line and 150 feet from the East line
Section 33 Township 23S Range 33E NMPM Lea County, NM ✓

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3663' KB; 3644' GL; 19' KB to GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT R

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING/CEMENT JOB ☐

INT TO PA BC x
P&A NR _____
P&A R _____

OTHER: _____

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU. Retrieve rod pump and 2-7/8" production tubing assembly from 8,423'.
2. Circulate wellbore with 10# mud between plugs.
3. Set CIBP @ +/- 9,000'. Tag. Spot 40 sx (320') Cl H @ 9,000' - 8,680'. Tag TOC. / Pressure test csg.
4. Spot 30 sx (300') Cl C @ 6,160' - 5,860'. Tag TOC. (DV tool @ 6,009')
5. Spot 45 sx (450') Cl C @ 5,300' - 4,850'. Tag TOC. (T. Delaware @ 5,276'; 9-5/8" shoe @ 5,175'; B. Salt @ 4,961')
6. Perf 5-1/2" csg @ 3,825'. Pump 45 sx (150') Cl C in/out @ 3,825' - 3,675'. Tag TOC. (T. Salt @ 3,822')
7. Perf 5-1/2" csg @ 1,415'. Pump 45 sx (150') Cl C in/out @ 1,415' - 1,265'. Tag TOC.
8. Perf 5-1/2" csg @ 150'. Pump 45 sx (150') Cl C in/out @ 150' to surface.
9. Cut wellhead off. Set dry hole marker.

Verify cement to surface all strings

Spud Date:

NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ronnie Slack TITLE Production Technologist DATE 10-27-16


Type or print name Ronnie Slack E-mail address: Ronnie.Slack@dvn.com PHONE: 405-552-4615

For State Use Only

APPROVED BY: Mah Whitaker TITLE Petroleum Engr. Specialist DATE 11/1/2016
Conditions of Approval (if any):

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT 32H		Field: JOHNSON RANCH	
Location: 150' FSL & 150' FEL; SEC 33-T23S-R33E		County: LEA	State: NM
Elevation: 3663 KB; 3644' GL; 19' KB-GL		Spud Date: 7/12/11	Compl Date: 11/4/11
API#: 30-025-40016	Prepared by: Ronnie Slack	Date: 10/27/16	Rev:



DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT 32H		Field: JOHNSON RANCH	
Location: 150' FSL & 150' FEL; SEC 33-T23S-R33E		County: LEA	State: NM
Elevation: 3663 KB; 3644' GL; 19' KB-GL		Spud Date: 7/12/11	Compl Date: 11/4/11
API#: 30-025-40016	Prepared by: Ronnie Slack	Date: 10/27/16	Rev:

