

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

Revised July 18, 2013

HOBBBS OCD

NOV 02 2016

RECEIVED

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO. 30-025-09155
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name SEVEN RIVERS QUEEN UNIT
8. Well Number 029
9. OGRID Number 269324
10. Pool name or Wildcat EUNICE; SEVEN RIVERS-QUEEN
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3491' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other Injection

2. Name of Operator
LINN OPERATING, INC.

3. Address of Operator
600 TRAVIS, SUITE 5100, HOUSTON, TEXAS 77002

4. Well Location
Unit Letter K : 1980 feet from the SOUTH line and 1980 feet from the WEST line
Section 35 Township 22S Range 36E NMPM County LEA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INT

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

INT TO PA

P&A NR Pm X
P&A R

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

LINN OPERATING, INC. successfully plugged SRQU 29 on 10/6/2016. Please see attached plugging operations along with a current wellbore diagram for your review and approval.

Spud Date:

Approved for Plugging of wellbore only. Liability under bond is retained pending restoration and completion of the C-103, Specific for Subsequent Report of Well Plugging, which may be found on the OCD web page under forms.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shawn Hildreth TITLE Regulatory Advisor DATE 10/31/2016
Type or print name Shawn Hildreth E-mail address: shildreth@linnenergy.com PHONE: 281-840-4234
For State Use Only

APPROVED BY: Mark Whittem TITLE P.E.S. DATE 11/2/2016
Conditions of Approval (if any):

LINN Operating, Inc. (269324)
Seven Rivers Queen Unit #029 (309557)
API: 30-025-09155
Sec. 35-T22S-R36E

Completed Plugging Operations

- 9/28/2016** MIRU plugging equipment
- 9/29/2016** Dug out cellar, ND WH, NU BOP. POH with 2-3/8" tbg. Set 5-1/2" CIBP @ 3625'. Circulated hole w/88 bbls of mud laden fluid. Pressure tested csg, held 500 psi.
- 9/30/2016** Spotted 25 sx Class "C" cement @ 3625'-3384'. Spotted 25 sx Class "C" cement @ 3050'-2809'. Spotted 25 sx Class "C" cement @ 1390'-1149'. Perf'd csg @ 355'. Squeezed 30 sx Class "C" cement @ 355' and displaced to 255' (notified Mark Whitaker w/OCD). WOC.
- 10/3/2016** Tagged plug @ 230'. Perf'd csg @ 200', pressured up on perfs. Spotted 30 sx Class "C" Cement @ 230' to surface (per Mark Whitaker w/OCD request). Rigged down and moved off.
- 10/6/2016** Moved in backhole and welder. Dug out cellar. Cut off wellhead. Welded on "Above Ground Dry Hole Marker". Backfilled cellar. Cut off deadmen. Cleaned location and moved off.



NM Schematic

Well Name: SEVEN RIVERS QUEEN UNIT 29

API/UWI 3002509155	Field Name PBNM - PB - SEVEN RIVERS QUEEN	County Lea	State/Province NM	Section 35	Township 022-S	Range 036-E	Survey	Block
Ground Elevation (ft) 3,491.00	Orig KB Elev (ft) 3,501.00	KB-Grd (ft) 10.00	Initial Spud Date 7/13/1958	Rig Release Date 8/7/1958	TD Date 7/30/1958	Latitude (°) 32° 20' 47.565" N	Longitude (°) 103° 14' 17.512" W	Operated? Yes

Original Hole, 10/14/2016 2:20:41 PM

Original Hole Data

MD (ftKB)	Vertical schematic (actual)	Wellbores
		North-South Distance (ft) 1,980.0
		NS Flag FSL
		East-West Distance (ft) 1,980.0
		EW Flag FWL
		Casing Strings
		Csg Des Set Depth... OD Nom... ID Nom... Wt/Len (l... String Grade Run Date
		Surface 302.0 8 5/8 8.097 24.00 J-55 7/13/1958
		Production 4,024.0 5 1/2 5.012 14.00 J-55 7/30/1958
		Cement Stages
		Description Top (ftKB) Btm (ftKB) Eval Method Comment
		Cement Plug 3,384.0 3,625.0 Spot 25 sks cmt on top of CIBP
		Cement Plug 2,809.0 3,050.0 Spot 25 sks cmt at 3050'
		Cement Plug 1,149.0 1,390.0 Spot 25 sks cmt at 1390'
		Cement Plug 230.0 355.0 Perf and Sqz 30 sks cmt at 355'-230' (TOC tagged).
		Cement Plug 10.0 230.0 Comment Perf csg at 200'. Spot 30 sks cmt 230' to surface.
		Surface Casing Cement 10.0 302.0 Returns to Surface Comment 250 sx cement. Circulated 25 sx to surface.
		Production Casing Cement 10.0 4,024.0 Returns to Surface Comment 750 sx cement w/745 cu ft Posmex + 137 cu ft Alco Jell + 100 sx Latex neat cement. Circulated 100 sx to surface.
		Cement Squeeze 10.0 724.0 Tagged Comment Found casing leaks @ 747', 779', & 455' to surface.
		Cement Plug 3,384.0-3,625.0
		Bridge Plug - Permanent; 3,625.0-3,630.0; 5.500
		Cement Squeeze 10.0 1,020.0 Tagged Comment Found hole in casing 531'-560'. Set RBP @ 1020'. Pumped 200 sx cmt in 5-1/2" csg and drilled out.
		Tubing Strings
		Tubing Description Set Depth... Run Date Pull Date
		Tubing 3,566.0 7/12/2006 8/31/2016
		Perforations
		Top (ftKB) Btm (ftKB) Comment
		200.0 200.0
		355.0 355.0
		3,684.0 3,700.0
		3,724.0 3,730.0
		3,740.0 3,744.0
		3,754.0 3,762.0
		3,762.0 3,762.0
		3,789.0 3,789.0
		4,003.9 4,003.9
		4,024.0 4,024.0
		Other In Hole
		Des Top (ftKB) Btm (ftKB) Run Date Com
		Bridge Plug - Permanent 3,625.0 3,630.0 Set CIBP at 3625' and cap w 25 sks cmt.




NM Schematic

Well Name: SEVEN RIVERS QUEEN UNIT 29

API/UWI	Field Name	County	State/Province	Section	Township	Range	Survey	Block
3002509155	PBNM - PB - SEVEN RIVERS QUEEN	Lea	NM	35	022-S	036-E		
Ground Elevation (ft)	Orig KB Elev (ft)	KB-Grd (ft)	Initial Spud Date	Rig Release Date	TD Date	Latitude (")	Longitude (")	Operated?
3,491.00	3,501.00	10.00	7/13/1958	8/7/1958	7/30/1958	32° 20' 47.565" N	103° 14' 17.512" W	Yes

Original Hole, 10/14/2016 2:20:41 PM

Original Hole Data



Formations			
Formation	Final Top...	Final Btm...	Comment
Salt	1,390.0	2,915.0	
Yates	3,060.0		
Seven Rivers	3,314.0		
Queen	3,789.0		