

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources
HOBBS OCD
 OIL CONSERVATION DIVISION
 NOV 2 12 2016
 1220 South St. Francis Dr.
 Santa Fe, NM 87505
RECEIVED

Form C-103
 Revised July 18, 2013

WELL API NO. 30-025-40994
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name VACUUM GRAYBURG SAN ANDRES UNIT
8. Well Number 247
9. OGRID Number 4323
10. Pool name or Wildcat VACUUM GRAYBURG SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4,003' (GL)

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other INJECTOR

2. Name of Operator
CHEVRON U.S.A. INC.

3. Address of Operator
6301 DEAUVILLE BLVD, MIDLAND, TX 79706

4. Well Location
 Unit Letter H : 1800 feet from the NORTH line and 145 feet from the EAST line
 Section 2 Township 18-S Range 34-E NMPM County LEA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>	REPLACE PACKER <input checked="" type="checkbox"/>	OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This injection well was shut-in after building pressure and fluid on the production casing annulus. The proposed repair is to pull the existing tubing and packer and run a new packer, setting at ~4319' and to return the well to injection after passing an MIT.

Proposed WBD below.

**Condition of Approval: notify
 OCD Hobbs office 24 hours
 prior of running MIT Test & Chart**

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Michael Stewart TITLE Production Engineer DATE 11/17/16

Type or print name Michael Stewart E-mail address: michael.stewart@chevron.com PHONE: 432-687-7431

For State Use Only

APPROVED BY: Mary Brown TITLE Dist Supervisor DATE 11/22/2016

Conditions of Approval (if any):

Proposed VGSAU #247 Wellbore Diagram

Created: 10/09/13 By: TPQJ
 Updated: 11/17/16 By: MAS
 Updated: _____ By: _____
 Lease: Vacuum Grayburg San Andres Unit
 Field: Vacuum Grayburg San Andres Unit
 Surf. Loc.: 1,800' FNL & 145' FEL
 Bot. Loc.: _____
 County: Lea St.: NM
 Status: Active Injection Well

Well #: 247 St. Lse: _____
 API: 30-025-40994
 Unit Ltr.: H Section: 2
 TSHP/Rng: 18S / 34E
 Unit Ltr.: _____ Section: _____
 TSHP/Rng: _____
 Directions: Buckeye, NM
 Chevno: NT5384

Surface Casing

Size: 11 3/4"
 Wt., Grd.: 42# H-40
 Depth: 1,526'
 Cmt: 265 bbls
 Circulate: 170 bbls
 TOC: Surface
 Hole Size: 14 3/4"


Intermediate Casing

Size: 8 5/8"
 Wt., Grd.: 32# J-55
 Depth: 3,207'
 Cmt: 175 bbls
 Circulate: 2 bbls
 TOC: Surface
 Hole Size: 10 5/8"

Production Casing

Size: 5 1/2"
 Wt., Grd.: 17# J-55
 Depth: 5,170'
 Cmt: 206 bbls
 Circulate: 15 bbls
 TOC: Surface
 Hole Size: 7 7/8"

Perforations: Grayburg/San Andres
4,344-4,918'



KB: 4,022
 DF: _____
 GL: 4,003
 Ini. Spud: 09/27/13
 Ini. Comp.: 10/21/13

On/Off tool w/ 1.43 "F" PN @ ~4317'
 5-1/2" Nickel Coated Inj pkr @ ~4319'

PBTD: 5,062
 TD: 5,180