

Submit 1 Copy To Appropriate District
Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

WELL API NO. 30-025-06623
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B0-1732-0001
7. Lease Name or Unit Agreement Name West Blinbry Drinkard Unit (WBDU) / 37346
8. Well Number 057
9. OGRID Number 873
10. Pool name or Wildcat Eunice; B-T-D, North (22900)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Injection	
2. Name of Operator Apache Corporation	
3. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705	
4. Well Location Unit Letter A : 660 feet from the FNL line and 660 feet from the FEL line Section 16 Township 21S Range 37E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3475' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: RUN LINER ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Apache performed the following:

09/15/2016 MIRUSU TIH w/WS
09/16/2016 Tag & DO CBP @ 5538'.
09/19/2016 Milled over CBP @ 5708' to RBP @ 5710'; milled on plug 7 hrs.
09/20/2016 Cut on RBP POOH w/shoe.
09/21/2016 POOH w/shoe, didn't recover fish.
09/22/2016 RIH w/box tap to fish RBP.
09/23/2016 RIH w/shoe to cut over RBP. 09/26-28/2016 Milled on RBP; latched on to RBP & pulled free.
09/29/2016 Catch overshot; didn't recover any fish. Never got over top of fish.
09/30-10/4/2016 Milled on RBP
10/05/2016 RIH w/Dump Bailer & 2 sx cmt, tag RBP @ 5710' & dump cmt.
10/06/2016 Washed 3' cmt to top of RBP, cmt mushy.
10/07-14/2016 Mill on RBP.
10/15/2016 Worked shoe over fish to trap in the diamonds. POOH to recover the RBP.

*** CONTINUED ON NEXT PAGE ***

Spud Date:

09/25/1948

Rig Release Date:

TD Reached: 11/04/1948

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Reesa Fisher

TITLE Sr Staff Reg Analyst

DATE 12/16/2015

Type or print name Reesa Fisher

E-mail address: Reesa.Fisher@apachecorp.com

PHONE: (432) 818-1062

For State Use Only

APPROVED BY:

[Signature]

TITLE

Petroleum Engineer

DATE

12/16/16

Conditions of Approval (if any):

WBDU #057
30-025-06623
Apache Corp. (873)

C-103 RC Subsequent continued:

10/16/2016 RIH w/taper mill & string mill. Milled thru @ top perms @ 5790'; tag @ 5842'; drilled scale to 5906'.
10/17-21/2016 CO well; milled scale.
10/24/2016 Milled on junk in OH 6647-73'.
10/25/2016 Milled on junk & two old CIBP's @ 6673' & 6679'.
10/26-28/2016 Mill OH; Latched onto fish & jarred on it.
10/31/2016 POOH w/fish, LD bad jt. Mill junk 6706-13'.
11/01/2016 POOH LD WS; tag @ 6713', no fill. Prep to run 4-1/2" liner.
11/02/2016 RIH w/125 jts 4-1/2" csg liner to 5675'. WO cmt delivery.
11/03/2016 Set liner (4-1/2" LTC 8RT 11.6# L-80 csg) w/564 sx Class C cement; circ to pit. WO cmt to set.
FS @ 6713'; FC @ 6620'; DV Tool @ 6619'; Marker Jt @ 5442'. Ran 72 centralizers.
11/04/2016 DO DV Tool.
11/07/2016 Drilled thru DV Tool, FC & 91' cmt to 6710'.
11/08/2016 Log – ETOC @ surface.
11/09/2016 Perf Drinkard @ 6554-67', 69-73', 75-82', 86-91', 95-98', 6602-08', 15-27', 32-39', 41-52', 56-60', 69-77',
82-86' w/4 SPF, 389 shots.
11/10/2016 Test lines. Acidize Drinkard w/10,000 gal 15% Acid & 900# Rock Salt.
11/11/2016 RIH w/Injection Packer & test; no leaks.
11/14/2016 MIRU TT, RIH w/200 jts 2-3/8" IPC tbg; Inj Pkr set @ 6508'.
11/15/2016 Tested csg; no leaks. WO OCD to witness MIT.
11/21/2016 Run OCD witnessed MIT, chart attached. RTI

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 1200'	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 2500'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Rustler	T. Entrada	
T. Wolfcamp	T. Tansill	T. Wingate	
T. Penn	T. Penrose	T. Chinle	
T. Cisco (Bough C)	T. Bowers-SD	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

HOBBS OCD
DEC 0 1961

DEC 09 2016

RECEIVED

