

Submit 1 Copy To Appropriate District

Office

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103

Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.

30-025-41068

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

DEAD END 15 STATE COM

8. Well Number

1

9. OGRID Number

6137

10. Pool name or Wildcat  
PROPOSED WOLFCAMP

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Devon Energy Production Company, LP

3. Address of Operator

333 W. Sheridan Avenue, Oklahoma City, OK 73102

4. Well Location

Unit Letter G : 1650 feet from the North line and 2285 feet from the East line  
Section 15 Township 18S Range 33E NMPM Lea County, NM

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3925' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPL ☐

DOWNHOLE COMMINGLE ☐

CLOSED-LOOP SYSTEM ☐

OTHER: ☐

SUBSEQUENT

REMEDIAL WORK

COMMENCE DRILLING

CASING/CEMENT JOB

OTHER: ☐

INT TO PA Pm. ☒

P&A NR ☐

P&A R ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PROPOSED P&A of 20' Spudder hole

1. MIRU Redi-Mix Truck.

2. Fill 20' hole to surface w/approximately 80 cu ft cement.

3. Set dry hole marker.

NOTIFY OCD 24 HOURS PRIOR TO  
BEGINNING PLUGGING OPERATIONS

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Ronnie Slack

TITLE Production Technologist

DATE 12-15-16

Type or print name

Ronnie Slack

E-mail address:

Ronnie.Slack@dmn.com

PHONE: 405-552-4615

For State Use Only

APPROVED BY:

[Signature]

TITLE P.E.S.

DATE 12/20/2016

Conditions of Approval (if any):

# DEVON ENERGY PRODUCTION COMPANY LP

Well Name: DEAD END 15 STATE COM #1		Field: CORBIN SOUTH	
Location: 1650' FNL & 2285' FEL; SEC 15-T18S-R33E		County: LEA	State: NM
Elevation: 3925' GL		Spud Date: 4/24/13	Compl Date: Not completed
API#: 30-025-41068	Prepared by: Ronnie Slack	Date: 12/15/16	Rev:

## PROPOSED PLUG & ABANDONMENT


48" Hole

30" conductor w/locking lid @ 10'

Cmt'd back to 3', fill dirt from 3' to surface  
( 4.9087 cu ft/ft for 30" hole)

**20" Open Hole from 10' to 20'**

(2.1817 cu ft/ft for 20" hole)



20' MD

### Proposed:

3. Set dry hole marker
2. Fill hole to surface w/approx 80 cu ft cement
1. Move in Redi-Mix Truck.

# DEVON ENERGY PRODUCTION COMPANY LP

Well Name: DEAD END 15 STATE COM #1		Field: CORBIN SOUTH	
Location: 1650' FNL & 2285' FEL; SEC 15-T18S-R33E		County: LEA	State: NM
Elevation: 3925' GL		Spud Date: 4/24/13	Compl Date: Not completed
API#: 30-025-41068	Prepared by: Ronnie Slack	Date: 12/15/16	Rev:

## CURRENT WELLBORE

48" Hole

30" conductor w/locking lid @ 10'

Cmt'd back to 3', fill dirt from 3' to surface  
( 4.9087 cu ft/ft for 30" hole)

20" Open Hole from 10' to 20'  
(2.1817 cu ft/ft for 20" hole)

20' MD