

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-39893

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

THISTLE UNIT

8. Well Number

17H

9. OGRID Number

6137

10. Pool name or Wildcat

Brinninstool; Delaware

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Devon Energy Production Company, LP

3. Address of Operator

333 W. Sheridan Avenue, Oklahoma City, OK 73102

4. Well Location

Unit Letter O: 150 feet from the South line and 1470 feet from the East line
Section 33 Township 23S Range 33E NMPM Lea County, NM

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3673' KB; 3654' GL; 19' KB to GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT

REMEDIAL WORK
COMMENCE DRILLING OPNS.
CASING/CEMENT JOB

INT TO PA PM-X
P&A NR
P&A R

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU for P&A.
- Retrieve rod pump and 2-7/8" production tubing assembly from 8,483'.
- Set CIBP @ +/- 8,700'. Tag plug. Circulate wellbore w/10# mud. Spot 40 sx (320') CI H @ 8,700' - 8,380'. Tag TOC.
- Spot 50 sx (500') CI C @ 5,380' - 4,880'. Tag TOC. (3000' spacer @ 5380'; T. Delaware @ 5300'; B. Salt @ 5170'; 9-5/8" shoe @ 5150')
- Spot 70 sx (700') CI C @ 1,880' - 1,180'. Tag TOC. (3000' spacer @ 1880'; T. Salt @ 1570'; 13-3/8" shoe @ 1278')
- Circulate 25 sx CI C surface plug @ 250'
- Cut wellhead off, 3' BGL. Set dry hole marker.

Verify amt to surface all strings

Spud Date:

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Ronnie Slack

TITLE Production Technologist

DATE

1-26-17

Type or print name

Ronnie Slack

E-mail address:

Ronnie.Slack@dvn.com

PHONE: 405-552-4615

For State Use Only

APPROVED BY:

Mah Whitman

TITLE

Petroleum Engr. Specialist

DATE

01/30/2017

Conditions of Approval (if any):

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT 17H		Field: JOHNSON RANCH	
Location: 150' FSL & 1470' FEL; SEC 33-T23S-R33E		County: LEA	State: NM
Elevation: 3673 KB; 3654' GL; 19' KB to GL		Spud Date: 11/23/10	Compl Date: 3/28/11
API#: 30-025-39893	Prepared by: Ronnie Slack	Date: 1/25/17	Rev:

PROPOSED PLUG & ABANDONMENT

Proposed:

2. Cut wellhead off. Set dry hole marker.
1. Circ 25 sx (250') CI C surface plug.

17 1/2" Hole

13-3/8", 54.5#, K55, BTC. @ 1,278'

Cmt'd w/1020 sx, circ cmt to surf

Proposed:

1. Spot 70 sx (700') CI C @ 1,880' - 1,180' . Tag TOC.
(3000' spacer @ 1880'; T.Salt @ 1570')

DV Tool @ 5,001'

12-1/4" Hole

9-5/8", 40#, HCK-55, LTC. @ 5,150'

Cmt'd w/1550 sx, circ cmt to surf

Proposed:

1. Spot 50 sx (500') CI C @ 5,380' - 4,880' . Tag TOC.
(3000' spacer @ 5380'; T.Delaware @ 5300'; B.Salt @ 5170')

Proposed:

3. Tag TOC.
2. Spot 40 sx (320') CI H cmt @ 8,700' - 8,380'.
1. Set CIBP @ +/-8,700'.

MD	INCL	TVD
8180	1	8178
8474	5	8472
8538	11	8536
8634	22	8627
8730	31	8713
8826	42	8790
8955	54	8877
9064	64	8933
9161	76	8966
9257	86	8981
9373	89	8985
10043	91	8977
11043	89	8928
12029	88	8962
13015	92	8942
13869	94	8902

T.Salt--1,570'

B.Salt--5,170'

T.Delaware--5,300'

DV Tool @ 4996'

8-3/4" hole

5-1/2", 17#, P110, LTC & BTC @ 13,869'

1st Stg- 2040 sx

2nd Stg- 1870 sx, circ to surface

13,869' MD
8,902' TVD

DELAWARE ZONE PERFS
9,200' - 13,756' MD (7 Stages)

13,771' PBD
FC @ 13,778'

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT 17H		Field: JOHNSON RANCH	
Location: 150' FSL & 1470' FEL; SEC 33-T23S-R33E		County: LEA	State: NM
Elevation: 3673 KB; 3654' GL; 19' KB to GL		Spud Date: 11/23/10	Compl Date: 3/28/11
API#: 30-025-39893	Prepared by: Ronnie Slack	Date: 1/19/17	Rev:

