

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

HOBBS

FEB 20 2017

RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-28779
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name LEA XA STATE
8. Well Number 3
9. OGRID Number 6137
10. Pool name or Wildcat Mescalero Escarpe; Bone Spring
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4102' KB; 4084' GL; 18' KB to GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Devon Energy Production Company, LP

3. Address of Operator
333 W. Sheridan Avenue, Oklahoma City, OK 73102

4. Well Location

Unit Letter K: 1980 feet from the South line and 1980 feet from the West line
Section 7 Township 18S Range 34E NMPM Lea County, NM

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐ INT TO PA ☒
CASING/CEMENT JOB ☐ P&A NR ☐
OTHER: ☐ P&A R ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU for P&A.
- Retrieve rod pump and 2-7/8" production tubing assembly from 8,723' Pressure test csg
- Set CIBP @ 8,570'. Tag plug. Circulate wellbore w/10# mud. Spot 25 sx (200') CI H @ 8,570' - 8,370'.
- Spot 25 sx (250') CI C @ 6,635' - 6,385'. (T. Bone Spring @ 6635')
- Spot 25 sx (250') CI C @ 6,038' - 5,788'. (T. Delaware @ 6038')
- Perf 5-1/2" casing @ 3,340'.
- Pump 100 sx (400') CI C in/out @ 3,340' - 2,940'. Tag TOC. (8-5/8" shoe @ 3290'; T. Yates/B. Salt @ 3188'; T. Salt @ 3044').
- Perf 5-1/2" casing @ 635'. PERF @ 1765'. SQZ W/30 SX. WOC. (T. SALT) Tag @ 1665' OR BETTER
- Pump 40 sx (160') CI C in/out @ 635' - 475'. Tag TOC. (13-3/8" shoe @ 585')
- Perf 5-1/2" casing @ 160'. Pump 40 sx CI C in/out to surface.
- Cut wellhead off, 3' BGL. Set dry hole marker.

Verify cmt. to surface all strings

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

Spud Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ronnie Slack TITLE Production Technologist DATE 2-15-17

Type or print name Ronnie Slack E-mail address: Ronnie.Slack@dvn.com PHONE: 405-552-4615

For State Use Only

APPROVED BY: Mark Whitaker TITLE Petroleum Engr. Specialist DATE 02/21/2017

Conditions of Approval (if any):

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: LEA XA STATE #3		Field: MESCALERO ESCARPE	
Location: 1980' FSL & 1980' FWL; SEC 7-T18S-R34E		County: LEA	State: NM
Elevation: 4102 KB; 4084 GL; 18' KB to GL		Spud Date: 7/29/84	Compl Date: 9/5/84
API#: 30-025-28779	Prepared by: Ronnie Slack	Date: 2/8/17	Rev:

CURRENT WELLBORE

17-1/2" hole
13-3/8", 48#, H40, @ 585'
 Cmt'd w/585 sx, circ to surface

bradenhead sqz on 8-5/8 x 5-1/2 w/ 300
 sx. TOC unknown --10/10/84

11" Hole
8-5/8", 24# & 28#, K55, @ 3,290'
 Cmt'd w/1090 sx, circ to surface

TOC @ 3,335'-CBL. (9/24/84) →

BONE SPRING (9/5/84)
 8,609' - 8,703'

7-7/8" Hole
5-1/2", 15.5# & 17#, K55, @ 8,793'
 Cmt'd w/1400 sx. TS, TOC @ 3,200'

T.Anhy 1765'
 T.Salt 3044'
 T.Yates 3188'
 T.7 Rivers 3736'
 T.Queen 4359'
 T.Grayburg 4794'
 T.San Andres 5123'
 T.Delaware 6038'
 T.Bone Spring 6635'

268 Jts, 2-7/8" production tubing (5/7/13)

TAC @ 8,067'

20 Jts, 2-7/8" production tubing (5/7/13)

SN @ 8,692'
 MA, EOT @ 8,723'
 Mixed rod string: 1.2" (114) fiberglass, 1" (175) steel

8,795' MD

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: LEA XA STATE #3		Field: MESCALERO ESCARPE	
Location: 1980' FSL & 1980' FWL; SEC 7-T18S-R34E		County: LEA	State: NM
Elevation: 4102 KB; 4084 GL; 18' KB to GL		Spud Date: 7/29/84	Compl Date: 9/5/84
API#: 30-025-28779	Prepared by: Ronnie Slack	Date: 2/8/17	Rev:

PROPOSED PLUG & ABANDONMENT

17-1/2" hole

13-3/8", 48#, H40, @ 585'

Cmt'd w/585 sx, circ to surface

bradenhead sqz on 8-5/8 x 5-1/2 w/ 300
sx. TOC unknown --10/10/84

11" Hole

8-5/8", 24# & 28#, K55, @ 3,290'

Cmt'd w/1090 sx, circ to surface

TOC @ 3,335'-CBL. (9/24/84)

BONE SPRING (9/5/84)
8,609' - 8,703'

7-7/8" Hole

5-1/2", 15.5# & 17#, K55, @ 8,793'

Cmt'd w/1400 sx. TS, TOC @ 3,200'

10# Mud

10# Mud

10# Mud

10# Mud

10# Mud

8,795' MD

Proposed:

3. Cut wellhead off 3' bgl. Set dry hole marker.
2. Pump 40 sx CI C in/out to surface.
1. Perf 5-1/2" @ 160'.

Proposed:

2. Pump 40 sx (160') CI C in/out @ 635' - 475'. Tag.
1. Perf 5-1/2" @ 635'.
(Shoe @ 585')

Proposed:

2. Pump 100 sx (400') CI C in/out @ 3,340' - 2,940'. Tag TOC.
1. Perf 5-1/2" @ 3,340'.
(Shoe @ 3290'; T.Yates/B.Salt @ 3188; T.Salt @ 3044')

Proposed:

1. Spot 25 sx (250') CI C @ 6,038' - 5,788'.
(T.Delaware @ 6038')

Proposed:

1. Spot 25 sx (250') CI C @ 6,635' - 6,385'.
(T.Bone Spring @ 6635')

Proposed:

2. Spot 25 sx (200') CI H @ 8,570' - 8,370'.
1. Set CIBP @ 8,570'. Tag plug.