Submit 1 Copy To Appropriate Dis	trict Office								Form C-		
Diatrica I		_		lew Mexico		DA/ELL AE	21.NO	Revised	August 1,	2011	
<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Energy, Minerals and Natural Resources					WELL API NO. 30-025-40543						
District II 811 A. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd. Aztec, NM 87410 District IV Santa Fe, NM 87505						5. Indicate Type of Lease					
Disrtict III						STATE ☑ FEE □ '					
1000 Rio Brazos Rd. Aztec, NM 87410 1220 South St. Francis Dr.							6. State Oil & Gas Lease NO.				
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505						BO-0934-0040					
SUNDRY NOTICES AND REPORTS ON WELLS							Name or Un	it Agreem	ent Name	-	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO								A (20487		/	
A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)						8. Well N		A (2040)		_	
1. Type of Well: Oil Well Gas Well Other								9		1	
2. Name of Operator	Apac	he Corporati	ion	1		9. OGRID Numer 873					
3. Address of Operator	Apac	nic oorporati	OII			10. Pool Name					
303 Veterans	Airpark L	ane, Ste. 300	0, Midland,	TX 79705		Bli(6660)Tubb(60240)Dr(19190)Abo(62700)					
4. Well Location Unit Letter	K	: 1650	feet from the	S	line and	1815	feet from th	W	line	4	
Section	18	Township	225	Range	37E	NMPM		County	Lea	а	
	1	1. Elevation (S		DR, RKB,R' 426' GL	T, GR, etc.)						
5											
12	. Check A	Appropriate Bo	ox To Indica	te Nature o	of Notice, Re	port, or O	ther Data				
NOT	ICE OF IN	ITENTION TO) :			SUBSEQUENT					
PERFORM REMEDIAL WORK			O ABANDON	$\overline{\checkmark}$	REMEDIAL	WORK					
TEMPORARILY ABANDON PULL OR ALTER CASING	H	CHANGE I				EMENT JOB INT TO PA P&A NR					
DOWNHOLE COMMINGLE	ä	MULTIPLE	COMPL		ALTERING						
					P AND A			I WAI			
OTHER:		(0)			OTHER:			<u>. </u>		-	
13. Describe proposed or constarting any proposed work.)											
						n late	Pila				
				TL	EASE	JOIE	CHAR	1687	-		
Apache Corporation prop				_		-		-	system v	will	
be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.											
					D 24 HOUF						
			BEC	GINNING	PLUGGIN	G OPEF	RATIONS	i			
Spud Date:				Rig Relea	se Date:						
				9							
	-1		- 11 1 1 - 1 - 1	. I was a land a land	and by Park						
I hereby certify that the information	above is tru	e and complete to	o the best of my	y knowledge a	and belief.						
SIGNATURE	Durin	Bushs	TITLE	Sr. Red	clamation Fo	oreman	_DATE _	2/	21/17		
Type or print name	Guinn	Burks	_E-mail add.	guinn.bu	rks@apache	corp.com	PHONE:	432-5	556-9143	3	
For State Use Only	01.	0.10		21. 1.	P C	. 1 / 1	1	02/-	- lan	7	
APPROVED BY:	while	Intaken	_TITLE I.	etroleum	bngv.Sp	ecialis	DATE	02/2	7/201	1	
Conditions of Approval (if ar	1y):				•						



 LEASE NAME
 State PA

 WELL #
 9

 API #
 30-025-40543

 COUNTY
 LEA

	WELL BORE INFO.	
0	TOC @ 46' by CBL	
740		
	11" Hole 8 5/8" 24# @ 1161'	

1480 2220

w/ 650 sx TOC @ 46' by CBL

3700

2960

7400

Csg lks @ 4057'-4107' & 4200'-4232' Sqdz w/ 426 sx

4440 TOC @ 4490' by CBL

5180 5920

6660

Blinebry perfs sqzd @ 5478'-5613'

Tubb perfs @ 6222' - 6347'

Drinkard perfs @ 6510' - 6706'

Abo perfs @ 6795' - 6933'

7 7/8" Hole 5 1/2" 17# @ 7400' w/ 1060 sx TOC @ 4490' by CBL

TD @ 7400'



WELL BORE INFO.

LEASE NAME WELL#

API#

COUNTY

State PA

30-025-40543

LEA

PROPOSED PROCEDURE

0

TOC @ 46' by CBL

6. PUH & perf @ 200' & sqz 60 sx Class "C' cmt from 200' to surf. Attempt to CIRC 5 1/2" & 8 5/8" to surf. Fill Surf casing up from surf w/ 1" pipe.

11" Hole

8 5/8" 24# @ 1161' w/ 650 sx TOC @ 46' by CBL

5. PUH & perf @ 1211' & sqz 50 sx Class "C" cmt from 1211'-1085' WOC/TAG (Surface Shoe & Rustler)

2220 2960

4. PUH & perf@ 2908' & sqz 90 sx Class "C" cmt from 2908'-2598' WOC/TAG (Yates & 7 Rvrs)

Csg lks @ 4057'-4107' & 4200'-4232' Sqdz w/ 426 sx 3. Perf on top of San Andres plug & sqz 180 sx Class "C" cmt from 4057'-3388' WOC/TAG (Grayburg, Penrose, & Queen)

TOC @ 4490' by CBL

2. PUH & spot 20 sx Class "C" cmt from 4057' - 4257' WOC/TAG (Cover sqzd casing leak & San Andres)

5180

5920

3700

4440

740

1480

Blinebry perfs sqzd @ 5478'-5613'

1. MIRU P&A rig. RIH w/WL & set CIBP @ 6150'. RIH w/ tbg & CIRC w/MLF & spot 110 sx Class "C" cmt from 6150' - 5044' WOC/TAG (All open perfs, Blinebry sqzd perfs & Paddock, Glorieta)

Tubb perfs @ 6222' - 6347'

Drinkard perfs @ 6510' - 6706'

Abo perfs @ 6795' - 6933'

SET CIBP @ 6745' W/35' cmt

7 7/8" Hole 5 1/2" 17# @ 7400' w/ 1060 sx TOC @ 4490' by CBL

