

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

Carlsbad Field Office
DOB Hobbs
RECEIVED
FEB 27 2017

5. Lease Serial No. NM 132953
6. If Indian, Allottee or Tribe Name
7. If Unit or CA/Agreement, Name and/or No.
8. Well Name and No. DUO SONIC 29 FEDERAL 4H
9. API Well No. 30-025-43090-00-S1
10. Field and Pool or Exploratory Area DELAWARE
11. County or Parish, State LEA COUNTY, NM

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
ENDURANCE RESOURCES LLC Contact: WESLEY RANDALL
E-Mail: WESLEY@ENDURANCERESOURCESLLC.COM

3a. Address
203 WEST WALL SUITE 1000
MIDLAND, TX 79701

3b. Phone No. (include area code)
Ph: 432-242-4680
Fx: 432-242-4689

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 29 T25S R35E SESE 150FSL 660FEL

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Onshore Order Variance
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Endurance Resources LLC requests permission to install a Vapor Combustor Unit (VCU) at the Duo Sonic Tank Battery. This request is due to the fact that the cost of installing and operating equipment necessary to capture the gas exceeds the value of the gas over the life of the facility. Endurance Resources LLC understands that the following conditions apply:

- Endurance Resources LLC may be required to provide economic justification and provide volume verification to the Authorized Officer upon request.
- Endurance Resources LLC will comply with NTL-4A requirements
- If volume being combusted is less than 50 MCF of gas per day, it is considered ?unavoidably lost?, therefore no royalty obligation shall be accrued and will not be required to be reported.
 - ?Unavoidably Lost? production shall mean (1) those vapors which are released (in this case combusted) from low-pressure storage tanks.
- Essentially all measured combusted volumes over 50 MCF will require payment of royalties and

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #359232 verified by the BLM Well Information System
For ENDURANCE RESOURCES LLC, sent to the Hobbs
Committed to AFMSS for processing by DEBORAH MCKINNEY on 01/17/2017 (17DLM0324SE)

Name (Printed/Typed) WESLEY RANDALL Title PRODUCTION MANAGER

Signature (Electronic Submission) Date 11/29/2016

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By DUNCAN WHITLOCK Title TECHNICAL LPET Date 02/23/2017

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #359232 that would not fit on the form

32. Additional remarks, continued

volumes need to be reported on OGOR ?B? reports as disposition code ?08?.

5. Per 43 CFR 3162.7-5(d)/Onshore Order No.3.III.I.1, site facility diagram must be submitted within 60 days of equipment installation.

6. This approval does not authorize any additional surface disturbance.

7. Subject to like approval from NMOCD.

Attached are the following:

? Site security diagram of the current tank battery as well as the location of the VCU and the manifold line connecting the tanks to the VCU.

? Contact name and number to retrieve information on volumes being combusted.

? Specification sheet(s) for the VCU.

Duo Sonic Tank Battery - VCU Specification Sheet

Edge Manufacturing & Technology

Edge XXV 24" LP Combustor. 99.9% Destruction removal efficiency and surpasses the requirements of EPA NSPS40 CFR Subpart OOOO and AER directive 60.

24"x20' Free Standing

Maximum LP Volume 100 Mscfd

Electronic Ignition Control with Data Logging

3" Threaded Standard Flame Arrestor


Edge 600 Burner Management System

Solar or 110v power

Concrete Block

Pilot Gas Scrubber Pot – 8" x 36" volume pot

North



ROAD INTO Location

- Yellow is for Sales valves
- Purple is for Fill valves
- Orange is for Equalizer valves
- Light blue is for Drain/Circulating Valves

Duo Sonic 29 Federal 4H
API # 30-025-43090
Sec 29-T255-R35E

8" x 10' 250 F PHASE SEPARATOR


48 x 10 Gas Scrubber

48x10inlet 3phase 250 F vessel

Flare Meter

Flare

Blow-off



Contact Information for Volumes Combusted

Richard Joy / 575-703-7635 (c) / 575-308-0722 (o)

Tim Houghtaling / 575-200-6717 (c) / 575-308-0722 (o)