

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

COPY

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2

HOBBS OGD
RECEIVED
MAR 17 2017

<p>1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other</p> <p>2. Name of Operator LEGACY RESERVES OPERATING LP Contact: JOHN SAENZ LE-Mail: jsaenz@legacylp.com</p> <p>3a. Address PO BOX 10848 MIDLAND, TX 79702</p> <p>3b. Phone No. (include area code) Ph: 432-689-5200</p> <p>4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 24 T25S R37E SESW 660FSL 1650FWL ✓</p>	<p>5. Lease Serial No. NMLC032650A</p> <p>6. If Indian, Allottee or Tribe Name</p> <p>7. If Unit or CA/Agreement, Name and/or No. NMM87877X</p> <p>8. Well Name and No. SOUTH JUSTIS UNIT 'F' 22</p> <p>9. API Well No. 30-025-11747</p> <p>10. Field and Pool or Exploratory Area JUSTIS;BLINEBRY-TUBB-DRKD</p> <p>11. County or Parish, State LEA COUNTY, NM</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

PROCEDURE:

Pull out of hole and lay down production equipment. Install a CIBP at 4950' and cap with 20' cement. Perform and record MIT test. Submit chart to Midland for filing.

REASON:

We are requesting the well be placed in TA status for 1 year to allow for oil price recovery to justify returning the well to production. The well has a very poor oil cut with high volumes of water, the work completed in the past has not been successful in shutting off the water in the well. This time will allow us to work on other wells in the unit to learn how to shut off water and make this existing well more productive in the future.

Current & proposed wellbore diagrams attached.

Accepted for Record Only
SUBJECT TO BLM APPROVAL

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #369627 verified by the BLM Well Information System
For LEGACY RESERVES OPERATING LP, sent to the Hobbs**

Name (Printed/Typed) JOHN SAENZ	Title OPERATIONS ENGINEER
Signature (Electronic Submission)	Date 03/13/2017

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)


**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

MJB/OD
3/21/2017

Wellbore Schematic (From Surface to TD)

Printed: 12/14/2016

Page 1



South Justis Unit # F22 BOLO ID: 300054.01.01 API # 3002511747

660 FSL & 1650 FWL	GL Elev: 3,079.00	KOP:	
Section 24, Township 25S, Range 37E		EOC:	
County, State: Lea, NM		Fill Depth:	6,240
Aux ID: 16700		PBDT:	6,560.00
KB = 10.8; DF = ; All Depths Corr To:		TD:	7,007.00
		BOP:	

Hole Size			
Diameter	Top At	Btm At	Date Drilled
17.5000	0.00	538.00	
12.2500	538.00	3,315.00	
8.7500	3,315.00	7,005.00	

Surface Casing							Date Ran:	
Description	#	Diameter	Weight	Grade	Length	Top At	Btm At	
Casing		13.3750			538.00	0.00	538.00	

Intermediate Casing							Date Ran:	
Description	#	Diameter	Weight	Grade	Length	Top At	Btm At	
Casing		9.6250			3,315.00	0.00	3,315.00	

Production Casing String 1							Date Ran:	
Description	#	Diameter	Weight	Grade	Length	Top At	Btm At	
Casing		7.0000			4,980.00	0.00	4,980.00	
Casing		5.7500			190.00	4,980.00	5,170.00	
<i>4/27/10 tag and mill collapsed casing from 4980-5170' see Well Servicing Reports</i>								
Casing		7.0000			1,835.00	5,170.00	7,005.00	

Cement							
# Sx	Class	Weight	I D	O D	Top At	Btm At	TOC Per
550			13.375	17.500	0.00	538.00	Circ
1500			9.625	12.250	0.00	3,315.00	Circ
800			7.000	8.750	40.00	7,005.00	TS
			0.000	7.000	6,928.00	6,935.00	
			0.000	7.000	6,700.00	6,710.00	
			0.000	7.000	6,560.00	6,610.00	

Zone and Perfs								
Blinbry-Tubb/Drinkard Perforations								
Top	Bottom	Formation	Status	Opened	Closed	# / Ft	Ttl #	
4,973.00	5,001.00	Paddock	A	2/27/1997		2	17	
5,007.00	6,022.00	Blinbry-Tubb/Drinkard	A	7/1/1994		1	35	
5,729.00	5,819.00	Tubb/Drinkard	A	1/24/1971		1	12	
5,870.00	5,936.00	Tubb/Drinkard	A	8/24/1958		4		
6,656.00	6,678.00	Fusselman/Silurian	PA	1/29/1971	3/1/1993	1	13	
6,730.00	6,775.00	FUSSELMAN	PA	11/21/1968	1/1/1971	2		
6,822.00	6,839.00	FUSSELMAN	PA	8/24/1964		2		
6,842.00	6,849.00	FUSSELMAN	PA	8/24/1964	3/1/1993	2		
6,862.00	6,904.00	FUSSELMAN	PA	8/24/1958	9/1/1964			
6,904.00	6,970.00	FUSSELMAN	PA	8/24/1958	9/1/1964			

Wellbore Plugs and Junk						
Top	Bottom	Type	Diameter	Solid	Date	
5,600.00	5,615.00	CIBP	7.000	Yes	7/30/2015	
6,610.00	6,656.00	CIBP	7.000	Yes	3/1/1993	
6,710.00	6,730.00	CIBP	7.000	Yes	12/1/1968	
6,935.00	6,940.00	CIBP	7.000	Yes	9/1/1964	

Wellbore Schematic (From Surface to TD)

Printed: 12/14/2016


Page 1

Plan

South Justis Unit # F22

BOLO ID: 300054.01.01

API # 3002511747



660 FSL & 1650 FWL	GL Elev: 3,079.00	KOP:	
Section 24, Township 25S, Range 37E		EOC:	
County, State: Lea, NM		Fill Depth:	6,240
Aux ID: 16700		PBTD:	6,560.00
KB = 10.8; DF = ; All Depths Corr To:		TD:	7,007.00
		BOP:	

Hole Size

Diameter	Top At	Btm At	Date Drilled
17.5000	0.00	538.00	
12.2500	538.00	3,315.00	
8.7500	3,315.00	7,005.00	

Surface Casing

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At	Date Ran:
Casing		13.3750			538.00	0.00	538.00	

Intermediate Casing

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At	Date Ran:
Casing		9.6250			3,315.00	0.00	3,315.00	

Production Casing String 1

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At	Date Ran:
Casing		7.0000			4,980.00	0.00	4,980.00	
Casing		5.7500			190.00	4,980.00	5,170.00	
4/27/10 tag and mill collapsed casing from 4980-5170' see Well Servicing Reports								
Casing		7.0000			1,835.00	5,170.00	7,005.00	

Cement

# Sx	Class	Weight	I D	O D	Top At	Btm At	TOC Per
550			13.375	17.500	0.00	538.00	Circ
1500			9.625	12.250	0.00	3,315.00	Circ
800			7.000	8.750	40.00	7,005.00	TS
			0.000	7.000	6,928.00	6,935.00	
			0.000	7.000	6,700.00	6,710.00	
			0.000	7.000	6,560.00	6,610.00	

Zone and Perfs

Blineby-Tubb/Drinkard

Perforations

Top	Bottom	Formation	Status	Opened	Closed	# / Ft	Ttl #
4,973.00	5,001.00	Paddock	A	2/27/1997		2	17
5,007.00	6,022.00	Blineby-Tubb/Drinkard	A	7/1/1994		1	35
5,729.00	5,819.00	Tubb/Drinkard	A	1/24/1971		1	12
5,870.00	5,936.00	Tubb/Drinkard	A	8/24/1958		4	
6,656.00	6,678.00	Fusselman/Silurian	PA	1/29/1971	3/1/1993	1	13
6,730.00	6,775.00	FUSSELMAN	PA	11/21/1968	1/1/1971	2	
6,822.00	6,839.00	FUSSELMAN	PA	8/24/1964		2	
6,842.00	6,849.00	FUSSELMAN	PA	8/24/1964	3/1/1993	2	
6,862.00	6,904.00	FUSSELMAN	PA	8/24/1958	9/1/1964		
6,904.00	6,970.00	FUSSELMAN	PA	8/24/1958	9/1/1964		

Wellbore Plugs and Junk

Top	Bottom	Type	Diameter	Solid	Date
5,600.00	5,615.00	CIBP	7.000	Yes	7/30/2015
6,610.00	6,656.00	CIBP	7.000	Yes	3/1/1993
6,710.00	6,730.00	CIBP	7.000	Yes	12/1/1968
6,935.00	6,940.00	CIBP	7.000	Yes	9/1/1964