

16-1263

Form 3160-3
(March 2012)

OCD Hobbs
RECEIVED
MAR 27 2017

FORM APPROVED
OMB No. 1004-0137
Expires October 31, 2014

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

5. Lease Serial No. NMNM94186		6. If Indian, Allottee or Tribe Name	
7. If Unit or CA Agreement, Name and No.		8. Lease Name and Well No. (30884) THISTLE UNIT 108H	
9. API Well No. 30-025-43727		10. Field and Pool, or Exploratory (59800) TRIPLE X / BONE SPRING	
11. Sec., T. R. M. or Blk. and Survey or Area SEC 21 / T23S / R33E / NMP		12. County or Parish LEA	
13. State NM		14. Distance in miles and direction from nearest town or post office*	
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 315 feet	16. No. of acres in lease 960	17. Spacing Unit dedicated to this well 240	
18. Distance from proposed location* to nearest well, drilling, completed, 160 feet applied for, on this lease, ft.	19. Proposed Depth 9751 feet / 17144 feet	20. BLM/BIA Bond No. on file FED: CO1104	
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 3724 feet	22. Approximate date work will start* 02/01/2017	23. Estimated duration 45 days	
24. Attachments			

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

- | | |
|--|---|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the BLM. |

25. Signature (Electronic Submission)	Name (Printed/Typed) Rebecca Deal / Ph: (405)228-8429	Date 12/20/2016
Title Regulatory Compliance Professional		
Approved by (Signature) (Electronic Submission)	Name (Printed/Typed) Cody Layton / Ph: (575)234-5959	Date 03/06/2017
Title Supervisor Multiple Resources		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

APPROVED WITH CONDITIONS

Kz
03/28/17

REQUIRES NSL

APD ID: 10400009335

Submission Date: 12/20/2016

Highlight
All Changes

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Federal/Indian APD: FED

Well Name: THISTLE UNIT

Well Number: 108H

Well Type: OIL WELL

Well Work Type: Drill

Application

Section 1 - General

APD ID: 10400009335

Tie to previous NOS?

Submission Date: 12/20/2016

BLM Office: HOBBS

User: Rebecca Deal

Title: Regulatory Compliance
Professional

Federal/Indian APD: FED

Is the first lease penetrated for production Federal or Indian? FED

Lease number: NMNM94186

Lease Acres: 960

Surface access agreement in place?

Allotted?

Reservation:

Agreement in place? NO

Federal or Indian agreement:

Agreement number:

Agreement name:

Keep application confidential? YES

Permitting Agent? NO

APD Operator: DEVON ENERGY PRODUCTION COMPANY LP

Operator letter of designation:

Keep application confidential? YES

Operator Info

Operator Organization Name: DEVON ENERGY PRODUCTION COMPANY LP

Operator Address: 333 West Sheridan Avenue

Zip: 73102

Operator PO Box:

Operator City: Oklahoma City State: OK

Operator Phone: (405)552-6571

Operator Internet Address: aletha.dewbre@dvn.com

Section 2 - Well Information

Well in Master Development Plan? NO

Master Development Plan name:

Well in Master SUPO? NO

Master SUPO name:

Well in Master Drilling Plan? NO

Master Drilling Plan name:

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Well Name: THISTLE UNIT

Well Number: 108H

Well API Number:

Field/Pool or Exploratory? Field and Pool

Field Name: TRIPLE X

Pool Name: BONE SPRING

Is the proposed well in an area containing other mineral resources? NATURAL GAS,OIL

Describe other minerals:

Is the proposed well in a Helium production area? N

Use Existing Well Pad? NO

New surface disturbance?

Type of Well Pad: MULTIPLE WELL

Multiple Well Pad Name:

Number:

Well Class: HORIZONTAL

THISTLE UNIT

105H,108H,119H,121H

Number of Legs:

Well Work Type: Drill

Well Type: OIL WELL

Describe Well Type:

Well sub-Type: INFILL

Describe sub-type:

Distance to town:

Distance to nearest well: 160 FT

Distance to lease line: 315 FT

Reservoir well spacing assigned acres Measurement: 240 Acres

Well plat: Thistle Unit 108H_C-102 Signed_08-24-2016.pdf

Well work start Date: 02/01/2017

Duration: 45 DAYS

Section 3 - Well Location Table

Survey Type: RECTANGULAR

Describe Survey Type:

Datum: NAD83

Vertical Datum: NAVD88

Survey number: 4724

STATE: NEW MEXICO

Meridian: NEW MEXICO PRINCIPAL **County:** LEA

Latitude: 32.2966115

Longitude: -103.5713477

SHL

Elevation: 3724

MD: 0

TVD: 0

Leg #: 1

Lease Type: FEDERAL

Lease #: NMNM94186

NS-Foot: 315

NS Indicator: FNL

EW-Foot: 800

EW Indicator: FEL

Twsp: 23S

Range: 33E

Section: 21

Aliquot: NENE

Lot:

Tract:

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

STATE: NEW MEXICO **Meridian:** NEW MEXICO PRINCIPAL **County:** LEA
Latitude: 32.2966115 **Longitude:** -103.5713477
KOP **Elevation:** -5533 **MD:** 9275 **TVD:** 9257
Leg #: 1 **Lease Type:** FEDERAL **Lease #:** NMNM94186
NS-Foot: 200 **NS Indicator:** FNL
EW-Foot: 450 **EW Indicator:** FEL
Twsp: 23S **Range:** 33E **Section:** 21
Aliquot: NENE **Lot:** **Tract:**

STATE: NEW MEXICO **Meridian:** NEW MEXICO PRINCIPAL **County:** LEA
Latitude: 32.2966115 **Longitude:** -103.5713477
PPP **Elevation:** -6011 **MD:** 10023 **TVD:** 9735
Leg #: 1 **Lease Type:** FEDERAL **Lease #:** NMNM94186
NS-Foot: 330 **NS Indicator:** FNL
EW-Foot: 450 **EW Indicator:** FEL
Twsp: 23S **Range:** 33W **Section:** 21
Aliquot: NENE **Lot:** **Tract:**

STATE: NEW MEXICO **Meridian:** NEW MEXICO PRINCIPAL **County:** LEA
Latitude: 32.2725236 **Longitude:** -103.5702098
EXIT **Elevation:** -6027 **MD:** 17144 **TVD:** 9751
Leg #: 1 **Lease Type:** FEDERAL **Lease #:** NMNM94186
NS-Foot: 2630 **NS Indicator:** FNL
EW-Foot: 450 **EW Indicator:** FEL
Twsp: 23S **Range:** 33E **Section:** 28
Aliquot: SENE **Lot:** **Tract:**

STATE: NEW MEXICO **Meridian:** NEW MEXICO PRINCIPAL **County:** LEA
Latitude: 32.2757236 **Longitude:** -103.5702098
BHL **Elevation:** -6027 **MD:** 17144 **TVD:** 9751
Leg #: 1 **Lease Type:** FEDERAL **Lease #:** NMNM94186
NS-Foot: 2630 **NS Indicator:** FNL
EW-Foot: 450 **EW Indicator:** FEL

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Twsp: 23S

Range: 33E

Section: 28

Aliquot: SENE

Lot:

Tract:

Drilling Plan

Section 1 - Geologic Formations

ID: Surface formation

Name: UNKNOWN

Lithology(ies):

OTHER - null

Elevation: 3724

True Vertical Depth: 0

Measured Depth: 0

Mineral Resource(s):

NONE

Is this a producing formation? N

ID: Formation 1

Name: RUSTLER

Lithology(ies):

ANHYDRITE

Elevation: 2344

True Vertical Depth: 1380

Measured Depth: 1380

Mineral Resource(s):

NONE

Is this a producing formation? N

ID: Formation 2

Name: TOP OF SALT

Lithology(ies):

SALT

Elevation: 1848

True Vertical Depth: 1876

Measured Depth: 1876

Mineral Resource(s):

NONE

Is this a producing formation? N

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

ID: Formation 3

Name: BASE OF SALT

Lithology(ies):

SALT

Elevation: -1229

True Vertical Depth: 4953

Measured Depth: 4953

Mineral Resource(s):

NONE

Is this a producing formation? N

ID: Formation 4

Name: DELAWARE

Lithology(ies):

SANDSTONE

Elevation: -1493

True Vertical Depth: 5217

Measured Depth: 5217

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 5

Name: BRUSHY CANYON LOWER

Lithology(ies):

SANDSTONE

Elevation: -5162

True Vertical Depth: 8886

Measured Depth: 8886

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 6

Name: BONE SPRING

Lithology(ies):

LIMESTONE

Elevation: -5395

True Vertical Depth: 9119

Measured Depth: 9119

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 7

Name: BONE SPRING

Lithology(ies):

SILTSTONE

Elevation: -5590

True Vertical Depth: 9314

Measured Depth: 9314

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 8

Name: BONE SPRING

Lithology(ies):

SILTSTONE

Elevation: -5942

True Vertical Depth: 9666

Measured Depth: 9666

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? Y

ID: Formation 9

Name: BONE SPRING

Lithology(ies):

SILTSTONE

Elevation: -6264

True Vertical Depth: 9988

Measured Depth: 9988

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Section 2 - Blowout Prevention

Pressure Rating (PSI): 3M

Rating Depth: 9751

Equipment: 3M rotating head, mud-gas separator, panic line, and flare will be rigged up prior to drilling out surface casing.

Requesting Variance? YES

Variance request: A variance is requested for the use of a flexible choke line from the BOP stack to the choke manifold. See attached for specs for hydrostatic test chart.

Testing Procedure: A multibowl wellhead may be used. The BOP will be tested per Onshore Order #2 after installation on the surface casing which will cover testing requirements for a maximum of 30 days. If any seal subject to test pressure is broken the system must be tested.

Choke Diagram Attachment:

Thistle Unit 108H_Choke_BOP Equipment_3M_08-25-2016.pdf

BOP Diagram Attachment:

Thistle Unit 108H_Choke_BOP Equipment_3M_08-25-2016.pdf

Pressure Rating (PSI): 3M

Rating Depth: 5100

Equipment: 3M rotating head, mud-gas separator, panic line, and flare will be rigged up prior to drilling out surface casing.

Requesting Variance? YES

Variance request: A variance is requested for the use of a flexible choke line from the BOP stack to the choke manifold. See attached for specs for hydrostatic test chart.

Testing Procedure: A multibowl wellhead may be used. The BOP will be tested per Onshore Order #2 after installation on the surface casing which will cover testing requirements for a maximum of 30 days. If any seal subject to test pressure is broken the system must be tested.

Choke Diagram Attachment:

Thistle Unit 108H_Choke_BOP Equipment_3M_08-24-2016.pdf

BOP Diagram Attachment:

Thistle Unit 108H_Choke_BOP Equipment_3M_08-24-2016.pdf

Section 3 - Casing

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

String Type: SURFACE

Other String Type:

Hole Size: 17.5

Top setting depth MD: 0

Top setting depth TVD: 0

Top setting depth MSL:

Bottom setting depth MD: 1450

Bottom setting depth TVD: 1450

Bottom setting depth MSL: 2274

Calculated casing length MD: 1450

Casing Size: 13.375

Other Size

Grade: H-40

Other Grade:

Weight: 48

Joint Type: STC

Other Joint Type:

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.18

Burst Design Safety Factor: 2.64

Joint Tensile Design Safety Factor type: BUOYANT

Joint Tensile Design Safety Factor: 8.05

Body Tensile Design Safety Factor type: BUOYANT

Body Tensile Design Safety Factor: 8.05

Casing Design Assumptions and Worksheet(s):

Thistle Unit 108H_Surface Casing Assumptions_08-24-2016.docx

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

String Type: INTERMEDIATE

Other String Type:

Hole Size: 12.25

Top setting depth MD: 0

Top setting depth TVD: 0

Top setting depth MSL: 3724

Bottom setting depth MD: 5100

Bottom setting depth TVD: 5100

Bottom setting depth MSL: -1376

Calculated casing length MD: 5100

Casing Size: 9.625

Other Size

Grade: J-55

Other Grade:

Weight: 40

Joint Type: OTHER

Other Joint Type: BTC

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.15

Burst Design Safety Factor: 1.77

Joint Tensile Design Safety Factor type: BUOYANT

Joint Tensile Design Safety Factor: 3.98

Body Tensile Design Safety Factor type: BUOYANT

Body Tensile Design Safety Factor: 3.98

Casing Design Assumptions and Worksheet(s):

Thistle Unit 108H_Intermediate Casing Assumptions_08-24-2016.docx

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

String Type: PRODUCTION

Other String Type:

Hole Size: 8.75

Top setting depth MD: 0

Top setting depth TVD: 0

Top setting depth MSL: 3724

Bottom setting depth MD: 17144

Bottom setting depth TVD: 9751

Bottom setting depth MSL: -6027

Calculated casing length MD: 17144

Casing Size: 5.5

Other Size

Grade: P-110

Other Grade:

Weight: 17

Joint Type: OTHER

Other Joint Type: BTC

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.56

Burst Design Safety Factor: 1.93

Joint Tensile Design Safety Factor type: BUOYANT

Joint Tensile Design Safety Factor: 2.09

Body Tensile Design Safety Factor type: BUOYANT

Body Tensile Design Safety Factor: 2.09

Casing Design Assumptions and Worksheet(s):

Thistle Unit 108H_Production Casing Assumptions_08-24-2016.docx

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

String Type: INTERMEDIATE

Other String Type:

Hole Size: 12.25

Top setting depth MD: 4300

Top setting depth TVD: 4300

Top setting depth MSL: -576

Bottom setting depth MD: 5100

Bottom setting depth TVD: 5100

Bottom setting depth MSL: -1376

Calculated casing length MD: 800

Casing Size: 9.625

Other Size

Grade: HCK-55

Other Grade:

Weight: 40

Joint Type: OTHER

Other Joint Type: BTC

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.58

Burst Design Safety Factor: 1.47

Joint Tensile Design Safety Factor type: BUOYANT

Joint Tensile Design Safety Factor: 4.5

Body Tensile Design Safety Factor type: BUOYANT

Body Tensile Design Safety Factor: 4.5

Casing Design Assumptions and Worksheet(s):

Thistle Unit 108H_Intermediate Casing Assumptions_08-24-2016.docx

Section 4 - Cement

Casing String Type: INTERMEDIATE

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Stage Tool Depth:

Lead

Top MD of Segment: 0

Bottom MD Segment: 0

Cement Type: NA

Additives: N/A

Quantity (sks): 0

Yield (cu.ff./sk): 0

Density: 0

Volume (cu.ft.): 0

Percent Excess: 0

Casing String Type: SURFACE

Stage Tool Depth: 300

Lead

Top MD of Segment: 0

Bottom MD Segment: 185

Cement Type: C

Additives: N/A

Quantity (sks): 185

Yield (cu.ff./sk): 1.72

Density: 13.5

Volume (cu.ft.): 312

Percent Excess: 50

Stage Tool Depth: 300

Lead

Top MD of Segment: 0

Bottom MD Segment: 300

Cement Type: C

Additives: N/A

Quantity (sks): 235

Yield (cu.ff./sk): 1.33

Density: 14.8

Volume (cu.ft.): 312

Percent Excess: 50

Stage Tool Depth: 300

Lead

Top MD of Segment: 0

Bottom MD Segment: 1450

Cement Type: C

Additives: 1% Calcium Chloride

Quantity (sks): 1130

Yield (cu.ff./sk): 1.34

Density: 14.8

Volume (cu.ft.): 1510

Percent Excess: 50

Casing String Type: INTERMEDIATE

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Stage Tool Depth:

Lead

Top MD of Segment: 0

Bottom MD Segment: 4100

Cement Type: C

Additives: Poz (Fly Ash): 6% BWOC
Bentonite + 5% BWOW Sodium
Chloride + 0.125 lbs/sks Poly-E-Flake

Quantity (sks): 905

Yield (cu.ff./sk): 1.85

Volume (cu.ft.): 1669

Percent Excess: 30

~~Fail~~
Density: 12.9

Bottom MD Segment: 5100

Cement Type: H

Top MD of Segment: 4100

Quantity (sks): 320

Yield (cu.ff./sk): 1.33

Additives: 0.125 lbs/sks Poly-R-Flake

Volume (cu.ft.): 426

Percent Excess: 30

Density: 14.8

Casing String Type: PRODUCTION

Stage Tool Depth: 5500

Lead

Top MD of Segment: 4800

Bottom MD Segment: 4900

Cement Type: C

Additives: Enhancer 923 + 10% BWOC
Bentonite + 0.05% BWOC SA-1015 +
0.3% BWOC HR-800 + 0.2% BWOC
~~Fail~~ FE-2 + 0.125 lb/sk Pol-E-Flake + 0.5

Quantity (sks): 20

Yield (cu.ff./sk): 3.31

Volume (cu.ft.): 66

Percent Excess: 25

~~Fail~~
Density: 10.9

Bottom MD Segment: 5000

Cement Type: H

Quantity (sks): 30

Yield (cu.ff./sk): 1.33

Top MD of Segment: 4900

Volume (cu.ft.): 39

Percent Excess: 25

Additives: 0.125 lbs/sack Poly-E-Flake

Density: 14.8

Stage Tool Depth: 5500

Lead

Top MD of Segment: 5000

Bottom MD Segment: 9500

Cement Type: C

Additives: Enhancer 923 + 10% BWOC
Bentonite + 0.05% BWOC SA-1015 +
0.3% BWOC HR-800 + 0.2% BWOC
~~Fail~~ FE-2 + 0.125 lb/sk Pol-E-Flake + 0.5

Quantity (sks): 405

Yield (cu.ff./sk): 3.31

Volume (cu.ft.): 1336

Percent Excess: 25

~~Fail~~
Density: 10.9

Bottom MD Segment: 17144

Cement Type: H

Quantity (sks): 1850

Yield (cu.ff./sk): 1.2

Top MD of Segment: 9500

Volume (cu.ft.): 2215

Percent Excess: 25

Additives: Poz (Fly Ash) + 0.5% bwoc
HALAD-344 + 0.4% bwoc CFR-3 +
0.2% BWOC HR-601 + 2% bwoc
Bentonite

Density: 14.5

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Percent Excess: 25

Stage Tool Depth: 5500

Lead

Top MD of Segment: 4900

Bottom MD Segment: 9500

Cement Type: H

Additives: Poz (Fly Ash) + 0.3% BWOC
HR-601 + 10% bwoc Bentonite

Quantity (sks): 580

Yield (cu.ff./sk): 2.31

Density: 11.9

Volume (cu.ft.): 1336

Percent Excess: 25

Tail

Top MD of Segment: 9500

Bottom MD Segment: 17144

Cement Type: H

Additives: Poz (Fly Ash) + 0.5% bwoc
HALAD-344 + 0.4% bwoc CFR-3 +
0.2% BWOC HR-601 + 2% bwoc
Bentonite

Quantity (sks): 1850

Yield (cu.ff./sk): 1.2

Density: 14.5

Volume (cu.ft.): 2215

Percent Excess: 25

Section 5 - Circulating Medium

Mud System Type: Closed

Will an air or gas system be Used? NO

Description of the equipment for the circulating system in accordance with Onshore Order #2:

Diagram of the equipment for the circulating system in accordance with Onshore Order #2:

Describe what will be on location to control well or mitigate other conditions: Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

Describe the mud monitoring system utilized: PVT/Pason/Visual Monitoring

Circulating Medium Table

Top Depth: 0

Bottom Depth: 5100

Mud Type: SALT SATURATED

Min Weight (lbs./gal.): 10

Max Weight (lbs./gal.): 11

Density (lbs/cu.ft.):

Gel Strength (lbs/100 sq.ft.):

PH:

Viscosity (CP): 2

Filtration (cc):

Salinity (ppm):

Additional Characteristics:

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Top Depth: 0

Bottom Depth: 1450

Mud Type: WATER-BASED MUD

Min Weight (lbs./gal.): 8.5

Max Weight (lbs./gal.): 9

Density (lbs/cu.ft.):

Gel Strength (lbs/100 sq.ft.):

PH:

Viscosity (CP): 2

Filtration (cc):

Salinity (ppm):

Additional Characteristics:

Top Depth: 5100

Bottom Depth: 17127

Mud Type: WATER-BASED MUD

Min Weight (lbs./gal.): 8.5

Max Weight (lbs./gal.): 9.3

Density (lbs/cu.ft.):

Gel Strength (lbs/100 sq.ft.):

PH:

Viscosity (CP): 12

Filtration (cc):

Salinity (ppm):

Additional Characteristics:

Section 6 - Test, Logging, Coring

List of production tests including testing procedures, equipment and safety measures:

Will run GR/CNL from TD to surface (horizontal well - vertical portion of hole). Stated logs run will be in the Completion Report and submitted to the BLM.

List of open and cased hole logs run in the well:

GR

Coring operation description for the well:

N/A

Section 7 - Pressure

Anticipated Bottom Hole Pressure: 4223

Anticipated Surface Pressure: 2077.78

Anticipated Bottom Hole Temperature(F): 150

Anticipated abnormal proessures, temperatures, or potential geologic hazards? NO

Describe:

Contingency Plans geoharzards description:

Contingency Plans geohazards attachment:

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Hydrogen Sulfide drilling operations plan required? YES

Hydrogen sulfide drilling operations plan:

Thistle Unit 108H_H2S Plan_08-24-2016.pdf

Section 8 - Other Information

Proposed horizontal/directional/multi-lateral plan submission:

Thistle Unit 108H Directional Plan_08-24-2016.pdf

Thistle Unit 108H_Anti Collision_08-25-2016.pdf

Other proposed operations facets description:

Closed Loop Design Plan

Multi-Bowl Verbiage

Multi-Bowl Wellhead Schematic

Other proposed operations facets attachment:

Thistle Unit 108H_Closed Loop Design Plan_08-24-2016.pdf

Thistle Unit 108H_Multi-Bowl Verbiage_3M_08-24-2016.pdf

Thistle Unit 108H_Multi-Bowl Wellhead_08-24-2016.pdf

Other Variance attachment:

Thistle Unit 108H_H_P Co-flex hose_08-24-2016.pdf

SUPO

Section 1 - Existing Roads

Will existing roads be used? YES

Existing Road Map:

Thistle Unit 108H_Existing Road Map_08-24-2016.pdf

Existing Road Purpose: ACCESS,FLUID TRANSPORT

Row(s) Exist? NO

ROW ID(s)

ID:

Do the existing roads need to be improved? NO

Existing Road Improvement Description:

Existing Road Improvement Attachment:

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Section 2 - New or Reconstructed Access Roads

Will new roads be needed? NO

Section 3 - Location of Existing Wells

Existing Wells Map? YES

Attach Well map:

Thistle Unit 108H one mile map_08-24-2016.pdf

Existing Wells description:

Section 4 - Location of Existing and/or Proposed Production Facilities

Submit or defer a Proposed Production Facilities plan? SUBMIT

Estimated Production Facilities description: Thistle 21 CTB 1

Production Facilities description: Thistle Unit 21 CTB - CTB Plat, Battery Connect, Battery Connect Electric, Flowlines (buried), etc. 8 attachments. Flowlines buried - Four 4" flowlines & one 4" gas lift line (buried in same trench) from the Thistle Unit 121H, 105H, 119H, & 108H to the Thistle 21 CTB 1. Per James Crittenden, CTB previously approved in Thistle Unit 77H, 107H, & 122H APDs. Staked PL between CTB and road. Should only option be one road, will pursue south 53ft. road.

Production Facilities map:

Thistle Unit 108H__THISTLE_UNIT_21_CTB_1_BAT_EL_BRININSTOOL_P_12-01-2016.PDF

Thistle Unit 108H_THISTLE 21 CTB BATTERY CONNECT - CRUDE) NM R1_12-01-2016.pdf

Thistle Unit 108H__THISTLE_UNIT_21_CTB_1_BAT_EL_SNM_P_12-01-2016.PDF

Thistle Unit 108H_Flowline (Buried)_12-01-2016.pdf

Thistle Unit 108H_THISTLE 21 CTB BATTCONN - CRUDE BRININSTOOL RANCH_12-01-2016.PDF

Thistle Unit 108H_THISTLE_UNIT_21_CTB_1_BATCON_SNM_P_12-01-2016.PDF

Thistle Unit 108H_THISTLE 21 CTB BATTERY CONNECT - CRUDE) NM R1_12-01-2016.pdf

Thistle Unit 108H_Thistle Unit 21 CTB Svy_12-20-2016.pdf

Section 5 - Location and Types of Water Supply

Water Source Table

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Water source use type: STIMULATION

Water source type: RECYCLED

Describe type:

Source latitude:

Source longitude:

Source datum:

Water source permit type: OTHER

Source land ownership: FEDERAL

Water source transport method: PIPELINE,TRUCKING

Source transportation land ownership: FEDERAL

Water source volume (barrels): 202500

Source volume (acre-feet): 26.100851

Source volume (gal): 8505000

Water source and transportation map:

Thistle Unit 108H_Water Source_Transfer Map_12-01-2016.pdf

Water source comments: The attached Water Transfer Map is a proposal only and the final route and documentation will be provided by a Devon contractor prior to installation. When available Devon will always follow existing disturbance.

New water well? NO

New Water Well Info

Well latitude:

Well Longitude:

Well datum:

Well target aquifer:

Est. depth to top of aquifer(ft):

Est thickness of aquifer:

Aquifer comments:

Aquifer documentation:

Well depth (ft):

Well casing type:

Well casing outside diameter (in.):

Well casing inside diameter (in.):

New water well casing?

Used casing source:

Drilling method:

Drill material:

Grout material:

Grout depth:

Casing length (ft.):

Casing top depth (ft.):

Well Production type:

Completion Method:

Water well additional information:

State appropriation permit:

Additional information attachment:

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Section 6 - Construction Materials

Construction Materials description: Dirt fill and caliche will be used to construct well pad. Caliche will be coming from the Brininstool Caliche Pit in the NENE of Section 20 - T23S-R33E. Map attached.

Construction Materials source location attachment:

Thistle Unit 108H_Caliche map_12-20-2016.pdf

Section 7 - Methods for Handling Waste

Waste type: COMPLETIONS/STIMULATION

Waste content description: Flow back water during completion operations.

Amount of waste: 3000 barrels

Waste disposal frequency : One Time Only

Safe containment description: N/A

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** COMMERCIAL FACILITY

Disposal type description:

Disposal location description: Various disposal locations in Lea and Eddy counties.

Waste type: DRILLING

Waste content description: Water Based Cuttings

Amount of waste: 1650 barrels

Waste disposal frequency : Daily

Safe containment description: N/A

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** COMMERCIAL FACILITY

Disposal type description:

Disposal location description: All cuttings will disposed of at R360, Sundance, or equivalent.

Waste type: FLOWBACK

Waste content description: Average produced BWPD over the flowback period (first 30 days of production).

Amount of waste: 2000 barrels

Waste disposal frequency : Daily

Safe containment description: N/A

Safe containmant attachment:

Waste disposal type: RECYCLE **Disposal location ownership:** STATE

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Disposal type description:

Disposal location description: All produced water will be recycled at our Thistle water reuse facility. Any excess water that cannot be recycled will be sent to one of our 3 SWD's (Caballo 9 St 1, Rio Blanco 33 Fed 2, Rio Blanco 4 Fed Com 3) or to OWL (third-party; state tie-in).

Waste type: PRODUCED WATER

Waste content description: Average produced BWPD over the first year of production.

Amount of waste: 500 barrels

Waste disposal frequency : Daily

Safe containment description: N/A

Safe containmant attachment:

Waste disposal type: RECYCLE

Disposal location ownership: STATE

Disposal type description:

Disposal location description: All produced water will be recycled at our Thistle water reuse facility. Any excess water that cannot be recycled will be sent to one of our 3 SWD's (Caballo 9 St 1, Rio Blanco 33 Fed 2, Rio Blanco 4 Fed Com 3) or to OWL (third-party; state tie-in).

Reserve Pit

Reserve Pit being used? NO

Temporary disposal of produced water into reserve pit?

Reserve pit length (ft.)

Reserve pit width (ft.)

Reserve pit depth (ft.)

Reserve pit volume (cu. yd.)

Is at least 50% of the reserve pit in cut?

Reserve pit liner

Reserve pit liner specifications and installation description

Cuttings Area

Cuttings Area being used? NO

Are you storing cuttings on location? NO

Description of cuttings location

Cuttings area length (ft.)

Cuttings area width (ft.)

Cuttings area depth (ft.)

Cuttings area volume (cu. yd.)

Is at least 50% of the cuttings area in cut?

WCuttings area liner

Cuttings area liner specifications and installation description

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Section 8 - Ancillary Facilities

Are you requesting any Ancillary Facilities?: NO

Ancillary Facilities attachment:

Comments:

Section 9 - Well Site Layout

Well Site Layout Diagram:

Thistle Unit 108H_Well Pad Rig Loc Layout_12-01-2016.pdf

Comments:

Section 10 - Plans for Surface Reclamation

Type of disturbance: NEW

Recontouring attachment:

Thistle Unit 108H_Interim Reclamation Site Diagram_08-25-2016.pdf

Drainage/Erosion control construction: N/A

Drainage/Erosion control reclamation: N/A

Wellpad long term disturbance (acres): 1.64

Wellpad short term disturbance (acres): 4.48

Access road long term disturbance (acres): 0.007

Access road short term disturbance (acres): 0.007

Pipeline long term disturbance (acres): 0.8102686

Pipeline short term disturbance (acres): 0.8102686

Other long term disturbance (acres): 0

Other short term disturbance (acres): 0

Total long term disturbance: 2.4572685

Total short term disturbance: 5.2972684

Reconstruction method: Operator will use Best Management Practices "BPM" to mechanically recontour to obtain the desired outcome.

Topsoil redistribution: Topsoils shall be replaced to their original relative positions and contoured so as to achieve erosion control, long-term stability and preservation of surface water flow patterns.

Soil treatment: Topsoils shall be replaced to their original relative positions and contoured so as to achieve erosion control, long-term stability and preservation of surface water flow patterns.

Existing Vegetation at the well pad: Shinnery, yucca, grasses, and mesquite

Existing Vegetation at the well pad attachment:

Existing Vegetation Community at the road: Shinnery, yucca, grasses, and mesquite

Existing Vegetation Community at the road attachment:

Existing Vegetation Community at the pipeline: Shinnery, yucca, grasses, and mesquite

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Existing Vegetation Community at the pipeline attachment:

Existing Vegetation Community at other disturbances: Shinnery, yucca, grasses, and mesquite

Existing Vegetation Community at other disturbances attachment:

Non native seed used? NO

Non native seed description:

Seedling transplant description:

Will seedlings be transplanted for this project? NO

Seedling transplant description attachment:

Will seed be harvested for use in site reclamation? NO

Seed harvest description:

Seed harvest description attachment:

Seed Management

Seed Table

Seed type:

Seed source:

Seed name:

Source name:

Source address:

Source phone:

Seed cultivar:

Seed use location:

PLS pounds per acre:

Proposed seeding season:

Seed Summary

Total pounds/Acre:

Seed Type	Pounds/Acre
-----------	-------------

Seed reclamation attachment:

Operator Contact/Responsible Official Contact Info

First Name:

Last Name:

Phone:

Email:

Seedbed prep:

Seed BMP:

Seed method:

Existing invasive species? NO

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Existing invasive species treatment description:

Existing invasive species treatment attachment:

Weed treatment plan description: Maintain weeds on an as need basis

Weed treatment plan attachment:

Monitoring plan description: Monitor as needed

Monitoring plan attachment:

Success standards: N/A

Pit closure description: N/A

Pit closure attachment:

Section 11 - Surface Ownership

Disturbance type: NEW ACCESS ROAD

Describe:

Surface Owner: PRIVATE OWNERSHIP

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Disturbance type: EXISTING ACCESS ROAD

Describe:

Surface Owner: PRIVATE OWNERSHIP, STATE GOVERNMENT

Other surface owner description:

BIA Local Office:

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office: HOBBS FIELD OFFICE OCD

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Disturbance type: WELL PAD

Describe:

Surface Owner: PRIVATE OWNERSHIP, STATE GOVERNMENT

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office: HOBBS FIELD OFFICE OCD

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Disturbance type: PIPELINE

Describe:

Surface Owner: PRIVATE OWNERSHIP,STATE GOVERNMENT

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office: HOBBS FIELD OFFICE OCD

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Section 12 - Other Information

Right of Way needed? NO

Use APD as ROW?

ROW Type(s):

ROW Applications

SUPO Additional Information: Thistle Unit 21 CTB - CTB Plat, Battery Connect, Battery Connect Electric, Flowlines (buried), etc. 8 attachments. Flowlines buried - Four 4" flowlines & one 4" gas lift line (buried in same trench) from the Thistle Unit 121H, 105H, 119H, & 108H to the Thistle 21 CTB 1. Per James Crittenden, CTB previously approved in Thistle Unit 77H, 107H, & 122H APDs. Staked PL between CTB and road. Should only option be one road, will pursue south 53ft. road.
Use a previously conducted onsite? YES

Previous Onsite information: Conducted 6/14/16 for Thistle Unit 121H, 119H, 105H, 108H

Other SUPO Attachment

Thistle Unit 108H_THISTLE_UNIT_21_CTB_1_BAT_EL_SNM_P_12-01-2016.PDF

Thistle Unit 108H_Flowline (Buried)_12-01-2016.pdf

Thistle Unit 108H_THISTLE 21 CTB BATTERY CONNECT - CRUDE) NM R1_12-01-2016.pdf

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Thistle Unit 108H_THISTLE_UNIT_21_CTB_1_BATCON_SNM_P_12-01-2016.PDF

Thistle Unit 108H_THISTLE_UNIT_21_CTB_1_BATCON_BRININSTOOL_P_12-01-2016.PDF

Thistle Unit 108H_THISTLE 21 CTB BATTCONN - CRUDE BRININSTOOL RANCH_12-01-2016.PDF

Thistle Unit 108H_THISTLE_UNIT_21_CTB_1_BAT_EL_BRININSTOOL_P_12-01-2016.PDF

Thistle Unit 108H_Thistle Unit 21 CTB Svy_12-20-2016.pdf

PWD

Section 1 - General

Would you like to address long-term produced water disposal? NO

Section 2 - Lined Pits

Would you like to utilize Lined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Lined pit PWD on or off channel:

Lined pit PWD discharge volume (bbl/day):

Lined pit specifications:

Pit liner description:

Pit liner manufacturers information:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Lined pit precipitated solids disposal schedule:

Lined pit precipitated solids disposal schedule attachment:

Lined pit reclamation description:

Lined pit reclamation attachment:

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Leak detection system description:

Leak detection system attachment:

Lined pit Monitor description:

Lined pit Monitor attachment:

Lined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Lined pit bond number:

Lined pit bond amount:

Additional bond information attachment:

Section 3 - Unlined Pits

Would you like to utilize Unlined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Unlined pit PWD on or off channel:

Unlined pit PWD discharge volume (bbl/day):

Unlined pit specifications:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Unlined pit precipitated solids disposal schedule:

Unlined pit precipitated solids disposal schedule attachment:

Unlined pit reclamation description:

Unlined pit reclamation attachment:

Unlined pit Monitor description:

Unlined pit Monitor attachment:

Do you propose to put the produced water to beneficial use?

Beneficial use user confirmation:

Estimated depth of the shallowest aquifer (feet):

Does the produced water have an annual average Total Dissolved Solids (TDS) concentration equal to or less than that of the existing water to be protected?

TDS lab results:

Geologic and hydrologic evidence:

State authorization:

Unlined Produced Water Pit Estimated percolation:

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Unlined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Unlined pit bond number:

Unlined pit bond amount:

Additional bond information attachment:

Section 4 - Injection

Would you like to utilize Injection PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Injection PWD discharge volume (bbl/day):

Injection well mineral owner:

Injection well type:

Injection well number:

Injection well name:

Assigned injection well API number?

Injection well API number:

Injection well new surface disturbance (acres):

Minerals protection information:

Mineral protection attachment:

Underground Injection Control (UIC) Permit?

UIC Permit attachment:

Section 5 - Surface Discharge

Would you like to utilize Surface Discharge PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Surface discharge PWD discharge volume (bbl/day):

Surface Discharge NPDES Permit?

Surface Discharge NPDES Permit attachment:

Surface Discharge site facilities information:

Surface discharge site facilities map:

Section 6 - Other

Would you like to utilize Other PWD options? NO

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Other PWD discharge volume (bbl/day):

Other PWD type description:

Other PWD type attachment:

Have other regulatory requirements been met?

Other regulatory requirements attachment:

Bond Info

Bond Information

Federal/Indian APD: FED

BLM Bond number: CO1104

BIA Bond number:

Do you have a reclamation bond? NO

Is the reclamation bond a rider under the BLM bond?

Is the reclamation bond BLM or Forest Service?

BLM reclamation bond number:

Forest Service reclamation bond number:

Forest Service reclamation bond attachment:

Reclamation bond number:

Reclamation bond amount:

Reclamation bond rider amount:

Additional reclamation bond information attachment:

Operator Certification

Operator Certification

I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.

NAME: Rebecca Deal

Signed on: 12/20/2016

Title: Regulatory Compliance Professional

Street Address: 333 West Sheridan Avenue

Operator Name: DEVON ENERGY PRODUCTION COMPANY LP

Well Name: THISTLE UNIT

Well Number: 108H

City: Oklahoma City

State: OK

Zip: 73102

Phone: (405)228-8429

Email address: Rebecca.Deal@dvn.com

Field Representative

Representative Name: James Crittenden

Street Address: 6488 Seven Rivers Hwy

City: Artesia

State: NM

Zip: 88210

Phone: (575)748-1854

Email address: james.crittenden@dvn.com

Payment Info

Payment

APD Fee Payment Method: PAY.GOV

pay.gov Tracking ID: RECEIPT NO. 3643854