

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
APPLICATION FOR PERMIT TO DRILL OR REENTER

OCD Hobbs
OCD
APR 17 2017
RECEIVED

FORM APPROVED
OMB No. 1004-0137
Expires October 31, 2014

| | | | |
|---|--|--|--|
| 1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER | | 7. If Unit or CA Agreement, Name and No. | |
| 1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone | | 8. Lease Name and Well No. ORRTANNA 20 FED 708H 316102 | |
| 2. Name of Operator EOG RESOURCES INC (7377) | | 9. API Well No. 30-025-43748 | |
| 3a. Address 1111 Bagby Sky Lobby2 Houston TX 77002 | | 10. Field and Pool, or Exploratory RED HILLS / WC-025 S263327G (98097) | |
| 3b. Phone No. (include area code) (713)651-7000 | | 11. Sec., T. R. M. or Blk. and Survey or Area SEC 20 / T26S / R33E / NMP | |
| 4. Location of Well (Report location clearly and in accordance with any State requirements.)* At surface SESE / 798 FSL / 443 FEL / LAT 32.0239455 / LONG -103.5871743 At proposed prod. zone NENE / 230 FNL / 330 FEL / LAT 32.0356176 / LONG -103.5868177 | | 12. County or Parish LEA | |
| 14. Distance in miles and direction from nearest town or post office* 24 miles | | 13. State NM | |
| 15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 230 feet | 16. No. of acres in lease 640 | 17. Spacing Unit dedicated to this well 160 | |
| 18. Distance from proposed location* to nearest well, drilling, completed, 663 feet applied for, on this lease, ft. | 19. Proposed Depth 12264 feet / 17149 feet | 20. BLM/BIA Bond No. on file FED: NM2308 | |
| 21. Elevations (Show whether DF, KDB, RT, GL, etc.) 3240 feet | 22. Approximate date work will start* 06/01/2017 | 23. Estimated duration 25 days | |

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

- | | |
|--|---|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the BLM. |

| | | |
|---|--|-----------------|
| 25. Signature (Electronic Submission) | Name (Printed/Typed) Stan Wagner / Ph: (432)686-3689 | Date 01/24/2017 |
| Title Regulatory Specialsit | | |
| Approved by (Signature) (Electronic Submission) | Name (Printed/Typed) Ty Allen / Ph: (575)234-5978 | Date 04/11/2017 |
| Title Wildlife Biologist | | |
| Office HOBBS | | |

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

APPROVED WITH CONDITIONS

KZ
04/17/17

EOG RESOURCES, INC.
ORRTANNA 20 FED NO. 708H

1. GEOLOGIC NAME OF SURFACE FORMATION:

Permian

2. ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

| | |
|-----------------------------------|---------|
| Rustler | 825' |
| Top of Salt | 1,176' |
| Base of Salt / Top Anhydrite | 4,637' |
| Base Anhydrite | 4,874' |
| Lamar | 4,874' |
| Bell Canyon | 4,901' |
| Cherry Canyon | 5,918' |
| Brushy Canyon | 7,478' |
| Bone Spring Lime | 9,047' |
| 1 st Bone Spring Sand | 9,971' |
| 2 nd Bone Spring Shale | 10,280' |
| 2 nd Bone Spring Sand | 10,550' |
| 3 rd Bone Spring Carb | 11,086' |
| 3 rd Bone Spring Sand | 11,702' |
| Wolfcamp | 12,167' |
| TD | 12,327' |

HOBBS OCD
APR 17 2017
RECEIVED

3. ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

| | | |
|-----------------------------------|---------|-------------|
| Upper Permian Sands | 0- 400' | Fresh Water |
| Cherry Canyon | 5,918' | Oil |
| Brushy Canyon | 7,478' | Oil |
| 1 st Bone Spring Sand | 9,971' | Oil |
| 2 nd Bone Spring Shale | 10,280' | Oil |
| 2 nd Bone Spring Sand | 11,550' | Oil |
| 3 rd Bone Spring Carb | 11,086' | Oil |
| 3 rd Bone Spring Sand | 11,702' | Oil |
| Wolfcamp | 12,167' | Oil |

No other Formations are expected to give up oil, gas or fresh water in measurable quantities. Surface fresh water sands will be protected by setting 10.75" casing at 850' and circulating cement back to surface.

**EOG RESOURCES, INC.
ORRTANNA 20 FED NO. 708H**

4. CASING PROGRAM - NEW

| Hole Size | Interval | Csg OD | Weight | Grade | Conn | DF _{min} Collapse | DF _{min} Burst | DF _{min} Tension |
|-----------|------------------|--------|--------|---------|--------------|----------------------------|-------------------------|---------------------------|
| 14.75" | 0 – 850' | 10.75" | 40.5# | J55 | STC | 1.125 | 1.25 | 1.60 |
| 9.875" | 0 – 1,000' | 7.625" | 29.7# | HCP-110 | LTC | 1.125 | 1.25 | 1.60 |
| 9.875" | 1,000' – 3,000' | 7.625" | 29.7# | P-110EC | SLIJ II | 1.125 | 1.25 | 1.60 |
| 8.75" | 3,000' – 11,100' | 7.625" | 29.7# | HCP-110 | FlushMax III | 1.125 | 1.25 | 1.60 |
| 6.75" | 0' – 10,600' | 5.5" | 20# | P-110EC | DWC/C-IS MS | 1.125 | 1.25 | 1.60 |
| 6.75" | 10,600'-17,149' | 5.5" | 20# | P-110EC | VAM SFC | 1.125 | 1.25 | 1.60 |

Variance is requested to wave the centralizer requirements for the 7-5/8" FJ casing in the 8-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 8-3/4" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to wave any centralizer requirements for the 5-1/2" FJ casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

Cementing Program:

| Depth | No. Sacks | Wt. ppg | Yld Ft ³ /ft | Mix Water Gal/sk | Slurry Description |
|-------------------|-----------|---------|-------------------------|------------------|---|
| 10-3/4" 850' | 325 | 13.5 | 1.73 | 9.13 | Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5% CaCl ₂ + 0.25 lb/sk Cello-Flake (TOC @ Surface) |
| | 200 | 14.8 | 1.34 | 6.34 | Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate |
| 7-5/8" 11,100' | 250 | 14.8 | 1.38 | 6.48 | Class C + 5% Gypsum + 3% CaCl ₂ pumped via Bradenhead (TOC @ Surface) |
| | 2000 | 14.8 | 1.38 | 6.48 | Class C + 5% Gypsum + 3% CaCl ₂ pumped via Bradenhead |
| | 550 | 14.4 | 1.20 | 4.81 | 50:50 Class H:Poz + 0.25% CPT20A + 0.40% CPT49 + 0.20% CPT35 + 0.80% CPT16A + 0.25% CPT503P pumped Conventionally |
| 5-1/2" 17,149' | 725 | 14.1 | 1.26 | 5.80 | Class H + 0.1% C-20 + 0.05% CSA-1000 + 0.20% C-49 + 0.40% C-17 (TOC @ 10,600') |

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

**EOG RESOURCES, INC.
ORRTANNA 20 FED NO. 708H**

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Variance is requested to use a co-flex line between the BOP and choke manifold (instead of using a 4" OD steel line).

The minimum blowout preventer equipment (BOPE) shown in Exhibit #1 will consist of a single ram, mud cross and double ram-type (10,000 psi WP) preventer and an annular preventer (5000-psi WP). Both units will be hydraulically operated and the ram-type will be equipped with blind rams on bottom and drill pipe rams on top. All BOPE will be tested in accordance with Onshore Oil & Gas order No. 2.

Before drilling out of the surface casing, the ram-type BOP and accessory equipment will be tested to 5000/ 250 psig and the annular preventer to 3500/ 250 psig. The surface casing will be tested to 1500 psi for 30 minutes.

Before drilling out of the intermediate casing, the ram-type BOP and accessory equipment will be tested to 5000/ 250 psig and the annular preventer to 3500/ 250 psig. The intermediate casing will be tested to 2000 psi for 30 minutes.

Pipe rams will be operationally checked each 24-hour period. Blind rams will be operationally checked on each trip out of the hole. These checks will be noted on the daily tour sheets.

A hydraulically operated choke will be installed prior to drilling out of the intermediate casing shoe.

6. TYPES AND CHARACTERISTICS OF THE PROPOSED MUD SYSTEM:

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal.

The applicable depths and properties of the drilling fluid systems are as follows.

| Depth | Type | Weight (ppg) | Viscosity | Water Loss |
|------------------------------|-------------|---------------------|------------------|-------------------|
| 0 – 850' | Fresh - Gel | 8.6-8.8 | 28-34 | N/c |
| 850' – 11,100' | Brine | 8.8-10.0 | 28-34 | N/c |
| 11,100' – 17,149' Lateral | Oil Base | 10.0-14.0 | 58-68 | 3 - 6 |

The highest mud weight needed to balance formation is expected to be 11.5 ppg. In order to maintain hole stability, mud weights up to 14.0 ppg may be utilized.

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

EOG RESOURCES, INC.
ORRTANNA 20 FED NO. 708H

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.

7. AUXILIARY WELL CONTROL AND MONITORING EQUIPMENT:

- (A) A kelly cock will be kept in the drill string at all times.
- (B) A full opening drill pipe-stabbing valve (inside BOP) with proper drill pipe connections will be on the rig floor at all times.
- (C) H₂S monitoring and detection equipment will be utilized from surface casing point to TD.

8. LOGGING, TESTING AND CORING PROGRAM:

Open-hole logs are not planned for this well.

GR-CCL Will be run in cased hole during completions phase of operations.

9. ABNORMAL CONDITIONS, PRESSURES, TEMPERATURES AND POTENTIAL HAZARDS:

The estimated bottom-hole temperature (BHT) at TD is 181 degrees F with an estimated maximum bottom-hole pressure (BHP) at TD of 7337 psig (based on 11.5 ppg MW). No hydrogen sulfide or other hazardous gases or fluids have been encountered, reported or are known to exist at this depth in this area. Severe loss circulation is expected from 7,300' to Intermediate casing point.

10. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS:

The drilling operation should be finished in approximately one month. If the well is productive, an additional 60-90 days will be required for completion and testing before a decision is made to install permanent facilities.

- (A) EOG Resources requests the option to contract a Surface Rig to drill, set surface casing, and cement on the subject well. If the timing between rigs is such that EOG Resources would not be able to preset the surface, the Primary Rig will MIRU and drill the well in its entirety per the APD.

EOG RESOURCES, INC.
ORRTANNA 20 FED NO. 708H

11. WELLHEAD:

A multi-bowl wellhead system will be utilized.

After running the 10-3/4" surface casing, a 13-5/8" BOP/BOPE system with a minimum working pressure of 5000 psi will be installed on the wellhead system and will be pressure tested to 250 psi low followed by a 5000 psi pressure test. This pressure test will be repeated at least every 30 days, as per Onshore Order No. 2

The minimum working pressure of the BOP and related BOPE required for drilling below the surface casing shoe shall be 5000 psi.

The multi-bowl wellhead will be installed by vendor's representative(s). A copy of the installation instructions for the Stream Flo FBD100 Multi-Bowl WH system has been sent to the NM BLM office in Carlsbad, NM.

The wellhead will be installed by a third party welder while being monitored by WH vendor's representative.

All BOP equipment will be tested utilizing a conventional test plug. Not a cup or J-packer type.

A solid steel body pack-off will be utilized after running and cementing the intermediate casing. After installation the pack-off and lower flange will be pressure tested to 5000 psi.

Both the surface and intermediate casing strings will be tested as per Onshore Order No. 2 to at least 0.22 psi/ft or 1500 psi, whichever is greater.

TECHNICAL SPECIFICATIONS

These specifications are furnished for general information only and are not intended for design purposes. This information is preliminary and may change subject to a final design by VAM-USA Engineering. This is not a controlled document.

DWC/C-IS MS **Casing** **5.500" O.D.** **20.00 lb./ft.** **VST P-110EC**
standard

| | |
|-------------|----------------------------------|
| VST P-110EC | <u>Material</u> |
| 125,000 | Grade |
| 135,000 | Minimum Yield Strength (psi.) |
| | Minimum Ultimate Strength (psi.) |



VAM-USA
 4424 W. Sam Houston Pkwy, Suite 150
 Houston, TX 77041
 Phone: (713) 479-3200
 Fax: (713) 479-3234
 E-mail: VAMUSAsales@na.vallourec.com

| | |
|-------|----------------------------------|
| | <u>Pipe Dimensions</u> |
| 5.500 | Nominal Pipe Body OD (in.) |
| 4.778 | Nominal Pipe Body ID (in.) |
| 0.361 | Nominal Wall Thickness (in.) |
| 20.00 | Nominal Weight (lbs./ft.) |
| 19.83 | Plain End Weight (lbs./ft.) |
| 5.828 | Nominal Pipe Body Area (sq. in.) |

| | |
|---------|--|
| | <u>Pipe Body Performance Properties</u> |
| 729,000 | Minimum Pipe Body Yield Strength (lbs.) |
| 12,090 | Minimum Collapse Pressure (psi.) |
| 14,360 | Minimum Internal Yield Pressure (psi.) |
| 13,100 | Hydrostatic Test Pressure (psi.) |

| | |
|-------|-------------------------------------|
| | <u>Connection Dimensions</u> |
| 6.115 | Connection OD (in.) |
| 4.778 | Connection ID (in.) |
| 4.653 | Connection Drift Diameter (in.) |
| 4.13 | Make-up Loss (in.) |
| 5.828 | Critical Area (sq. in.) |
| 100.0 | Joint Efficiency (%) |

| | |
|---------|---|
| | <u>Connection Performance Properties</u> |
| 729,000 | (1) Joint Strength (lbs.) |
| 26,040 | (2) Reference String Length (ft.) 1.4 Design Factor |
| 728,000 | (3) API Joint Strength (lbs.) |
| 729,000 | Compression Rating (lbs.) |
| 12,090 | API Collapse Pressure Rating (psi.) |
| 14,360 | (4) API Internal Pressure Resistance (psi.) |
| 104.2 | Maximum Uniaxial Bend Rating (degrees/100 ft.) |

| | |
|--------|--|
| | <u>Approximated Field End Torque Values</u> |
| 16,600 | (5) Minimum Final Torque (ft.-lbs.) |
| 19,100 | (5) Maximum Final Torque (ft.-lbs.) |
| 21,600 | (6) Connection Yield Torque (ft.-lbs.) |

- (1) Joint Strength is the minimum pipe body yield strength multiplied by the connection critical area.
- (2) Reference String Length is the joint strength divided by both the weight in air and the design factor.
- (3) API Joint Strength is for reference only. It is calculated from Formulas 42 and 43 in the API Bulletin 5C3.
- (4) API Internal Pressure Resistance is calculated from Formulas 31, 32, and 35 in the API Bulletin 5C3.
- (5) Torque values are approximated and may be affected by field conditions.
- (6) Connection yield torque is not to be exceeded.

Connection specifications within the control of VAM-USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades are obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

| | | | | | |
|------------------------|------------------------------|------------------------------|---------------------------|-------------------------------|-----------------------------------|
| OD 7 5/8 in. | Weight 29.70 lb/ft | Wall Th. 0.375 in. | Grade VM 110 HC | API Drift 6.750 in. | Connection VAM® SLIJ-II |
|------------------------|------------------------------|------------------------------|---------------------------|-------------------------------|-----------------------------------|


| PIPE PROPERTIES | |
|--------------------------------|---------------|
| Nominal OD | 7.625 in. |
| Nominal ID | 6.875 in. |
| Nominal Cross Section Area | 8.541 sqin. |
| Grade Type | High Collapse |
| Min. Yield Strength | 110 ksi |
| Max. Yield Strength | 140 ksi |
| Min. Ultimate Tensile Strength | 125 ksi |

| CONNECTION PROPERTIES | |
|------------------------------|-----------------------------|
| Connection Type | Premium integral semi-flush |
| Connection OD (nom) | 7.711 in. |
| Connection ID (nom) | 6.820 in. |
| Make-up Loss | 4.822 in. |
| Critical Cross Section | 5.912 sqin. |
| Tension Efficiency | 69.2 % of pipe |
| Compression Efficiency | 48.5 % of pipe |
| Internal Pressure Efficiency | 100 % of pipe |
| External Pressure Efficiency | 100 % of pipe |

| CONNECTION PERFORMANCES | |
|------------------------------|-------------|
| Tensile Yield Strength | 651 klb |
| Compression Resistance | 455 klb |
| Internal Yield Pressure | 9470 psi |
| Uniaxial Collapse Pressure | 7890 psi |
| Max. Bending Capacity | TDB |
| Max Bending with Sealability | 20 °/100 ft |

| FIELD TORQUE VALUES | |
|----------------------|-------------|
| Min. Make-up torque | 11300 ft.lb |
| Opti. Make-up torque | 12600 ft.lb |
| Max. Make-up torque | 13900 ft.lb |

VAM® SLIJ-II is a semi-flush integral premium connection for all casing applications. It combines a near flush design with high performances in tension, compression and gas sealability. VAM® SLIJ-II has been validated according to the most stringent tests protocols, and has an excellent performance history in the world's most prolific HPHT wells.



Do you need help on this product? - Remember no one knows VAM® like VAM

canada@vamfieldservice.com
usa@vamfieldservice.com
mexico@vamfieldservice.com
brazil@vamfieldservice.com


uk@vamfieldservice.com
dubai@vamfieldservice.com
nigeria@vamfieldservice.com
angola@vamfieldservice.com

china@vamfieldservice.com
baku@vamfieldservice.com
singapore@vamfieldservice.com
australia@vamfieldservice.com

Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance

Other Connection Data Sheets are available at www.vamservices.com

VAM® SFC



| | | | | |
|----------------------|------------------------|----------------------|----------------------------|-----------------------|
| O.D. 5.500 | WEIGHT 20.00 | WALL 0.361 | GRADE VST P110EC | DRIFT 4.653 |
|----------------------|------------------------|----------------------|----------------------------|-----------------------|

PIPE BODY PROPERTIES

| | |
|------------------------------|--------------|
| Material Grade | VST P110EC |
| Min. Yield Strength | 125 ksi |
| Min. Tensile Strength | 135 ksi |
| Outside Diameter | 5.500 in |
| Inside Diameter | 4.778 in |
| Nominal Area | 5.828 sq.in. |
| Yield Strength | 729 kips |
| Ultimate Strength | 787 kips |
| Min Internal Yield | 14,360 psi |
| *High Collapse | 12,090 psi |

CONNECTION PROPERTIES

| | |
|---------------------------|--------------|
| Connection OD | 5.701 in |
| Connection ID | 4.719 in |
| Make-Up Loss | 5.132 in |
| Box Critical Area | 4.083 sq.in. |
| %PB Section Area | 70.1% |
| Pin Critical Area | 4.123 sq.in. |
| %PB Section Area | 70.7% |
| Yield Strength | 510 kips |
| Parting Load | 551 kips |
| Min Internal Yield | 14,360 psi |
| *High Collapse | 12,090 psi |
| Wk Compression | 357 kips |
| Max Pure Bending | 20 °/100 ft |

Contact: tech.support@vam-usa.com
 Ref. Drawing: SI-PD 100414 Rev.B
 Date: 14-Jun-16
 Time: 2:31 PM


TORQUE DATA ft-lb

| min | opt | max |
|-------|-------|--------|
| 8,700 | 9,700 | 10,700 |



All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

**FLUSHMAX-III
Connection Data Sheet**



| Pipe Body | Imperial | | S.I. | |
|-------------------------|----------|-----------------|--------|-----------------|
| Grade | P110 | | P110 | |
| Pipe OD (D) | 7 5/8 | in | 193.68 | mm |
| Weight | 29.7 | lb/ft | 44.25 | kg/m |
| Actual weight | 29.0 | lb/ft | 43.26 | kg/m |
| Wall thickness (t) | 0.375 | in | 9.53 | mm |
| Pipe ID (d) | 6.875 | in | 174.63 | mm |
| Pipe body cross section | 8.537 | in ² | 5,508 | mm ² |
| Drift Dia. | 6.750 | in | 171.45 | mm |

| Connection | | | | |
|-----------------------|------------------------|-----------------|--------|-----------------|
| Box OD (W) | 7.625 | in | 193.68 | mm |
| PIN ID | 6.875 | in | 174.63 | mm |
| Pin critical area | 4.420 | in ² | 2,852 | mm ² |
| Box critical area | 4.424 | in ² | 2,854 | mm ² |
| Joint load efficiency | 60 | % | 60 | % |
| Make up loss | 3.040 | in | 77.22 | mm |
| Thread taper | 1/16 (3/4 in per ft) | | | |
| Number of threads | 5 thread per in. | | | |


| Connection Performance Properties | | | | |
|-----------------------------------|-------|------|-------|-----|
| Tensile Yield load | 563.4 | kips | 2,506 | kN |
| M.I.Y.P. | 7,574 | psi | 52.2 | MPa |
| Collapse strength | 5,350 | psi | 36.9 | MPa |

Note
M.I.Y.P. = Minimum Internal Yield Pressure of the connection

| Torque Recommended | | | | |
|--------------------|--------|-------|--------|-----|
| Min. | 8,700 | ft-lb | 11,700 | N-m |
| Opti. | 9,700 | ft-lb | 13,100 | N-m |
| Max. | 10,700 | ft-lb | 14,500 | N-m |
| Operational Max. | 23,600 | ft-lb | 32,000 | N-m |

Note : Operational Max. torque can be applied for high torque application

**FLUSHMAX-III
Connection Data Sheet**



| Pipe Body | Imperial | | S.I. | |
|-------------------------|----------|-----------------|--------|-----------------|
| Grade | P110 | | P110 | |
| Pipe OD (D) | 7 5/8 | in | 193.68 | mm |
| Weight | 29.7 | lb/ft | 44.25 | kg/m |
| Actual weight | 29.0 | lb/ft | 43.26 | kg/m |
| Wall thickness (t) | 0.375 | in | 9.53 | mm |
| Pipe ID (d) | 6.875 | in | 174.63 | mm |
| Pipe body cross section | 8.537 | in ² | 5,508 | mm ² |
| Drift Dia. | 6.750 | in | 171.45 | mm |

| Connection | | | | |
|-----------------------|------------------------|-----------------|--------|-----------------|
| Box OD (W) | 7.625 | in | 193.68 | mm |
| PIN ID | 6.875 | in | 174.63 | mm |
| Pin critical area | 4.420 | in ² | 2,852 | mm ² |
| Box critical area | 4.424 | in ² | 2,854 | mm ² |
| Joint load efficiency | 60 | % | 60 | % |
| Make up loss | 3.040 | in | 77.22 | mm |
| Thread taper | 1/16 (3/4 in per ft) | | | |
| Number of threads | 5 thread per in. | | | |

| Connection Performance Properties | | | | |
|-----------------------------------|-------|------|-------|-----|
| Tensile Yield load | 563.4 | kips | 2,506 | kN |
| M.I.Y.P. | 7,574 | psi | 52.2 | MPa |
| Collapse strength | 5,350 | psi | 36.9 | MPa |

Note
M.I.Y.P. = Minimum Internal Yield Pressure of the connection

| Torque Recommended | | | | |
|--------------------|--------|-------|--------|-----|
| Min. | 8,700 | ft-lb | 11,700 | N-m |
| Opti. | 9,700 | ft-lb | 13,100 | N-m |
| Max. | 10,700 | ft-lb | 14,500 | N-m |
| Operational Max. | 23,600 | ft-lb | 32,000 | N-m |

Note : Operational Max. torque can be applied for high torque application



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

| POD Number | POD Sub-Code | basin | County | Q 64 | Q 16 | Q 4 | Sec | Tws | Rng | X | Y | Distance | Depth Well | Depth Water | Water Column |
|------------------------------|--------------|-------|--------|------|------|-----|-----|-----|-----|--------|----------|----------|------------|-------------|--------------|
| C 02273 | | | LE | 1 | 2 | 21 | 26S | 33E | | 634549 | 3545134* | 2101 | 160 | 120 | 40 |
| C 03577 POD1 | CUB | | LE | 3 | 3 | 3 | 22 | 26S | 33E | 636010 | 3543771 | 3741 | 750 | 110 | 640 |
| C 03596 POD1 | C | | LE | 3 | 3 | 4 | 22 | 26S | 33E | 636017 | 3543756 | 3751 | 225 | | |
| C 02270 | C | | LE | 1 | 1 | 2 | 27 | 26S | 33E | 636063 | 3543722 | 3806 | 150 | 125 | 25 |
| C 02294 | CUB | | LE | 4 | 4 | 3 | 11 | 26S | 33E | 637465 | 3547003 | 5417 | 200 | 145 | 55 |
| C 02293 | CUB | | LE | 2 | 2 | 1 | 14 | 26S | 33E | 637501 | 3546975 | 5439 | 200 | 135 | 65 |
| C 02287 | CUB | | LE | 3 | 4 | 4 | 03 | 26S | 33E | 636427 | 3548708 | 5474 | 220 | | |
| C 02286 | CUB | | LE | 3 | 4 | 4 | 03 | 26S | 33E | 636470 | 3548714 | 5509 | 220 | 175 | 45 |
| C 02289 | CUB | | LE | 4 | 4 | 4 | 03 | 26S | 33E | 636612 | 3548675* | 5587 | 200 | 160 | 40 |
| C 02290 | CUB | | LE | 4 | 4 | 4 | 03 | 26S | 33E | 636538 | 3548770 | 5597 | 200 | 160 | 40 |
| C 02288 | CUB | | LE | 4 | 4 | 4 | 03 | 26S | 33E | 636646 | 3548758 | 5668 | 220 | 180 | 40 |
| C 02285 POD1 | C | | LE | 1 | 4 | 4 | 03 | 26S | 33E | 636613 | 3548855 | 5709 | 220 | 220 | 0 |
| C 02295 | CUB | | LE | 2 | 2 | 4 | 12 | 26S | 33E | 639850 | 3547710* | 7895 | 250 | 200 | 50 |
| C 02271 | R | | LE | | 2 | 3 | 21 | 26S | 32E | 624449 | 3544111* | 8050 | 150 | 125 | 25 |
| C 03595 POD1 | CUB | | LE | 4 | 2 | 3 | 21 | 26S | 32E | 624423 | 3544045 | 8083 | 280 | 180 | 100 |
| C 02271 POD2 | CUB | | LE | 3 | 2 | 3 | 21 | 26S | 32E | 624348 | 3544010* | 8161 | 270 | 250 | 20 |
| C 02323 | C | | LE | 3 | 2 | 3 | 21 | 26S | 32E | 624348 | 3544010* | 8161 | 405 | 405 | 0 |
| C 03537 POD1 | C | | LE | 3 | 2 | 3 | 21 | 26S | 32E | 624250 | 3543985 | 8261 | 850 | | |
| C 02313 | | | LE | 2 | 3 | 3 | 26 | 25S | 33E | 636971 | 3552098* | 8462 | 150 | 110 | 40 |

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Exhibit 1a

EOG Resources 5M BOPE

1. Cameron 2 1/16" 10,000 PSI WP Gate Valve
2. 4 1/16" 10,000 PSI WP Manual Choke
3. Cameron 4 1/16" 10,000 PSI WP Manual Valve
4. 8" OD x 4" ID 10,000 PSI WP Flex Choke Line
5. Cameron 4 1/16" 10,000 PSI WP Manual Valve & Pressure Gauge on Pressure Block
6. 10,000 PSI WP Hyrdraulic Choke Valve
7. 8" Expansion Chamber
8. LP Butterfly Valve
9. LP Valve
10. 4" Panic Line
11. 6" Butterfly Valve
12. 10-3/4" Butterfly Valve
13. 6" Butterfly Valve





Exhibit 1 EOG Resources 5M BOPE

Rig Floor

- | |
|--|
| 1. 13 5/8" Rotating Head |
| 2. NOV 13 5/8" 5,000 PSI WP GK Annular Preventor |
| 3. 13 5/8" Cameron Type "U" 10,000 PSI WP Ram Preventors |
| 4. 2 1/16" - 10,000 PSI WP Check Valve |
| 5. 10,000 PSI WP - 1502 Union to kill line |
| 6. 2 1/16" - 10,000 PSI WP Manual Valves |
| 7. 13 5/8" 3,000 PSI WP x 13 5/8" 5,000 PSI WP Spacer Spool |
| 8. 4 1/16" 10,000 PSI WP HCR Valve |
| 9. 4 1/16" 10,000 PSI WP Manual Valve |
| 10. 6" OD x 3" ID 10,000 PSI WP Steel Armoured Flex Choke Line |
| 11. DSA - 13 5/8" 10,000 PSI WP x 13 5/8" 5,000 PSI WP |
| 12. Mud Cross - 13 5/8" 10,000 PSI WP |
| 13. Blind Rams |
| 14. Pipe Rams |
| 15. 13 5/8" Cameron Type "U" 10,000 PSI WP Pipe Rams |
| 16. Flow Line |
| 17. 2" Fill Line |



Manufacturer: Midwest Hose & Specialty

Serial Number: SN#90067

Length: 35'

Size: OD = 8" ID = 4"

Ends: Flanges Size: 4-1/16"

WP Rating: 10,000 psi Anchors required by manufacturer: No

**MIDWEST
HOSE AND SPECIALTY INC.**

| INTERNAL HYDROSTATIC TEST REPORT | | |
|---|--|-----------------------------------|
| Customer: CACTUS | P.O. Number: RIG #123 | |
| Asset # M10761 | | |
| HOSE SPECIFICATIONS | | |
| Type: CHOKE LINE | Length: 35' | |
| I.D. 4" INCHES | O.D. 8" INCHES | |
| WORKING PRESSURE 10,000 PSI | TEST PRESSURE 15,000 PSI | BURST PRESSURE PSI |
| COUPLINGS | | |
| Type of End Fitting 4 1/16 10K FLANGE | | |
| Type of Coupling: SWEDGED | MANUFACTURED BY MIDWEST HOSE & SPECIALTY | |
| PROCEDURE | | |
| <i>Hose assembly pressure tested with water at ambient temperature.</i> | | |
| TIME HELD AT TEST PRESSURE 1 MIN. | ACTUAL BURST PRESSURE: 0 PSI | |
| COMMENTS: SN#90067 M10761 Hose is covered with stainless steel armour cover and wrapped with fire resistant vermiculite coated fiberglass insulation rated for 1500 degrees complete with lifting eyes | | |
| Date: 6/6/2011 | Tested By: BOBBY FINK | Approved: MENDI JACKSON |



Midwest Hose
& Specialty, Inc.

Internal Hydrostatic Test Graph

Report Date: 11/13/14

Customer: CACTUS

SALES ORDER# 90067

Hose Specifications

Hose Type

C & K

I.D.

4"

Working Pressure

10000 PSI

Length

35'

O.D.

8"

Burst Pressure

Standard Safety Multiplier Applies

Verification

Type of Fitting

4 1/16 10K

Die Size

6.62"

Hose Serial #

Coupling Method


Swage

Final O.D.

6.68"

Hose Assembly Serial #

90067



Test Pressure

15000 PSI

Time Held at Test Pressure

11 1/4 Minutes

Actual Burst Pressure

Peak Pressure

15439 PSI

Comments: Hose assembly pressure tested with water at ambient temperature.

Tested By: Bobby Fink

Approved By: Mendi Jackson

Exhibit 4
EOG Resources
Orrtanna 20 Fed #708H

Well Site Diagram

