

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-27652
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator ConocoPhillips Company		6. State Oil & Gas Lease No. B-2148
3. Address of Operator 600 N. Dairy Ashford Rd. Houston, TX 77079		7. Lease Name or Unit Agreement Name Leamex
4. Well Location Unit Letter H : 1980 feet from the North line and 660 feet from the East line Section 24 Township 17-S Range 33-E NMPM County Lea		8. Well Number 33
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4122' GL		9. OGRID Number 217817
		10. Pool name or Wildcat Maljamar GB/SA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT

REMEDIAL WORK
COMMENCE DRILLING OPERATIONS
CASING/CEMENT JOB

INT TO P&A **Pm.x**
P&A NR
P&A R

13. Describe proposed or completed operations. (Clearly state all of starting any proposed work). SEE RULE 19.15.7.14 NMAC.
proposed completion or recompletion.

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

--MIRU. ND WH, NU BOP. POOH & LD Prod. Equip
--RIH WL - Set 4 1/2" CIBP @ 4100'
--Tbg @ 4100' - Circ hole w/ MLF. Spot 25sx cmt @ 4100' - 3800' - Pressure test csg.
--Spot 25sx cmt @ 3400' - 3200'. WOC-Tag
--Spot 25sx cmt @ 2800' - 2600'. WOC-Tag
--Spot 25sx cmt @ 1700' - 1500'. WOC-Tag
--Spot 30sx cmt @ 405' - 3'
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17

Spud Date: **1/15/82**

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE **[Signature]** TITLE **P&A A.M. - Basic Energy Services** DATE **5/1/17**

Type or print name **Greg Bryant** E-mail address: PHONE: **432-563-3355**

For State Use Only

APPROVED BY: **[Signature]** TITLE **Petroleum Engr. Specialist** DATE **05/04/2017**


Conditions of Approval (if any):

WELLBORE SKETCH
ConocoPhillips Company -- Permian Basin Business Unit

Date: 4/4/2017

RKB @ 4133'
DF @ 4133'
GL @ 4122'

Subarea : Buckeye
Lease & Well No. : Leamex No. 33
Legal Description : 1980' FNL & 660' FEL., Sec. 24, T-17-S, R-33-E
County : Lea State : New Mexico
Field : Maljamar
Date Spudded : 1/15/1982
API Number : 30-025-27652




WELLSBORE SKETCH
ConocoPhillips Company -- Permian Basin Business Unit

Date: 4/4/2017

RKB @ 4133'
 DF @ 4133'
 GL @ 4122'

Subarea : Buckeye
 Lease & Well No. : Leamex No. 33
 Legal Description : 1980' FNL & 660' FEL,, Sec. 24, T-17-S, R-33-E
 County : Lea State : New Mexico
 Field : Maljamar
 Date Spudded : 1/15/1982
 API Number : 30-025-27652



Spot 30sx cmt @ 405'-3'
 8-5/8" 24# K-55 @ 355'
 Cmt'd w/ 400 sx
 TOC @ Surface

Spot 25sx cmt @ 1700'-1500' - Tag

Spot 25sx cmt @ 2800'-2600' - Tag

Spot 25sx cmt @ 3400'-3200' - Tag

Spot 25sx cmt @ 4100'-3800'
 Set CIBP @ 4100'

Perfs: 4198' - 4587'

Perfs: 4640' - 4645'

4-1/2" 11.6# N-80 @ 4800'
 Cmt'd w/ 1750 sx
 TOC @ Surface'

PBTD @ 4748'
 TD @ 4800''