

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBSD
RECEIVED
MAY 08 2017
CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-35235
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. V 2512
7. Lease Name or Unit Agreement Name Shell State
8. Well Number 6
9. OGRID Number 16696
10. Pool name or Wildcat Red Tank Delaware, West
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3757'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
OXY USA Inc.

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter L : 2310 feet from the South line and 330 feet from the West line
Section 36 Township 22S Range 32E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT F

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING/CEMENT JOB ☐
OTHER: ☐
INT TO PA Pm. x
P&A NR
P&A R

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-8950' PBTD-8864' Perfs-6352-8536'
10-3/4" 32.3# csg @ 850' w/ 800sx, 14-3/4" hole, TOC-Surf-Circ
7-5/8" 26.4# csg @ 4720' w/ 1500sx, 9-7/8" hole, TOC-Surf-Circ
4-1/2" 11.6# csg @ 8950' DVT @ 6004' w/ 990sx, 6-3/4" hole, TOC-3420'-CBL
1. RIH & set CIBP @ 6302', M&P 35sx cmt to 5950' WOC-Tag Pressure test csg.
2. M&P 25sx cmt @ 4820-4620' WOC-Tag
3. Perf @ 2810', sqz 30sx cmt to 2710' WOC-Tag
4. Perf @ 900', sqz 30sx cmt to 800' WOC-Tag 40sx
5. Perf @ 250', sqz 60sx cmt to surface

10# MLF between plugs - Above ground steel tanks will be utilized

VERIFY CMT TO SURFACE ALL STRINGS

This well is in
Lessor Prairie
Chicken Area.
Install P&A
marker 3' below
ground level.

Spud Date:

Rig Release Date:

**NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 5/3/17

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mark Whitaker TITLE Petroleum Engr. Specialist DATE 05/09/2017

Conditions of Approval (if any):

OXY USA Inc. - Current
Shell State #6
API No. 30-025-35235

14-3/4" hole @ 850'
10-3/4" csg @ 850'
w/ 800sx-TOC-Surf-Circ

9-7/8" hole @ 4720'
7-5/8" csg @ 4720'
w/ 1500sx-TOC-Surf-Circ

Perfs @ 6352-6362'

Perfs @ 7024-7030'

Perfs @ 7350-7356'

Perfs @ 7608-7616'

6-3/4" hole @ 8950'
4-1/2" csg @ 8950'
w/ 990sx-TOC-3420'-CBL
DVT @ 6004'

Perfs @ 8508-8536'

PB-8864'

TD-8950'

OXY USA Inc. - Proposed
Shell State #6
API No. 30-025-35235


60sx @ 250'-Surface

30sx @ 900-800' WOC-Tag

30sx @ 2810-2710' WOC-Tag

25sx @ 4820-4620' WOC-Tag

CIBP @ 6302' w/ 35sx to 5950' WOC-Tag



Perf @ 250'

14-3/4" hole @ 850'
10-3/4" csg @ 850'
w/ 800sx-TOC-Surf-Circ

Perf @ 900'

Perf @ 2810'

9-7/8" hole @ 4720'
7-5/8" csg @ 4720'
w/ 1500sx-TOC-Surf-Circ

Perfs @ 6352-6362'

Perfs @ 7024-7030'

Perfs @ 7350-7356'

Perfs @ 7608-7616'

6-3/4" hole @ 8950'
4-1/2" csg @ 8950'
w/ 990sx-TOC-3420'-CBL
DVT @ 6004'

Perfs @ 8508-8536'

PB-8864'

TD-8950'