

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>Oil Conservation Division</b> <b>220 South St. Francis Dr.</b> <b>Santa Fe, NM 87505</b>			<b>Form C-105</b> Revised April 3, 2017		
		1. WELL API NO. 30-025-20857					
		2. Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN					
		3. State Oil & Gas Lease No.					
<b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>							
4. Reason for filing:  <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name West Jal "B"  6. Well Number: 1			
7. Type of Completion: REENTRY <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER: REENTRY							
8. Name of Operator BC & D OPERATING, INC.				9. OGRID 25670			
10. Address of Operator P.O. BOX 302, HOBBS, NM 88241				11. Pool name or Wildcat SWD;DELAWARE			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	
Surface:	J	17	25S	36E		1980	
BH:	J	17	25S	36E		1980	
13. Date Spudded 3-12-64/5-2-17	14. Date T.D. Reached NEW 5-4-2017	15. Date Rig Released 5-4-2017		16. Date Completed (Ready to Produce) 6-1-2017		17. Elevations (DF and RKB, RT, GR, etc.) 3118' GL	
18. Total Measured Depth of Well PREV. - 12,275' NEW - 6,804'		19. Plug Back Measured Depth 6,170'		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GR/CCL/RCBL/CNL	
22. Producing Interval(s), of this completion - Top, Bottom, Name 5,340' - 6,000' PCC							
<b>23. CASING RECORD (Report all strings set in well)</b>							
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED		
13-3/8"	48	348'	17-1/2"	400 SXS (CIRC)	NONE		
9-5/8"	36	5231'	12-1/4"	3155 SXS (CIRC)	NONE		
7"	26	6770'	8-3/4"	460 SXS	NONE		
<b>24. LINER RECORD</b>							
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN			
<b>25. TUBING RECORD</b>							
SIZE	DEPTH SET	PACKER SET					
4-1/2"	5253.71'	5264.13'					
<b>26. Perforation record (interval, size, and number)</b> 5,340' - 5975', .40, 2 SPF							
<b>27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.</b>							
DEPTH INTERVAL			AMOUNT AND KIND MATERIAL USED				
5340' - 5975'			2500 GALS 15% NeFe Acid				
<b>28. PRODUCTION</b>							
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)			Well Status (Prod. or Shut-in)		
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.)					30. Test Witnessed By		
31. List Attachments							
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.					33. Rig Release Date: 5-4-2017		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:							
Latitude Longitude NAD83							
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief							
Signature <i>Donnie Hill</i>		Printed Name: DONNIE HILL		Title: PRESIDENT		Date: 6/9/2017	
E-mail Address: dhill@wellconsultant.com							

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northwestern New Mexico	
T. Anhy	1252'	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	1396'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	3320'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	3590'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	3837	T. Devonian	T. Cliff House	T. Leadville
T. Queen		T. Silurian	T. Menefee	T. Madison
T. Grayburg		T. Montoya	T. Point Lookout	T. Elbert
T. San Andres		T. Simpson	T. Mancos	T. McCracken
T. Glorieta		T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock		T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry		T. Gr. Wash	T. Dakota	
T. Tubb		T. Delaware Sand 5340'	T. Morrison	
T. Drinkard		T. Bone Springs 7962'	T. Todilto	
T. Abo		T.	T. Entrada	
T. Wolfcamp		T.	T. Wingate	
T. Penn		T.	T. Chinle	
T. Cisco (Bough C)		T.	T. Permian	

### OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....  
 No. 2, from.....to.....  
 No. 3, from.....to.....  
 No. 4, from.....to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

### LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	1252	1252	ANHYDRITE				
1252	3320	2068	SALT				
3320	3393	73	ANHYDRITE				
3393	3590	197	SAND & ANHYDRITE				
3590	3837	247	DOLOMITE, ANHYDRITE, SAND				
3837	5200	1363	SAND				
5200	5270	70	DOLOMITE, ANHYDRITE, SAND				
5270	5510	240	DOLOMITE, LIME, SAND				
5510	10266	4756	DOLOMITE, LIME, SAND				
10266	11053	787	LIME				
11053	11572	519	LIME				
11572	12238	666	SAND				
12238	12275	37	LIME				